

The logo for the Workforce Information Database features a large, stylized red and green swoosh that curves from the top right towards the center. The text "Workforce Information Database" is positioned to the left of this swoosh.

Workforce Information Database

Depend on it.

Database Structure Version 2.8

“When all else fails, read the manual.”

The logo for the Analyst Resource Center features a large, stylized red and green swoosh that curves from the top right towards the center. The text "Analyst Resource Center" is positioned to the left of this swoosh.

**Analyst
Resource
Center**

Consortium members: Connecticut, Iowa, Michigan, Minnesota, Montana, Nevada, North Carolina, Oregon, Virginia, Wisconsin, and the Employment and Training Administration (ETA)

WID Version 2.8 - Release History

Release Date: May 15, 2019

INTRODUCTION

The *Workforce Information Database (WID)* is a standardized database structure developed for the storage and dissemination of local, state, regional, and national workforce information on the economy, industry, labor supply and demand, and other aspects of and areas affected by, or that have an effect on our workforce. Population of the database is a core deliverable of the ETA State Workforce Information Grant and is carried out by the agency that has responsibility for collecting, preparing, and disseminating the information within each state. The WID structure is continually updated to incorporate new data and adapt to new technology in order to accommodate the wide range of uses and users of this information. Structure updates are also driven by WID users submitting requests, comments, and concerns to Analyst Resource Center (ARC) consortium members or by the ARC directly (see Contact Information below). The change process is coordinated by the Analyst Resource Center Consortium, which is funded by the U.S. Department of Labor, Employment and Training Administration (ETA). The Consortium is led by the state of Minnesota. Membership includes Connecticut, Iowa, Michigan, Minnesota, Montana, Nevada, North Carolina, Oregon, Virginia, Wisconsin, and the ETA.

TABLE LAYOUTS

The table layouts for the Workforce Information Database tables are presented in this document. They are organized into four types: lookup tables, data tables, crosswalks, and administrative or application developers' tables. There is also a section of standard field values. The lookup tables contain relatively constant data that pertains mainly to descriptive data associated with classification codes. The data tables contain information about employment, wages, income, layoffs, industries, occupations, employers, education and training completers, educational programs, population demographics, selected economic indicators, and other data. These tables are intended to contain information that is maintained on a regular basis by each state. The crosswalk tables are a subset of the lookup tables representing the relationships between various classification codes. The administrative tables are tables used by the database administrator to record database management activities. This section also contains the all-codes tables used for industry codes and occupation/training codes (see below). The field values tables present standard values assigned to fields in the respective tables that are to be used in populating the database.

CORE TABLES

Core Tables are a group of data tables, and related lookup tables, that contain the most common data produced by state departments of labor, and are thus considered mandatory according to the WIG TEGL controlling the ARC. As described at the WIDCenter website: As stated in the Employment and Training Administration (ETA), Workforce Information Core Products and Services Grant, "States are required to implement and maintain the most current version of the Workforce Information Database and populate all tables designated as core tables in accordance with guidelines issued by the Analyst Resource Center (ARC). Database content must be updated timely in order to be as current as the state's most recent publications and data releases." **The core tables are listed in Appendix E, as well as indicated with an apple core:**



CHANGES MADE FROM PRIOR VERSIONS

Appendix D lists the changes made to the Workforce Information Database from the prior version to this current one.

HOW TO READ A TABLE DEFINITION

Each table definition contains complete information about the structure of a table. Each definition includes: the name of the table, a complete list of each column name and data type, complete constraint information, and short descriptions of the columns. The following illustration identifies each component of a table definition.

areatype
A table containing identifiers for the geographic type, i.e., MSA, SDA, county, city, township, etc.

Column	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code
2. areatype	char(2)	Primary Key	The code for the geographical area the data represent.
3. areatyname	varchar(40)		Descriptive title of the areatype
Constraints Information			
1 Foreign Key (areatype.stfips) references (stfipstb.stfips)			
Trigger Information			
Table Notes			

Message label: appears where needed. Indicates that table is New, Revised, or Deprecated.

Constraints Information
Trigger Information
Table Notes
These sections appear as necessary. Constraints Information describes the foreign key relationships. Trigger Information describes the SQL code needed to maintain the Admin tables occcodes and indcodes. Table Notes are for any miscellaneous information that may be useful to the DBA.

HOW TO USE THE STANDARD FIELD VALUES

Those fields with standard values, such as area types and industry and occupation code types, are arranged in alphabetical order under the Standard Field Values section. For example, if you are

areatype

Values:

00 US
01 State
02 MSA
03 SDA
04 County
05 Minor Civil Division
06 BLS Region
07 Broad Geographic Area (BGA)
08 Economic Development Region
09 Planning Region
10 Labor Market Area
11 City
12 Town
13 Township
14 Municipality/Suburb
15 Workforce Investment Region
16 One Stop Area
17 Workforce Development Area
18 Job Center Area
19 Congressional District
20 Census Places
21 Metropolitan Statistical Area *
22 Micropolitan Statistical Area *
23 Metropolitan Division *
24 Combined Statistical Area*
25 Metropolitan New England City and Town Area (NECTA) 2010
26 Micropolitan New England City and Town Area (NECTA) 2010
27 New England City and Town Area (NECTA) Divisions 2010
28 Combined New England City and Town Area (NECTA) 2010
30 Balance of State
31 Metropolitan Statistical Area 2010
32 Micropolitan Statistical Area 2010
33 Metropolitan Division 2010
34 Combined Statistical Area 2010
35 EEO County Group
40 BLS CPI areas
41 BLS CPI areas 2018
50-70 State-Defined Area

loading or using county data, you can look in the Field Values under "areatype" to see that County is area type = 04.

The other commonly used standard field is *codetype*, which denotes the coding system used for industries, occupations, and education programs. This is the field used by the administrative tables *indcodes* and *occcodes* to reference the code system. Although the table contains 20 values, most industry data will be NAICS-based, *codetype* = 10, and most occupation data will be SOC-based, either 2010 (*codetype*=14), or the newer 2018 (*codetype*=19).

Other fields with standard values include various look-up tables, such as *annslrng* (annual sales range), *cescode* (industry codes specific to CES), and *popsourc* (sources for population data).

For all of these, having standardized values means that we are all talking about the same thing when we look at data.

TABLE CONSTRAINTS AND TRIGGERS

The Constraint section of each table definition identifies all Primary Keys and Foreign Keys for the table. The constraints for a table specify rules for data that will be stored in that table. These rules exist in the form of either Primary Keys or Foreign Keys. The definitions of these terms appear below:

Primary Key: The *Primary Key* is a column or group of columns that shall always be (1) non-null and (2) unique. Only one primary key exists for each table. A Primary Key constraint is enforced on a table so that each row in the table can be uniquely identified.

Foreign Key: A *Foreign Key* is a column or group of columns where each value or group of values exists as a Primary Key in another table. Foreign Key constraints are used so that data for a column or group of columns can be validated against another table containing a list of valid values for that column or group of columns.

Throughout the table definitions, Primary Keys and Foreign Keys are used wherever possible to achieve the greatest level of data quality. For example, in the table *ces*, there is a column called *seriescode*. By specifying a Foreign Key constraint on the *seriescode* column referencing the table *cescode*, no row in the *ces* table will ever contain a value for *seriescode* that does not already exist in the table *cescode*. This protects the *ces* table from ever containing invalid *seriescode* values.

The information stored in the Workforce Information Database contains many different classification systems for occupations (DOT, SOC, OES, ONET, etc.), industries (NAICS and SIC) and training programs (various releases of CIP). The states may choose which classification system they are going to use. Some states may choose to classify occupations with ONET codes while other states may use SOC codes. Some states store data making use of several different classifications and some states are in the process of converting from one classification system to another thus needing to store data for both classifications.

Since its inception, the Workforce Information Database has provided a means for specifying more than one type of classification system in some of the data tables. For example, the *progcomp* table has a *code* field in which several different types of occupational codes (DOT, OES, SOC, etc.) can be used. The *progcomp* table's *codetype* field defines the type of code being used in a particular record. These *multi-code fields* provide flexibility in classifying the data, but can cause problems with data integrity.

All relational database systems require Foreign Keys to be a set of fixed conditions, with the data field having the same length as the Primary Key of the lookup table it references. Each Foreign Key constraint must reference only **one** lookup table. This restriction presents a problem when trying to set Foreign Key constraints on the multi-code fields in some of the Workforce Information tables. Since the length of the classification codes can vary (4 – 10 characters) and the lookup table to be referenced must be determined by the code-type, Foreign Key constraints cannot be set directly between the multi-code field and the lookup table that needs to be referenced.

In order to provide a means of enforcing Foreign Key constraints on the multi-code fields, two administrative tables were added to the Workforce Information Database. They are the *indcodes* and *occcodes* tables. The *indcodes* table is designed to contain the code-type and code of all the industry classifications a state may be using. The *occcodes* table is designed to contain all of the occupation and training classifications a state may be using. Each of these tables also contains the title associated with the classification code so these multi-code tables can also be used for application development.

Maintenance of the multi-code tables – *indcodes* and *occcodes* – can present additional effort and responsibility for the Workforce Information Database Administrators. In order to minimize the efforts of the DBA, triggers have been identified as a means to maintain the multi-code tables that can be used universally. A **trigger** is a special kind of stored procedure that goes into effect when you modify data in a specified table using one of the data modification operations – UPDATE, INSERT, or DELETE. Triggers can query other tables and can include complex SQL statements. Triggers in the Workforce Information Database are used specifically to maintain the referential integrity of the multi-code tables with any changes that are made to the lookup tables. The advantage of using triggers is they are automatic on all logged operations. They are activated immediately after any modification to the table’s data. Triggers are supported by most enterprise-level database systems.

Triggers should be added to each of the lookup tables that need to be represented in the multi-code tables. For example, the *soccode* table will have a trigger that executes whenever it is updated and it will automatically update the *occcodes* table with the code and title changes made to the *soccode* table. Likewise, the *naiccode* table will have triggers that will update the *indcodes* table with the code and title changes made to the *naiccode* tables. **Lookup tables that should have triggers are identified in the Tables section and in the Load Order Document, Appendix A, with the triggerfish icon.**



A third administrative table – *statelst* – was added to support the trigger functionality. It will allow any state to use the sample triggers as-is without the need to customize for the stfips code. This functionality also applies to states that may store more than one states data in their database. The sample triggers and other sample code can be found at the webpages listed in the Contact Information and Links below.

A Word About Data Type Descriptions...

One goal for the Workforce Information Database is to be both database and operating system independent. However, some conventions must be used for describing the database, and the field types used in this document generally are those used by MS SQL Server. Depending on the database management system being used, there may be differences in the way data types are defined/interpreted. For example, Database administrators who use PC-based database management systems, particularly MS Access, must adapt the structures found here to their database software. For these systems, two field types are involved: long text fields (varchar(**MAX**)) and numeric fields with decimals (numeric(3,1). Adjustments to the variable descriptions used in this document for MS Access follow:

MS Access: MS Access uses memo fields for long text (through Access 2010; called "long text" in Access 2013). The length of an Access memo field is limited to 64,000 characters; a long text field is approximately 1 GB. Numeric fields with decimal places are defined as either single or double precision. In either case, the user can control the number of decimal places, but the length of the field is predetermined by the variable type. Single precision should be adequate for the variables in the Workforce Information Database.

Use of VARCHAR(MAX)

In order to accommodate some of the large descriptor fields in the Workforce Information Database, ARC recommends using data type varchar(MAX) for the descriptor fields specified in this structure document. If your system does not support data type varchar(MAX), then use the largest varchar size your DBMS and/or organization allows.

Workforce Information Database Administrators need to be aware of the fact that data type variations may exist depending on the system being used and they will need to adapt this structure for their particular database management system.

DEPRECATION (*Outdated; use strongly discouraged*) of tables

The Structure Committee of the Analyst Resource Center (ARC) periodically makes changes to tables in the Workforce Information Database (WID) in order to update, accommodate, and adapt the database for new technologies, users, and uses. In the effort to continually advance the database structure and not cause undue personnel and budget strains on our customers, "Deprecation" was chosen as the method to eliminate outdated features. The structure committee will identify tables and features to be deprecated along with their recommended alternatives.

Deprecation does not mean that a table cannot be used now, but rather is a warning that the table will be deleted in the future (typically three WID versions later). States may continue to use a deprecated table up to the version where it is deleted, and the ARC will continue to support that table up until that point.

See Appendix C for a list of the currently deprecated tables.

CONTACT INFORMATION and LINKS:

For comments, questions, or suggestions: arc.deed@state.mn.us.

For sample code: <http://www.widcenter.org/>

Core tables: <http://www.widcenter.org/document/all-core-tables/>

Workforce Information Database version 2.8

WID tables - Listed by Type

Look-up Tables

addresty	1
agegroup	1
annslflg	1
annslrng	1
areatype	1
bedtypes	2
benefit	2
benchmark	2
careerclust	2
careerpaths	2
cenind	3
censcode	3
cescode	3
cidscode	4
cipcode	4
classtime	4
cluscode	5
clusgrad	5
complytyp	5
contactpro	5
contacttitle	6
cpisource	6
cpitype	6
creditcd	6
disabil	6
disadvan	6
dislocat	7
dotcode	7
dwvertyp	7
education	7
edulevel	8
eeo1cat	8
eeostloc	8
empszflg	8
empszrng	8

Look-up Tables

eventtyp	8
experience	9
explevel	9
gender	9
geocode	9
geog	10
growcode	10
incomtyp	10
incsourc	11
inndir	11
inndiv	11
indsub	11
indtypes	12
instown	12
insttype	12
iospecialid	12
itemcpi	13
jobfamly	13
laytitle	13
lengthopen	13
lentype	13
leveltyp	14
liccontinuingedu	14
licenseactivestatus	14
licensecertification	14
licensecriminal	14
licenseeducation	14
licenseexams	15
licenseexperience	15
licensephysicalreqs	15
licensetypes	15
licenseveteran	15
licnumty	15
locstat	15
meeicode	16

Workforce Information Database version 2.8

WID tables - Listed by Type

Look-up Tables

mlssepct	16
mlssepctd	16
mlssepctdtype	16
mocode	17
mpc	17
naiccode	17
naicdom	17
naicsect	18
naicsvl	18
naicsupr	18
occdir	19
occsb	19
occtypes	19
oescode	20
oesgroup	20
oeslaytl	20
oestrntm	21
onetcode	21
oohtrntm	21
ownership	21
paytype	22
period	22
periodid	22
periodty	22
popsource	23
prvgovst	23
qwisup	23
qwitype	23
raceethn	23
ratetype	23
salestyp	24
schgrade	24
seasonal	24
siccode	25
sicdiv	25

Look-up Tables

siclevel	25
sizeclas	26
socode	26
stattype	27
stfipstb	27
stockexch	27
stprogcd	28
subgeog	28
svc	29
taxtype	29
training	29
unittype	29
urltopic	29
vetcode	30
wgsource	30
worksite	30

Data Tables

analysis	31
bed	32
blding	33
cenlabor	33
ces	34
commute	35
cpi	36
cpiplus	37
demographics	38
develop	42
eeolabfac	43
eeolabfor	44
eeoocc	45
eeopop	46
empdb	47
esapplic1	50
esapplic2	51

Workforce Information Database version 2.8

WID tables - Listed by Type

Data Tables

esdata	52
income	53
indprj	54
industry	55
iomatrix	56
iowage	58
jvs	60
jvsaddit	61
labforce	62
licauth	63
license	64
lichist	65
mls	66
mlsclaim	68
mlsevent	69
occprj	71
oeswage	72
payment	74
populatn	74
progcomp	75
programs	76
propval	77
qwichar	78
qwidata	79
sales	79
schools	80
stfirms	81
stindprj	82
stoccprj	83
supply	84
tax	85
uiclaims	86
url	87
urllinks	87
wage	88

Data Tables

workstop	89
----------	----

Crosswalk Tables

cidsxcip	90
clsxproj	90
clsxsupl	91
clusxcip	91
clusxpath	92
clusxsoc	92
dotxcip	92
dotxonet	93
eeo1xcens	93
eeosxcens	93
indxind	94
laytxocc	94
licxocc	94
matxind	95
matxnaic	95
matxocc	96
matxoes	96
matxsic	97
matxsoc	97
mocxocc	98
occxocc	98
oesxcens	99
oesxcids	99
oesxcip	99
oesxdot	99
oesxjob	100
oesxonet	100
oesxsoc	100
sicxnaic	101
socxcens	101
socxcids	101
socxcip	102

Workforce Information Database version 2.8

WID tables - Listed by Type

Crosswalk Tables

socxdot	102
socxjob	102
socxonet	103


Administrative Tables


datasess	104
empdbinf	104
indcodes	104
indsum	105
maplist	105
occcodes	106
sesstabl	106
source	106
statelst	107
tabllist	107
tablsrce	107


Look-up Tables

addressty			
This table contains address type codes used in stfirms.			
Field Name	Type	Constraint	Description
1. addressty	char(1)	Primary Key	Code for the address type used for the following fields in the St firms or Empdb tables: addressty, addressty1, addressty2, addressty3
2. addresdesc	varchar(60)		Description of the address type

agegroup			
A table containing codes for identifying age categories.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code.
2. agegroup	char(2)	Primary Key	Code identifying the age group.
3. agegrpdesc	char(20)		Age group description.
Constraint Information			
1. Foreign Key (agegroup.stfips) references (stfipstb.stfips)			


annslflg			
This table contains the annual sales codes used in the empdb table. 			
Field Name	Type	Constraint	Description
1. annsalflg	char(1)	Primary Key	Annual sales code.
2. annsdesc	varchar(40)		Description of the annual sales code.

annslrng			
A table of annual sales value ranges for the employers in the empdb table. 			
Field Name	Type	Constraint	Description
1. annsalrang	char(2)	Primary Key	Code for the annual sales range.
2. salrngdesc	varchar(20)		Description of the sales range code.

areatype			
A table containing identifiers for the geographic type, e.g.. MSA, SDA, county, city, township, etc. 			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code.
2. areatype	char(2)	Primary Key	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. areatype	varchar(40)		Descriptive title of the areatype.
Constraint Information			
1. Foreign Key (areatype.stfips) references (stfipstb.stfips)			


bedtypes			
A table of business employment dynamics data types.			
Field Name	Type	Constraint	Description
1. bedtypcode	char(1)	Primary Key	Indicator of the type of data.
2. bedtypdesc	varchar(60)		Description of the BED data type.


benefit			
Contains codes used for identifying benefit categories.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. benefit	char(1)	Primary Key	Code indicating type of benefit.
3. benedesc	varchar(40)		Descriptive title of the benefit.
Constraint Information			
1. Foreign Key (benefit.stfips) references (stfipstb.stfips)			


benchmark			
This table contains the benchmark years.			
Field Name	Type	Constraint	Description
1. benchmark	char(4)	Primary Key	Benchmark year used in the labforce and ces tables.
2. benchdesc	varchar(60)		Benchmark year description.


careerclust			
This table contains a listing of the Department of Education Career Clusters.			
Field Name	Type	Constraint	Description
1. clustercode	char(2)	Primary Key	Career Cluster code
2. clustertitle	varchar(80)		Title of the Career Cluster
3. clusterdesc	varchar(MAX)		Description of the Career Cluster


careerpaths			
A table of the Department of Education Career Pathways.			
Field Name	Type	Constraint	Description
1. pathcode	char(4)	Primary Key	Career Pathway code
2. pathtitle	varchar(115)		Title of the Career Pathway

cenind		DEPRECATED in v2.8		
A table of the current series Census industry codes.				
Field Name	Type	Constraint	Description	
1. cenind	char(4)	Primary Key	A 4-digit code assigned to the Census industry title.	
2. codetype	char(2)	Primary Key 1	Code describing the Census industry code.	
3. centitle	varchar(140)		The industry title used by the Census Bureau to classify industry data.	
Constraint Information				
1. Foreign Key (cenind.codetype) references (indtypes.codetype)				
Trigger Information				
Use triggers on INSERT, UPDATE or DELETE of cenind to maintain indcodes. (statelst.stfips, cenind.codetype, cenind.cenind, cenind.centitle) maintains (indcodes.stfips, indcodes.codetype, indcodes.code, indcodes.codetitle)				

censcode		DEPRECATED in v2.8		
A table of the current series Census occupation codes.				
Field Name	Type	Constraint	Description	
1. censcode	char(4)	Primary Key	A 4-digit code assigned to the Census industry title.	
2. codetype	char(2)	Primary Key 1	Code describing the Census occupation code.	
3. censtitle	varchar(60)		The occupational title used by the Census Bureau to classify occupational data.	
Constraint Information				
1. Foreign Key (censcode.codetype) references (occtypes.codetype)				
Trigger Information				
Use triggers on INSERT, UPDATE or DELETE of censcode to maintain occcodes. (statelst.stfips, censcode.codetype, censcode.censcode, censcode.censtitle) maintains (occcodes.stfips, occcodes.codetype, occcodes.code, occcodes.codetitle)				

cescode		Revised in v2.8		
The table of Current Employment Statistics codes.				
Field Name	Type	Constraint	Description	
1. stfips	char(2)	Primary Key 1	State FIPS Code.	
2. seriescode	char(8)	Primary Key	Industry Series Code	
3. seriesdesc	varchar(MAX)		Description of the industries comprising the series.	
4. seriesttls	varchar(75)		Short title used to identify industry division.	
5. seriesttll	varchar(200)		Long title used to describe industry division.	
6. serieslvl	char(1)		Optional report indentation level.	
Constraint Information				
1. Foreign Key (cescode.stfips) references (stfipstb.stfips)				

cidscode 			
The table of Career Information Delivery System codes.			
Field Name	Type	Constraint	Description
1. cidscode	char(9)	Primary Key	A 9-digit code assigned to the Career Information Delivery System occupational title.
2. cidstitle	varchar(40)		Title of CIDS system occupation or program.
3. cidsdesc	varchar(MAX)		Description of CIDS system occupation or program.
Trigger Information			
Use triggers on INSERT, UPDATE or DELETE of cidscode to maintain occcodes. (statelst.stfips, '07', cidscode.cidscode, cidscode.cidstitle) maintains (occcodes.stfips, occcodes.codetype, occcodes.code, occcodes.codetitle)			

cipcode			Revised in v2.8	
A table of the current Classification of Instructional Programs (CIP) codes, including 2, 4 and 6-digit codes.				
Field Name	Type	Constraint	Description	
1. cipcode	char(10)	Primary Key	A 10-digit code assigned to a Classification of Instructional Programs (CIP) program title.	
2. cipcodetype	char(2)	Primary Key 1	A code describing the CIP version classification code	
3. ciptitle	varchar(200)		The instructional program title used to organize training related data, i.e., enrollments, completers, placement.	
4. cipdesc	varchar(MAX)		A definition of the curriculum included in an instructional program.	
5. ciptitls	varchar(75)		A short version of the CIP title used for screen display.	
6. ciplevel	char(1)		Indicator of the hierarchical level of the CIP code.	
Constraint Information				
1. Foreign Key (cipcode.cipcodetype) references (occtypes.codetype)				
Trigger Information				
Use triggers on INSERT, UPDATE or DELETE of cipcode to maintain occcodes.(statelst.stfips, cipcode.codetype, cipcode.cipcode, cipcode.ciptitle) maintains (occcodes.stfips, occcodes.codetype, occcodes.code, occcodes.codetitle)				

classtime			
The table of class time codes.			
Field Name	Type	Constraint	Description
1. classtime	char(1)	Primary Key	Class time code.
2. classtimetitle	varchar(40)		Description or title of the class time.

cluscode

The table of cluster (or unit of analysis) codes used in the state.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. cluscode	char(10)	Primary Key	Code assigned to the cluster from the State Units of Analysis.
3. clustitle	varchar(60)		Title assigned to the cluster from the State Units of Analysis.
4. clusdesc	varchar(MAX)		A free form text column intended to contain descriptive data regarding this cluster in this state.

Constraint Information

1. Foreign Key (cluscode.stfips) references (stfipstb.stfips)

Trigger Information

Use triggers on INSERT, UPDATE or DELETE of cluscode to maintain occcodes. (cluscode.stfips, '01', cluscode.cluscode, cluscode.clustitle) maintains (occcodes.stfips, occcodes.codetype, occcodes.code, occcodes.codetitle)

clusgrad**DEPRECATED in v2.8**

The table of Cluster evaluative rating codes.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. clusgrade	char(1)	Primary Key	An evaluative rating code for the cluster.
3. clusgrdesc	varchar(40)		Description or title of the cluster rating.

Constraint Information

1. Foreign Key (clusgrad.stfips) references (stfipstb.stfips)

complyp

The table of program completer types, by state.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. compltype	char(2)	Primary Key	A 2-digit code representing type of program completer.
3. compltitle	varchar(40)		Title of type of program completer.
4. compldesc	varchar(MAX)		Description of type of program completer.

Constraint Information

1. Foreign Key (complyp.stfips) references (stfipstb.stfips)

contactpro

The table of contact professional titles.

Field Name	Type	Constraint	Description
1. contactprottitle	char(3)	Primary Key	Contact's professional title.
2. contactprodesc	varchar(35)		Description of the contact's professional title.

**contacttitle**

The table of the contact title codes.

Field Name	Type	Constraint	Description
1. contacttitlecode	char(1)	Primary Key	Contact title code.
2. contacttitledesc	varchar(35)		Contact's descriptive title.

cpisource

Table of codes for the source of Consumer Price Index data.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. cpisource	char(1)	Primary Key	Source code for CPI data.
3. cpisrcdesc	varchar(40)		Description of CPI source.

Constraint Information

1. Foreign Key (cpisource.stfips) references (stfipstb.stfips)

cpitype

The table of Consumer Price Index (CPI) types of measure.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. cpitype	char(2)	Primary Key	A 2-digit code assigned to the type of CPI measure.
3. cpititle	varchar(55)		Title of the CPI measure.
4. cpidesc	varchar(200)		Description of the CPI measure.

Constraint Information

1. Foreign Key (cpitype.stfips) references (stfipstb.stfips)

**creditcd**

The table of credit codes, used in the empdb table.

Field Name	Type	Constraint	Description
1. creditcd	char(1)	Primary Key	Credit code
2. creditdesc	varchar(MAX)		Description of types of credit codes.

disabil**DEPRECATED in v2.8**

A table of codes for identifying those who are disabled.


Field Name	Type	Constraint	Description
1. disabled	char(1)	Primary Key	Code indicating disabled applicants.
2. disabldesc	varchar(20)		Description of disability code.

disadvan**DEPRECATED in v2.8**

A table of codes for identifying those who are economically disadvantaged.

Field Name	Type	Constraint	Description
1. econdisadv	char(1)	Primary Key	Code indicating those who are economically disadvantaged.
2. ecodisdesc	varchar(30)		Description of economically disadvantaged code.

dislocat		DEPRECATED in v2.8	
A table of codes for identifying whether workers are dislocated workers.			
Field Name	Type	Constraint	Description
1. dislocated	char(1)	Primary Key	Code indicating dislocated workers.
2. dislocdesc	varchar(20)		Description of dislocated worker code.

dotcode		DEPRECATED in v2.6		
The table of the 1991 version of Dictionary of Occupational Titles codes.				
Field Name	Type	Constraint	Description	
1. dotcode	char(9)	Primary Key	A 9-digit code assigned to the Dictionary of Occupational Titles (DOT) occupational title.	
2. dottitle	varchar(75)		Title used to classify occupation in the Dictionary of Occupational Titles.	
3. gedr	char(1)		A 1-digit code ranging from 1 to 6 assigned to the level of General Educational Development for Reasoning required for the occupation.	
4. gedm	char(1)		A 1-digit code ranging from 1 to 6 assigned to the level of General Educational Development for Math required for the occupation.	
5. gedl	char(1)		A 1-digit code ranging from 1 to 6 assigned to the level of General Educational Development for Language required for the occupation.	
6. svp	char(1)		Level of Specific Vocational Preparation required for the occupation.	
Trigger Information				
Use triggers on INSERT, UPDATE or DELETE of dotcode to maintain occcodes. (statelst.stfips, '04', dotcode.dotcode, dotcode.dottitle) maintains (occcodes.stfips, occcodes.codetype, occcodes.code, occcodes.codetitle)				


dwvertyp		DEPRECATED in v2.8	
The table of dislocated worker event types, used in mass layoff statistics.			
Field Name	Type	Constraint	Description
1. dwvertype	char(1)	Primary Key	Code for the type of dislocated worker event.
2. dwevetdesc	varchar(40)		Description or title of dislocated worker event.


education			
Table of BLS education categories.			
Field Name	Type	Constraint	Description
1. educat	char(1)	Primary Key	Code assigned to the education category by BLS
2. educatdesc	varchar(35)		Description of the education category

edulevel			
A table containing codes for identifying education levels.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. edulevel	char(1)	Primary Key	Code indicating education level required.
3.edulldesc	varchar(40)		Descriptive title of the education level.
Constraint Information			
1. Foreign Key (edulevel.stfips) references (stfipstb.stfips)			

eeo1cat			DEPRECATED in v2.6
A table of Equal Employment Opportunity (EEO) 1 category codes, primarily used by private industry.			
Field Name	Type	Constraint	Description
1. eeo1cat	char(2)	Primary Key	A 2-digit code assigned to EEO-1 Job Categories.
2. eeo1title	varchar(50)		Title of the EEO-1 Category.

eeostloc			DEPRECATED in v2.6
A table of Equal Employment Opportunity (EEO) State and Local category codes.			
Field Name	Type	Constraint	Description
1. eeostoc	char(2)	Primary Key	A 2-digit code assigned to EEO State and Local Job Categories.
2. eeostloctl	varchar(50)		Title of the EEO State and Local Category.

empszflg			
A table of employment size flag codes used in the empdb table.			
Field Name	Type	Constraint	Description
1. empsizflg	char(1)	Primary Key	Code for the size flag
2. empflgdesc	varchar(40)		Description of the size flag.

empszrng			
A table of size range codes used in the empdb table.			
Field Name	Type	Constraint	Description
1. empsizrng	char(2)	Primary Key	Code for the size range.
2. emprngdesc	varchar(40)		Description of the size range.

eventtyp			
The table of mass layoff event types, either federal or state events.			
Field Name	Type	Constraint	Description
1. eventtype	char(1)	Primary Key	Code for the type of event.
2. eventdesc	varchar(40)		Description or title of event.

experience

Table of experience needed codes from BLS.

Field Name	Type	Constraint	Description
1. expercat	char(1)	Primary Key	Code assigned to the work experience category by BLS
2. expercatdesc	varchar(20)		Description of the experience code

explevel

A table containing identifiers for the experience level.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. explevel	char(1)	Primary Key	Code identifying the experience level required.
3. explvldesc	varchar(40)		Descriptive title of the experience level.

Constraint Information

- Foreign Key (explevel.stfips) references (stfipstb.stfips)

gender

A table containing codes for identifying gender of UI Claimants.

Field Name	Type	Constraint	Description
1. gender	char(1)	Primary Key	Gender code.
2. genderdesc	varchar(12)		Gender description.

geocode

A table of the levels of precision possible for the geocode.



Field Name	Type	Constraint	Description
1. geocode	char(1)	Primary Key	Code for the precision level of the geocode.
2. geopdesc	varchar(40)		Description of the precision geocode.

**geog**

A table containing geographic area descriptor records.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. areaname	varchar(60)		Geographic area name.
5. areadesc	varchar(MAX)		Narrative description of a geographic area.
6. latitude	numeric(11,6)		geographic coordinate specifying north-south position on the Earth
7. longitude	numeric(11,6)		geographic coordinate specifying east-west position on the Earth
8. geocode	char(1)	2	geocode precision level code. The precision of the longitude and latitude coordinates.

Constraint Information

1. Foreign Key (geog.stfips, geog.areatype) references (areatype.stfips, areatype.areatype)
2. Foreign Key (geog.geocode) references (geocode.geocode)

**growcode**

A table of state-specific growth codes describing an industry or occupation.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. growcode	char(2)	Primary Key	Code for the state-specific growth descriptor.
3. growdesc	varchar(20)		Brief description interpreting the growth of the industry or occupation.

Constraint Information

1. Foreign Key (growcode.stfips) references (stfipstb.stfips)

incomtyp**Revised in v2.8**


A table containing types of income measures.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. inctype	char(2)	Primary Key	Code for the type of income measure.
3. incdesc	varchar(75)		Income measure description.


Constraint Information

1. Foreign Key (incomtyp.stfips) references (stfipstb.stfips)

incsourc			
Codes for the source of income and population estimates for the income table.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. incsource	char(1)	Primary Key	Source Code for income data.
3. incsrcdesc	varchar(40)		Description of income source.
Constraint Information			
1. Foreign Key (incsourc.stfips) references (stfipstb.stfips)			

inddir			Revised in v2.8	
A table containing a directory of MicroMatrix level industry codes for which projections are performed.				
Field Name	Type	Constraint	Description	
1. stfips	char(2)	Primary Key 1, 2	State FIPS Code.	
2. matincode	char(15)	Primary Key	Industry code from Micro Matrix.	
3. periodid	char(2)	Primary Key 1	A 2-digit code identifying the type of period used.	
4. matincodty	char(1)		A code to identify matincode as SIC code based or NAICS code based; 1 = SIC based, 2 = NAICS based	
5. matintitle	varchar(200)		Industry title.	
6. subtot	char(1)	2	Sum level of the information	
7. ownership	char(2)	3	A 2-digit indicator that identifies the employer by public or private ownership.	
Constraint Information				
1. Foreign Key (inddir.stfips, inddir.periodid) references (periodid.stfips, periodid.periodid)				
2. Foreign Key (inddir.stfips, inddir.subtot) references (indsub.stfips, indsub.subtot)				
3. Foreign Key (inddir.stfips, inddir.ownership) references (ownershp.stfips, ownershp.ownerships)				

inddiv			
A table of the industry divisions.			
Field Name	Type	Constraint	Description
1. inddiv	char(3)	Primary Key	A code used to identify industry division. Differs from sicdiv code in that Manufacturing is divided into Durable and Nondurable goods, and trade is divided into Wholesale and Retail Trade.
2. indtitle	varchar(60)		Title used to identify the industry division.

indsub			
A table containing a lookup of industry sum level information.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. subtot	char(1)	Primary Key	Sum level of the information.
3. subtotdesc	varchar(60)		Sum level description.
Constraint Information			
1. Foreign Key (indsub.stfips) references (stfipstb.stfips)			

**indtypes**

The table of industry code types used throughout the WID database.

Field Name	Type	Constraint	Description
1. codetype	char(2)	Primary Key	Code describing the type of industry classification code.
2. codetydesc	varchar(40)		Title of classification Code.

instown

A table of training institution ownership codes and descriptions.

Field Name	Type	Constraint	Description
1. instown	char(1)	Primary Key	Institution ownership code.
2. instowndes	varchar(40)		Description or title of training institution owner.

insttype

The table of institution types in a state.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code
2. insttype	char(2)	Primary Key	Identifies the type of training institution (WIA Provider, vocational center, community college, university).
3. insttydesc	varchar(50)		A description of the type of institution.

Constraint Information

1. Foreign Key (insttype.stfips) references (stfipstb.stfips)

iospecialid

A table for users to identify industries and occupations that are in special categories, e.g. Green jobs, high-tech. etc.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2	State FIPS code
2. indcodety	char(2)	Primary Key 1	Code describing the industry code type.
3. indcode	char(6)	Primary Key 1	A code used in the classification of establishments by type of activity in which they are engaged. For codes not 6 characters long, left justify and blank (ASCII 32) fill. Either SIC or NAICS code can be used.
4. occodetype	char(2)	Primary Key 2	Code describing the type of occupational coding system
5. occcode	char(10)	Primary Key 2	The occupational classification code used by the state for this data element. This code could be a DOT, OES, SOC, CENSUS, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
6. green	char(1)		0 = not green; 1 = green
7. pctgreen	numeric(9,3)		Percent that industry/occupation is deemed green.

Constraint Information

1. Foreign Key (iospecialid.stfips, iospecialid.indcodty, iospecialid.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code)
2. Foreign Key (iospecialid.stfips, iospecialid.occodetype, iospecialid.occcode) references (occodes.stfips, occodes.codetype, occodes.code)


itemcpi			
A table of market basket items included in the CPI.			
Field Name	Type	Constraint	Description
1. cpiitem	char(9)	Primary Key	Code for the items in the Index
2. itemdesc	varchar(100)		Description of the items in the index (e.g., all items, food, energy, etc.)


jobfamily			DEPRECATED in v2.6
A table of job families used in the America's Job Bank Menu Search.			
Field Name	Type	Constraint	Description
1. jobfamily	char(2)	Primary Key	Job family code assigned to the America's Job Bank.
2. famtitle	varchar(60)		Job family title.
3. familydesc	varchar(MAX)		Description of job family.


laytitle			
A table of lay titles and codes.			
Field Name	Type	Constraint	Description
1. laytlcode	char(5)	Primary Key	Lay title code
2. laytitle	varchar(200)		Lay title associated with an occupation.
Table Notes			
1: The value of laytlcode is recalculated with each release of the lay title database. The code associated with any title may change from one release to the next.			


lengthopen			
A table containing codes for identifying length-open categories.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. lengthopen	char(1)	Primary Key	Code indicating range of how long vacancy has been open.
3. lodesc	varchar(40)		Length-open categories description.
Constraint Information			
1. Foreign Key (lengthopen.stfips) references (stfipstb.stfips)			


lentype			
A table of training program lengths.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code
2. lengthtype	char(2)	Primary Key	The identifying code assigned to the program length.
3. lentypdesc	varchar(40)		A description of the length of the assigned program length code.
Constraint Information			
1. Foreign Key (lentype.stfips) references (stfipstb.stfips)			


leveltyp 			
A table of wage levels identified by an occupation (e.g. entry, apprentice, journeyman, experienced, etc.)			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. leveltype	char(1)	Primary Key	The code identifying the type of wage level.
3. lvdsc	varchar(40)		A description of the type of wage level.
Constraint Information			
1. Foreign Key (leveltyp.stfips) references (stfipstb.stfips)			


liccontinuingedu			New Table in v2.8	
Lookup table of the continuing education requirements of the license				
Field Name	Type	Constraint	Description	
1. licensecontinuingedu	char(1)	Primary Key	Indicator of license continuing education requirements	
2. continuingedudesc	varchar(50)		Description of continuing education requirements for license	


licenseactivestatus			New Table in v2.8	
Lookup table of the active status of the license				
Field Name	Type	Constraint	Description	
1. licensestatus	char(1)	Primary Key	Indicator of license status	
2. licensestatusdesc	varchar(25)		Description of license status	


licensecertification			New Table in v2.8	
Lookup table of the certification requirements of the license				
Field Name	Type	Constraint	Description	
1. licensecertification	char(1)	Primary Key	Indicator of license certification requirements	
2. licensecertdesc	varchar(60)		Description of license certification requirements	


licensecriminal			New Table in v2.8	
Lookup table of licensing restrictions on criminal records				
Field Name	Type	Constraint	Description	
1. licensecriminal	char(1)	Primary Key	Indicator of criminal records requirements for the license	
2. licensecriminaldesc	varchar(50)		Description of the criminal records requirements for the license	


licenseeducation			New Table in v2.8	
Lookup table of the education requirements of the license				
Field Name	Type	Constraint	Description	
1. licenseeducation	char(1)	Primary Key	Indicator of educational requirements for the license	
2. educationdesc	varchar(25)		Description of the educational requirements	

licenseexams		New Table in v2.8		
Lookup table of the exam requirements of the license				
Field Name	Type	Constraint	Description	
1. licenseexam	char(1)	Primary Key	Indicator of exams required for the license	
2. examdesc	varchar(50)		Description of the exam requirements	


licenseexperience		New Table in v2.8		
Lookup table of the experience requirements of the license				
Field Name	Type	Constraint	Description	
1. licenseexperience	char(1)	Primary Key	Indicator of experience required for the license	
2. experiencedesc	varchar(30)		Description of the experience required	

licensephysicalreqs		New Table in v2.8		
Lookup table of physical requirements of the license				
Field Name	Type	Constraint	Description	
1. licensephysical	char(1)	Primary Key	Indicator of the physical requirements for the license	
2. physicaldesc	varchar(50)		Description of the physical requirements	

licensetypes		New Table in v2.8		
Look-up table for the indicators of the type of license				
Field Name	Type	Constraint	Description	
1. licensetype	char(1)	Primary Key	Code for the license type	
2. licensetypedesc	varchar(50)		Description of the license type	

licenseveteran		New Table in v2.8		
Codes indicating the veteran preference for a license				
Field Name	Type	Constraint	Description	
1. licveteran	char(1)	Primary Key	Code indicating any veteran's preference of the license	
2. licveterandesc	varchar(75)		Description of the veteran preferences	

licnumty				
The table of type codes used in the lichist table.				
Field Name	Type	Constraint	Description	
1. licnumtype	char(2)	Primary Key	Code for the type of statistic.	
2. licnumdesc	varchar(50)		Description of the type of statistic.	

locstat					
The table of location status code types used in the empdb table.					
Field Name	Type	Constraint	Description		
1. locstat	char(1)	Primary Key	Code for the location status.		
2. locstdesc	varchar(40)		Description of the location status.		

meeicode			
The table of multi-establishment indicator codes from QCEW.			
Field Name	Type	Constraint	Description
1. meeicode	char(1)	Primary Key	The Multi-Establishment Employer Indicator code.
2. meeidesc	varchar(40)		Description or title of the MEEI code.


mlssepct			DEPRECATED in v2.8
A table of higher-level categories for MLS separation codes.			
Field Name	Type	Constraint	Description
1. mlssepctcategory	char(4)	Primary Key	Business reason category for the MLS separation codes.
2. mlssepctdesc	varchar(50)		Description of the business reason category.

mlssepctd			DEPRECATED in v2.8
The table of MLS separation codes.			
Field Name	Type	Constraint	Description
1. mlssepctdctype	char(2)	Primary Key 1	Code indicating which series of separation codes the code belongs to.
2. mlssepctd	char(2)	Primary Key	The separation code used in the MLS tables for the following fields; prlsepcd, secsepctd
3. mlssepctdesc	varchar(40)		Description or title of the separation code.
4. mlssepctcategory	char(4)	2	Business reason category for the MLS separation code.
Constraint Information			
1. Foreign Key (mlssepctd.mlssepctdctype) references (mlssepctdctype.mlssepctdctype)			
2. Foreign Key (mlssepctd.mlssepctcategory) references (mlssepct.mlssepctcategory)			

mlssepctdtype			DEPRECATED in v2.8
Table of codes indicating the version of the MLS separation codes.			
Field Name	Type	Constraint	Description
1. mlssepctdtype	char(2)	Primary Key	MLS series code.
2. mlssepctdtypedesc	varchar(50)		Description of the MLS code series.
3. mlssepctdtypeffdate	char(8)		Date that the MLS code series became effective. Format: <code>yyyymmdd</code> .

mocode			
The table of the Military Occupational Codes.			
Field Name	Type	Constraint	Description
1. svc	char(1)	Primary Key 1	Service Branch code.
2. mpc	char(1)	Primary Key 2	Military Personnel Category code.
3. status	char(1)	Primary Key	Military Occupation Status: A=Active occupation; O=Obsolete occupation
4. mocode	char(10)	Primary Key	A 10-digit Military Occupational Code.
5. moctitle	varchar(200)		Title of MOC Code.
6. mocdesc	varchar(MAX)		Description of MOC Code.
Constraint Information			
1. Foreign Key (mocode.svc) references (svc.svc)			
2. Foreign Key (mocode.mpc) references (mpc.mpc)			

mpc			
A table for military personnel category codes.			
Field Name	Type	Constraint	Description
1. mpc	char(1)	Primary Key	Military Personnel Category code.
2. mpcdesc	varchar(70)		Description of the Military Personnel Category.

naiccode			
The table of North American Industry Classification System codes. 			
Field Name	Type	Constraint	Description
1. naicscode	char(6)	Primary Key	A code used in the North American Industry Classification System (NAICS).
2. naicstitle	varchar(75)		Title assigned to the NAICS code.
3. naicstitll	varchar(200)		The long title assigned to the NAICS code.
4. naicsdesc	varchar(MAX)		A narrative description of the activities performed by the establishment in this NAICS code.
5. naicslvl	char(1)	1	A code that indicates the hierarchical level of the NAICS industry code.
6. naicsect	char(2)	2	A code used to represent the NAICS industry sectors.
Constraint Information			
1. Foreign Key (naiccode.naicslvl) references (naicslvl.naicslvl)			
2. Foreign Key (naiccode.naicsect) references (naicsect.naicsect)			
Trigger Information			
Use triggers on INSERT, UPDATE or DELETE of naiccode to maintain indcodes. (statelst.stfips, '10', naiccode.naicscode, naiccode.naicstitle) maintains (indcodes.stfips, indcodes.codetype, indcodes.code, indcodes.codetitle)			

naicdom			
A table of NAICS Domains, aggregations of Supersectors as defined by BLS extensions of NAICS.			
Field Name	Type	Constraint	Description
1. naicdomain	char(3)	Primary Key	A code that represents a Domain in the BLS extensions to the North American Industry Classification System (NAICS).
2. domaintitl	varchar(25)		Title assigned to the Domain.

naicsect			
The table of North American Industry Classification System (NAICS) industry Sectors.			
Field Name	Type	Constraint	Description
1. naicsect	char(2)	Primary Key	A code used to represent the NAICS industry sectors.
2. sectdesc	varchar(45)		A short description of the NAICS industry sector.
3. sectdescl	varchar(120)		A long description of the NAICS industry sector.
4. naicsuper	char(4)	1	Code for a BLS defined NAICS Supersector.
Constraint Information			
1. Foreign Key (naicsect.naicsuper) references (naicsupr.naicsuper)			

naicslvl			
A table of the hierarchical level of the codes in the North American Industry Classification System (NAICS).			
Field Name	Type	Constraint	Description
1. naicslvl	char(1)	Primary Key	A code that indicates the hierarchical level of the NAICS industry code.
2. leveldesc	varchar(40)		A description of the hierarchical level of the NAICS industry code.

naicsupr			
The table of NAICS Supersectors, defined by BLS official extensions to NAICS.			
Field Name	Type	Constraint	Description
1. naicsuper	char(4)	Primary Key	A code used to represent a Supersector as defined in the official BLS extensions to the North American Industry Classification System (NAICS).
2. supertitle	varchar(35)		Title assigned to the Supersector.
3. naicdomain	char(3)	1	Code for a BLS defined NAICS Domain.
Constraint Information			
1. Foreign Key (naicsupr.naicdomain) references (naicdom.naicdomain)			
Table Notes			
1: Supersector 1030 - Tribal employment has been added for those states that needed. All others can ignore this code.			

**occdir**

A table of Micro Matrix occupation codes for which projections are performed.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2	State FIPS Code.
2. matocode	char(10)	Primary Key	Occupation code from Micro Matrix. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
3. periodid	char(2)	Primary Key 1	A 2-digit code identifying the type of period used.
4. matoccodty	char(1)		A code to identify matocode as 9 char and OES code based or 10 char and SOC code based. 1 = OES based, 2 = SOC based
5. matocctitl	varchar(200)		Occupation title.
6. subtot	char(1)	2	Sum level of the information

Constraint Information

1. Foreign Key (occdir.stfips, occdir.periodid) references (periodid.stfips, periodid.periodid)
2. Foreign Key (occdir.stfips, occdir.subtot) references (occssub.stfips, occsub.subtot)

**occssub**

A table of occupation summary level information.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. subtot	char(1)	Primary Key	Sum level of the information.
3. subtotdesc	varchar(60)		Sum level description.

Constraint Information

1. Foreign Key (occssub.stfips) references (stfipstb.stfips)

**occtypes**

The table of occupation and training code types used in the WID database.


Field Name	Type	Constraint	Description
1. codetype	char(2)	Primary Key	Code describing the type of occupation or training classification code.
2. codetydesc	varchar(40)		Title of classification Code.

oescode		DEPRECATED in v2.6	
The table of OES occupation codes contained in the OES Survey Dictionary.			
Field Name	Type	Constraint	Description
1. oescode	char(5)	Primary Key	A 5-digit code assigned to the Occupation Employment Statistics (OES) occupational title.
2. oestitle	varchar(60)		The occupational title used in the OES program to collect employment data.
3. oesdesc	varchar(MAX)		A narrative summary of the tasks and duties performed by workers classified in the occupation.
4. oestrntm	char(1)	1	A 1-digit code assigned to the OES preparation level.
5. oestitles	varchar(35)		Short OES title for screen display.
6. oohtrntm	char(1)	2	A code assigned to the category of education and/or training generally required to enter an occupation and for workers to develop the skills needed for average job performance in the occupation.
7. oesgroup1	varchar(3)	3	Specifies first level OES group.
8. oesgroup2	varchar(2)	3	Specifies second level OES group.
9. oesgroup3	varchar(2)	3	Specifies third level OES group.
Constraint Information			
1. Foreign Key (oescode.oestrntm) references (oestrntm.oestrntm)			
2. Foreign Key (oescode.oohtrntm) references (oohtrntm.oohtrntm)			
3. Foreign Key (oescode.oesgroup1, oescode.oesgroup2, oescode.oesgroup3) references (oesgroup.oesgroup1, oesgroup.oesgroup2, oesgroup.oesgroup3)			
Trigger Information			
Use triggers on INSERT, UPDATE or DELETE of oescode to maintain occcodes. (statelst.stfips, '02', oescode.oescode, oescode.oestitle) maintains (occcodes.stfips, occcodes.codetype, occcodes.code, occcodes.codetitle)			


oesgroup		DEPRECATED in v2.6	
A table of OES groups, defined as a combination of three levels.			
Field Name	Type	Constraint	Description
1. oesgroup1	varchar(3)	Primary Key	First level OES group.
2. oesgroup2	varchar(2)	Primary Key	Second level OES group.
3. oesgroup3	varchar(2)	Primary Key	Third level OES group.
4. grpdesc	varchar(90)		Description of group.

oeslaytl		DEPRECATED in v2.6	
A table of lay titles and the associated OES codes.			
Field Name	Type	Constraint	Description
1. oescode	char(5)	Primary Key 1	A 5-digit code assigned to the Occupational Employment Statistics (OES) occupational title.
2. laytitle	varchar(80)	Primary Key	Lay title associated with an OES code.
Constraint Information			
1. Foreign Key (oeslaytl.oescode) references (oescode.oescode)			


oestrntm		DEPRECATED in v2.6	
A table of OES Training Times - estimates of the typical preparation level required to enter the occupation.			
Field Name	Type	Constraint	Description
1. oestrntm	char(1)	Primary Key	A 1-digit code assigned to the OES preparation level.
2. oestmdesc	varchar(40)		Description of the specified preparation level.


onetcode			
The table of O*NET codes and their descriptions. 			
Field Name	Type	Constraint	Description
1. onetcode	char(8)	Primary Key	A 6 or 8-digit code* assigned to the Occupational Information Network (O*NET) occupational title. For codes not 8 characters long, left justify and blank (ASCII 32) fill.
2. onetyear	char(4)		O*NET code version year.
3. onetver	char(6)		O*NET code version id.
4. onettitle	varchar(200)		Title of O*NET Code.
5. onetdesc	varchar(MAX)		Description of the specified O*NET code.
Trigger Information			
Use triggers on INSERT, UPDATE or DELETE of onetcode to maintain occcodes. (statelst.stfips, '12', onetcode.onetcode, onetcode.onettitle) maintains (occcodes.stfips, occcodes.codetype, occcodes.code, occcodes.codetitle)			


oohtrntm			
The table of training required to enter an occupation or develop the skills needed for average job performance in the occupation.			
Field Name	Type	Constraint	Description
1. oohtrntm	char(1)	Primary Key	A code assigned to the category of education and/or training generally required to enter an occupation and for workers to develop the skills needed for average job performance in the occupation.
2. oohmdesc	varchar(60)		A description of the training category.

ownership			
The table of codes for each type of ownership. 			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. ownership	char(2)	Primary Key	A 2-digit indicator that identifies the employer by public or private ownership.
3. ownertitle	varchar(40)		Title of ownership.
4. ownerdesc	varchar(MAX)		Description of ownership.
Constraint Information			
1. Foreign Key (ownership.stfips) references (stfipstb.stfips)			


paytype			
A table of the types of government transfer payments received.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. paytype	char(2)	Primary Key	A 2-digit code identifying the government payment type.
3. paytydesc	varchar(40)		A description of the type of government payment.
Constraint Information			
1. Foreign Key (paytype.stfips) references (stfipstb.stfips)			

period			
The table of time periods used in the WID. 			
Field Name	Type	Constraint	Description
1. periodyear	char(4)	Primary Key	Character representation of the calendar year (e.g. 2000).
2. periodtype	char(2)	Primary Key 1	Code describing type of period (e.g. Annual, quarterly, monthly, etc.)
3. period	char(2)	Primary Key	Period code.
Constraint Information			
1. Foreign Key (period.periodtype) references (periodty.periodtype)			

periodid			
A table of periods of time used for projections, a 2-digit indicator for target year and base year. 			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code.
2. periodid	char(2)	Primary Key	A 2-digit code identifying the type of period being used.
3. periodtype	char(2)	2, 3	Code describing type of period (e.g. Annual, quarterly, monthly, etc.)
4. estyear	char(4)	2	Base year of estimate.
5. estperiod	char(2)	2	Period of estimate.
6. projyear	char(4)	3	Year of projection.
7. projperiod	char(2)	3	Period of projection.
8. perioddesc	varchar(60)		Description of period range.
Constraint Information			
1. Foreign Key (periodid.stfips) references (stfipstb.stfips)			
2. Foreign Key (periodid. estyear, periodid.periodtype, periodid.estperiod) references (period.periodyear, period.periodtype, period.period)			
3. Foreign Key (periodid.projyear, periodid.periodtype, periodid.projperiod) references (period.periodyear, period.periodtype, period.period)			

periodty			
The table of types of time periods used (e.g. Annual, quarterly, hourly, etc.) 			
Field Name	Type	Constraint	Description
1. periodtype	char(2)	Primary Key	Code describing type of period (e.g. Annual, quarterly, monthly, etc.)
2. pertydesc	varchar(40)		A description of the period type.


popsorce			
A Table of the codes of the source of population estimates.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. popsorce	char(1)	Primary Key	Source code for population data.
3. popsrcdesc	varchar(40)		Description of population source.
Constraint Information			
1. Foreign Key (popsorce.stfips) references (stfipstb.stfips)			

prvgovst			
A table of private/government status codes used in the empdb. 			
Field Name	Type	Constraint	Description
1. privgovsta	char(1)	Primary Key	Code for the private/government status code.
2. prvgovdesc	varchar(15)		Description of the code.

qwisup			
A table containing quarterly workforce indicator (QWI) suppression code descriptions.			
Field Name	Type	Constraint	Description
1. qwisup	char(1)	Primary Key	Code for QWI suppression type
2. qwisupdesc	varchar(75)		Description of QWI suppression code

qwitype			
This table contains quarterly workforce indicator (QWI) code type descriptions.			
Field Name	Type	Constraint	Description
1. qwitype	char(2)	Primary Key	Code for the QWI type.
2. qwitypdsc	varchar(75)		Description of the QWI type


raceethn			
The table of codes that identify ethnicity and race of UI claimants and other groups.			
Field Name	Type	Constraint	Description
1. raceethn	char(5)	Primary Key	Race/ethnicity code.
2. racetitle	varchar(75)		Race/ethnicity description.
Table Notes			
1: See Appendix B for notes on the Race-Ethnicity codes.			

ratetype			
A table of wage rate types (e.g. hourly, weekly, monthly, annually). 			
Field Name	Type	Constraint	Description
1. ratetype	char(1)	Primary Key	Code which identifies the type of wage rate.
2. ratetydesc	varchar(40)		A description of the type of wage rate.

salestyp			
A table of sales statistic types.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. salestype	char(2)	Primary Key	A code that represents the sales type.
3. saleydesc	varchar(40)		A description of the sales type.
Constraint Information			
1. Foreign Key (salestyp.stfips) references (stfipstb.stfips)			

schgrade			
A table containing codes for identifying the highest school grade completed.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. highestgrd	char(2)	Primary Key	Code identifying the highest school grade completed.
3. highgrdesc	varchar(35)		Description of highest school grade completed code.
Constraint Information			
1. Foreign Key (schgrade.stfips) references (stfipstb.stfips)			


seasonal			DEPRECATED in v2.8
A table containing codes for identifying those who are seasonal or migrant workers.			
Field Name	Type	Constraint	Description
1. seasonal	char(1)	Primary Key	Code indicating seasonal or migrant workers.
2. seasondesc	varchar(20)		Description of seasonal code.

siccode		DEPRECATED in v2.6		
The table of 1987 Standard Industrial Classification (SIC) codes.				
Field Name	Type	Constraint	Description	
1. siccode	char(4)	Primary Key	A code used in the classification of establishments by type of activity in which they are engaged. This field is left justified and padded with zeroes. A siccode of 9999 means non-classifiable; industry not specified.	
2. sictitle	varchar(38)		The title assigned to a SIC code.	
3. sictitlel	varchar(110)		The long title assigned to the SIC code.	
4. sicdesc	varchar(MAX)		A narrative description of the activities performed by establishments classified in the SIC.	
5. sicdiv	char(1)	1	The major industry division to which this code belongs.	
6. siclevel	char(1)	2	A code that indicates the hierarchical level of the SIC code.	
7. inddiv	char(3)	3	A code used to identify industry division. Differs from sicdiv code in that Manufacturing is divided into Durable and Nondurable goods, and trade is divided into Wholesale and Retail Trade.	
Constraint Information				
1. Foreign Key (siccode.sicdiv) references (sicdiv.sicdiv)				
2. Foreign Key (siccode.siclevel) references (siclevel.siclevel)				
3. Foreign Key (siccode.inddiv) references (inddiv.inddiv)				
Trigger Information				
Use triggers on INSERT, UPDATE or DELETE of siccode to maintain indcodes. (statelst.stfips, '05', siccode.siccode, siccode.sictitle) maintains (indcodes.stfips, indcodes.codetype, indcodes.code, indcodes.codetitle)				

sicdiv		DEPRECATED in v2.6	
A table of SIC major industry divisions (1987).			
Field Name	Type	Constraint	Description
1. sicdiv	char(1)	Primary Key	A code used to represent the major SIC division.
2. divdesc	varchar(40)		A narrative description of the Major SIC Division title.

siclevel		DEPRECATED in v2.6	
A table of the hierarchical levels of the SIC codes.			
Field Name	Type	Constraint	Description
1. siclevel	char(1)	Primary Key	A code that indicates the hierarchical level of the SIC code.
2. leveldesc	varchar(40)		A description of the hierarchical level of the industry.

sizeclas			
A table of codes for the size of an establishment's workforce. First 10 codes are QCEW codes, the rest are for states' use.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. sizeclass	char(2)	Primary Key	A 2-digit code identifying the size of the establishment's workforce.
3. sizedesc	varchar(40)		Description or title of sizeclass.
Constraint Information			
1. Foreign Key (sizeclas.stfips) references (stfipstb.stfips)			

socode			
			Revised in v2.8
			
The table of the current Standard Occupational Classification (SOC) codes.			
Field Name	Type	Constraint	Description
1. soccode	char(6)	Primary Key	A 6-digit code assigned to the SOC occupational title from the current SOC Classification System.
2. soccodetype	char(2)	Primary Key 1	A code describing the SOC version classification code
3. soctitle	varchar(75)		The title assigned to that SOC occupation. *Note: No standard short titles are currently available.
4. soctitlel	varchar(200)		The long title assigned to the SOC occupation.
5. socdesc	varchar(MAX)		A narrative description of the SOC occupational title.
6. education	char(1)	2	Typical education needed for entry into the occupation
7. experience	char(1)	3	Work experience in a related occupation
8. training	char(1)	4	On-the-job training needed to attain competency in the occupation
9. oesflag	char(1)		Flag indicating whether the occupation is an OES-only occupation: 0 = SOC occupation; 1 = OES only occupation
10. socparent	char(6)	5	Parent SOC code to use for rollup.
11. socparentcodetyp	char(2)	5	Version code for SOC parent
12. oohtrntm	char(1)	6	Code assigned for education/training category. This is a legacy code system included for storing historical data.
Constraint Information			
1. Foreign Key (socode.soccodetype) references (occtypes.codetype)			
2. Foreign Key (socode.education) references (education.educat)			
3. Foreign Key (socode.experience) references (experience.expercat)			
4. Foreign Key (socode.training) references (training.trainingcat)			
5. Foreign Key (socode.socparent, socode.socparentcodetyp) references (socode.socode, socode.soccodetype)			
6. Foreign Key (socode.oohtrntm) references (oohtrntm.oohtrntm)			
Trigger Information			
Use triggers on INSERT, UPDATE or DELETE of soccode to maintain occcodes. (statelst.stfips, soccode.codetype, soccode.socode, soccode.soctitle) maintains (occcodes.stfips, occcodes.codetype, occcodes.code, occcodes.codetitle)			

stattype

A table of types of statistical measurement.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. stattype	char(2)	Primary Key	A code that represents the statistical type.
3. stattydesc	varchar(50)		A description of the statistical type of measurement.

Constraint Information

1. Foreign Key (stattype.stfips) references (stfipstb.stfips)

stfipstb

The table of State FIPS codes.



Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key	State FIPS code.
2. stname	varchar(20)		State name.
3. abbrev	char(2)		The two letter State abbreviation.

stockexch

A table of the stock exchange codes used in the empdb table.

Field Name	Type	Constraint	Description
1. stockexchcode	char(1)	Primary Key	Stock Exchange code.
2. stockexchdesc	varchar(40)		Description of the stock exchange code.

stprogcd

Revised in v2.8



A table for State-specific training program codes.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3	State FIPS Code
2. codetype	char(2)	Primary Key 2	A code describing the State classification code. NOTE that this should be set to '09', or issues could occur with the occcodes table.
3. code	char(10)	Primary Key 2	The classification code used by the state for this data element. This code could be DOT, OES, CIP, Cluster, SOC, Census, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
4. title	varchar(200)		The program title represented by the code.
5. cipcode	char(10)	3	A 10-digit code assigned to a Classification of Instructional Programs (CIP) program title.
6. cipcodetype	char(2)	3	A code describing the version of the CIP code.
7. titledesc	varchar(MAX)		The program description.

Constraint Information

1. Foreign Key (stprogcd.stfips) references (stfipstb.stfips)
2. Foreign Key (stprogcd.stfips, stprogcd.codetype, stprogcd.code) references (occcodes.stfips, occcodes.codetype, occcodes.code)
3. Foreign Key (stprogcd.stfips, stprogcd.cipcodetype, stprogcd.cipcode) references (occcodes.stfips, occcodes.codetype, occcodes.code)

Trigger Information

Use triggers on INSERT, UPDATE or DELETE of stprogcd to maintain occcodes. (stprogcd.stfips, stprogcd.codetype, stprogcd.code, stprogcd.title) maintains (occcodes.stfips, occcodes.codetype, occcodes.code, occcodes.codetype)

subgeog

A table of substate geographic areas and the larger areas that contain the areas.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. substfips	char(2)	Primary Key 2	A 2-digit code assigned to represent a substate FIPS code.
5. subareatype	char(2)	Primary Key 2	A 2-digit code assigned to represent the type of substate area.
6. subarea	char(6)	Primary Key 2	A 6-digit code assigned to represent the name of the substate area.

Constraint Information

1. Foreign Key (subgeog.stfips, subgeog.areatype, subgeog.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (subgeog.substfips, subgeog.subareatype, subgeog.subarea) references (geog.stfips, geog.areatype, geog.area)

svc			
A table of military service branch codes.			
Field Name	Type	Constraint	Description
1. svc	char(1)	Primary Key	Military service branch code.
2. svctitle	varchar(130)		Military service branch title.


taxtype			
A table of the types of tax collected by a state.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code
2. taxtype	char(2)	Primary Key	A 2-digit code identifying the type of tax.
3. taxtypedesc	varchar(75)		A description of the tax.
Constraint Information			
1. Foreign Key (taxtype.stfips) references (stfipstb.stfips)			

training			
A table of codes for the BLS training category for occupations.			
Field Name	Type	Constraint	Description
1. trainingcat	char(1)	Primary Key	Code assigned to the on-the-job training category by BLS
2. trainingdesc	varchar(35)		Description of the on-the-job category

unittype			
This table contains the building permit types, by state.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. unittype	char(2)	Primary Key	Code for the type of building permit.
3. typedesc	varchar(40)		Description of building permit.
Constraint Information			
1. Foreign Key (unittype.stfips) references (stfipstb.stfips)			

urltopic			
			DEPRECATED in v2.6
A table of uniform resource locator topic categories.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. urltopic	char(3)	Primary Key	Code for the type of uniform resource locator topic.
3. topicdesc	varchar(40)		Description of uniform resource locator topic.
Constraint Information			
1. Foreign Key (urltopic.stfips) references (stfipstb.stfips)			

vetcode		DEPRECATED in v2.8	
A table of veteran type codes.			
Field Name	Type	Constraint	Description
1. veteran	char(1)	Primary Key	Code for veteran status of claimant.
2. vetdesc	varchar(60)		Description or title of veteran type.

wgsource			
A table of wage data sources. 			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. wagesource	char(1)	Primary Key	A code representing the source of wage data.
3. wagesrdesc	varchar(60)		A description of the source of the wage data.
Constraint Information			
1. Foreign Key (wgsource.stfips) references (stfipstb.stfips)			

worksite			
A table of worksite codes.			
Field Name	Type	Constraint	Description
1. worksite	char(1)	Primary Key	Code for status of worksite: open or closed.
2. wksitedesc	varchar(90)		Description or title of worksite.

Data Tables

analysis		DEPRECATED in v2.8	
The analysis table contains one record for each state-defined cluster.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area; e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 4	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 4	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 4	Period Code. Will be set to 00 where periodtype is annual.
7. cluscode	char(10)	Primary Key 2	Code assigned to the cluster from the State Units of Analysis.
8. analysis	varchar(MAX)		A narrative analysis of the factors about the Supply/Demand situation for a state or substate area.
9. clusgrade	char(1)	3	An evaluative rating for the cluster.
10. placeclus	varchar(MAX)		Narrative statements about the placement rates for programs contained in the Unit of Analysis or Cluster.
Constraint Information			
<ol style="list-style-type: none"> 1. Foreign Key (analysis.stfips, analysis.areatype, analysis.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (analysis.stfips, analysis.cluscode) references (cluscode.stfips, cluscode.cluscode) 3. Foreign Key (analysis.stfips, analysis.clusgrade) references (clusgrad.stfips, clusgrad.clusgrade) 4. Foreign Key (analysis.periodyear, analysis.periodtype, analysis.period) references (period.periodyear, period.periodtype, period.period) 			

bed

Table of private sector business employment dynamics data, showing job losses and gains due to expansion, contraction, new and closed business.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. indcodetype	char(2)	Primary Key 3	Code for the type of industry: 05 = SIC; 10 = NAICS
8. indcode	char(6)	Primary Key 3	The industry code.
9. adjusted	char(1)	Primary Key	Indicates whether data is seasonally adjusted: 0 = Not Adjusted; 1 = Adjusted
10. bedtypcode	char(1)	Primary Key 4	Indicator of the type of data.
11. bedemploy	numeric(12)		Amount of employment gain/loss
12. bedempperc	numeric(4,1)		Percent employment gain/loss
13. bedestabs	numeric(12)		Number of establishments involved in gain/loss
14. bedestperc	numeric(4,1)		Percent establishments involved in gain/loss
15. suppress	char(1)		An indicator that the record contains confidential data that must be suppressed for public use: 0 = Not Suppressed; 1 = Suppressed

Constraint Information

1. Foreign Key (bed.stfips, bed.areatype, bed.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (bed.periodyear, bed.periodtype, bed.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (bed.stfips, bed.indcodetype, bed.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code)
4. Foreign Key (bed.bedtypcode) references (bedtypes.bedtypcode)

blding			
Table of building permits awarded per area and time period.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. unittype	char(2)	Primary Key 3	Code for the type of building permit.
8. units	numeric(7)		Number of building permits.
9. unitcost	numeric(12)		Building construction cost.
Constraint Information			
1. Foreign Key (blding.stfips, blding.areatype, blding.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (blding.periodyear, blding.periodtype, blding.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (blding.stfips, blding.unittype) references (unittype.stfips, unittype.unittype)			

cenlabor			DEPRECATED in v2.8
Table of the labor force by the current Census occupation code, and gender.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. censcode	char(10)	Primary Key 3	A 4-digit code assigned to the Census occupational title.
8. codetype	char(2)	Primary Key 3	Code describing the Census occupation code.
9. femalelf	numeric(8)		Number of females in the occupation in the labor force.
10. malelf	numeric(8)		Number of males in the occupation in the labor force.
Constraint Information			
1. Foreign Key (cenlabor.stfips, cenlabor.areatype, cenlabor.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (cenlabor.periodyear, cenlabor.periodtype, cenlabor.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (cenlabor.stfips, cenlabor.codetype, cenlabor.censcode) references (occcodes.stfips, occcodes.codetype, occcodes.code)			

**ces**

Employment estimates as reported by the CES.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. seriescode	char(8)	Primary Key 3	Industrial Series code.
8. adjusted	char(1)	Primary Key	Indicates if record contains seasonally adjusted data. 1 = adjusted; 0 = not adjusted
9. benchmark	char(4)	4	Benchmark year of the data.
10. prelim	char(1)		Preliminary/revised flag. 0 = Not Preliminary; 1 = Preliminary
11. empces	numeric(9)		Number employed by place of work; actual number, not in thousands.
12. empprodwrk	numeric(9)		Number of Production workers;
13. empfemale	numeric(9)		Number of females employed; actual number, not in thousands.
14. hours	numeric(3,1)		Average hours worked per week.
15. earnings	numeric(8,2)		Average weekly earnings.
16. houearn	numeric(6,2)		Average hourly earnings.
17. supprecord	char(1)		Suppress total record. 1 = Suppressed; 0 = Not Suppressed
18. supphe	char(1)		Suppress hours and earnings.
19. supppw	char(1)		Suppress Production Workers.
20. suppfem	char(1)		Suppress Female Employment.
21. hoursallwrkr	numeric(3,1)		Average hours worked per week for all workers.
22. earningsallwrkr	numeric(8,2)		Average weekly earnings for all workers.
23. houearnallwrkr	numeric(6,2)		Average hourly earnings for all workers.
24. suppheallwrkr	char(1)		Suppress hours and earnings for all workers: 0 = not suppressed; 1 = suppressed

Constraint Information

- Foreign Key (ces.stfips, ces.areatype, ces.area) references (geog.stfips, geog.areatype, geog.area)
- Foreign Key (ces.periodyear, ces.periodtype, ces.period) references (period.periodyear, period.periodtype, period.period)
- Foreign Key (ces.stfips, ces.seriescode) references (cescode.stfips, cescode.seriescode)
- Foreign Key (ces.benchmark) references (benmark.benchmark)

commute			
Commuting patterns, by and to geographic areas.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. wkstfips	char(2)	Primary Key 3	State FIPS Code of workplace.
8. wkareaty	char(2)	Primary Key 3	Area type code for workplace.
9. wkarea	char(6)	Primary Key 3	Area code for workplace.
10. workers	numeric(8)		Number of workers.
Constraint Information			
<p>1. Foreign Key (commute.stfips, commute.areatype, commute.area) references (geog.stfips, geog.areatype, geog.area)</p> <p>2. Foreign Key (commute.periodyear, commute.periodtype, commute.period) references (period.periodyear, period.periodtype, period.period)</p> <p>3. Foreign Key (commute.wkstfips, commute.wkareaty, commute.wkarea) references (geog.stfips, geog.areatype, geog.area)</p>			

cpi			
Table of Consumer Price Indices.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. cpitype	char(2)	Primary Key 3	Type of CPI measure.
8. cpisource	char(1)	Primary Key 4	Source of the CPI measure.
9. cpi	numeric(8,3)		CPI measure.
10. pctchgy	numeric(6,1)		The percent change in the CPI from the period exactly one year ago to the current period.
11. pctchgm	numeric(6,1)		The percent change in the CPI from the period exactly one month ago to the current month.
Constraint Information			
1. Foreign Key (cpi.stfips, cpi.areatype, cpi.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (cpi.periodyear, cpi.periodtype, cpi.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (cpi.stfips, cpi.cpitype) references (cpitype.stfips, cpitype.cpitype) 4. Foreign Key (cpi.stfips, cpi.cpisource) references (cpisource.stfips, cpisource.cpisource)			

cpiplus			
Enhanced CPI content with more indices and geographies available.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 4	State FIPS code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: set to '31' for BLS CPI Geographic Area
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006)
5. periodtype	char(2)	Primary Key 2	Code describing the type of period (e.g., annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period code. Will be set to '00' when periodtype is annual.
7. adjusted	char(1)	Primary Key	Indicates whether record contains seasonally adjusted data: 0 = not adjusted; 1 = adjusted
8. cpiindex	char(1)	Primary Key	Indicates the index represented: U = All urban consumers; W = Urban wage earners and clerical workers
9. cpiitem	char(9)	Primary Key 3	Code that identifies market basket items included in the index
10. cpisource	char(1)	Primary Key 4	Source of the CPI measure
11. basis	char(4)		The 4-digit representation of the terminal year of the base period for the index (Current value is '1984' since the index uses 1982-84 as its base period)
12. cpi	number(8,3)		CPI measure
13. pctchangey	numeric(6,1)		The percent change in the CPI from the period exactly one year ago to the current period
14. pctchangem	numeric(6,1)		The percent change in the CPI from the period exactly one month ago to the current period
Constraint Information			
1. Foreign Key (cpiplus.stfips, cpiplus.areatype, cpiplus.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (cpiplus.periodyear, cpiplus.periodtype, cpiplus.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (cpiplus.cpiitem) references (itemcpi.cpiitem) 4. Foreign Key (cpiplus.stfips, cpiplus.cpisource) references (cpisource.stfips, cpisource.cpisource)			

demographics**Revised in v2.8**

Table of population estimates and demographic characteristics by geographic area and time period.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	Six-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. popsource	char(1)	Primary Key 3	Source Code for population data.
8. population	number(9)		Number representing the population total for the specified geographic area and time period.
9. female	number(9)		Total female population
10. male	number(9)		Total male population
11. median	number(4,1)		Population median age
12. medianmale	number(4,1)		Male population median age
13. medianfem	number(4,1)		Female population median age
14. totunder5	number(9)		Total population age under 5
15. femunder5	number(9)		Female population age under 5
16. maleunder5	number(9)		Female population age under 5
17. tot5to9	number(9)		Total population age 5-9
18. fem5to9	number(9)		Female population age 5-9
19. male5to9	number(9)		Male population age 5-9
20. tot10to14	number(9)		Total population age 10-14
21. fem10to14	number(9)		Female population age 10-14
22. male10to14	number(9)		Female population age 10-14
23. tot15to19	number(9)		Total population age 15-19
24. fem15to19	number(9)		Female population age 15-19
25. male15to19	number(9)		Male population age 15-19
26. tot15to17	number(9)		Total population age 15-17
27. fem15to17	number(9)		Female population age 15-17
28. male15to17	number(9)		Male population age 15-17
29. tot18to19	number(9)		Total population age 18-19
30. fem18to19	number(9)		Female population age 18-19
31. male18to19	number(9)		Male population age 18-19
32. tot20to24	number(9)		Total population age 20-24
33. fem20to24	number(9)		Female population age 20-24
34. male20to24	number(9)		Male population age 20-24
35. tot20	number(9)		Total population age 20
36. fem20	number(9)		Female population age 20
37. male20	number(9)		Male population age 20
38. tot21	number(9)		Total population age 21
39. fem21	number(9)		Female population age 21

demographics**Revised in v2.8**

Table of population estimates and demographic characteristics by geographic area and time period.

Field Name	Type	Constraint	Description
40. male21	number(9)		Male population age 21
41. tot22to24	number(9)		Total population age 22-24
42. fem22to24	number(9)		Female population age 22-24
43. male22to24	number(9)		Male population age 22-24
44. tot25to34	number(9)		Total population age 25-34
45. fem25to34	number(9)		Female population age 25-34
46. male25to34	number(9)		Male population age 25-34
47. tot25to29	number(9)		Total population age 25-29
48. fem25to29	number(9)		Female population age 25-29
49. male25to29	number(9)		Male population age 25-29
50. tot30to34	number(9)		Total population age 29-34
51. fem30to34	number(9)		Female population age 29-34
52. male30to34	number(9)		Male population age 29-34
53. tot35to44	number(9)		Total population age 35-44
54. fem35to44	number(9)		Female population age 35-44
55. male35to44	number(9)		Male population age 35-44
56. tot35to39	number(9)		Total population age 35-39
57. fem35to39	number(9)		Female population age 35-39
58. male35to39	number(9)		Male population age 35-39
59. tot40to44	number(9)		Total population age 40-44
60. fem40to44	number(9)		Female population age 40-44
61. male40to44	number(9)		Male population age 40-44
62. tot45to54	number(9)		Total population age 45-54
63. fem45to54	number(9)		Female population age 45-54
64. male45to54	number(9)		Female population age 45-54
65. tot45to49	number(9)		Total population age 45-49
66. fem45to49	number(9)		Female population age 45-49
67. male45to49	number(9)		Male population age 45-49
68. tot50to54	number(9)		Total population age 50-54
69. fem50to54	number(9)		Female population age 50-54
70. male50to54	number(9)		Female population age 50-54
71. tot55to59	number(9)		Total population age 55-59
72. fem55to59	number(9)		Female population age 55-59
73. male55to59	number(9)		Male population age 55-59
74. tot60to64	number(9)		Total population age 60-64
75. fem60to64	number(9)		Female population age 60-64
76. male60to64	number(9)		Male population age 60-64
77. tot60to61	number(9)		Total population age 60-61
78. fem60to61	number(9)		Female population age 60-61
79. male60to61	number(9)		Male population age 60-61
80. tot62to64	number(9)		Total population age 62-64
81. fem62to64	number(9)		Female population age 62-64
82. male62to64	number(9)		Male population age 62-64

demographics

Revised in v2.8

Table of population estimates and demographic characteristics by geographic area and time period.

Field Name	Type	Constraint	Description
83. tot65to69	number(9)		Total population age 65-74
84. fem65to69	number(9)		Female population age 65-74
85. male65to69	number(9)		Male population age 65-74
86. tot65to66	number(9)		Total population age 65-66
87. fem65to66	number(9)		Female population age 65-66
88. male65to66	number(9)		Male population age 65-66
89. tot67to69	number(9)		Total population age 67-69
90. fem67to69	number(9)		Female population age 67-69
91. male67to69	number(9)		Male population age 67-69
92. tot70to74	number(9)		Total population age 70-74
93. fem70to74	number(9)		Female population age 70-74
94. male70to74	number(9)		Male population age 70-74
95. tot75to84	number(9)		Total population age 75-84
96. fem75to84	number(9)		Female population age 75-84
97. male75to84	number(9)		Male population age 75-84
98. tot75to79	number(9)		Total population age 75-79
99. fem75to79	number(9)		Female population age 75-79
100. male75to79	number(9)		Male population age 75-79
101. tot80to84	number(9)		Total population age 80-84
102. fem80to84	number(9)		Female population age 80-84
103. male80to84	number(9)		Male population age 80-84
104. tot85xx	number(9)		Total population age 85 and over
105. fem85xx	number(9)		Female population age 85 and over
106. male85xx	number(9)		Male population age 85 and over
107. tot18xx	number(9)		Total population age 18 and over
108. fem18xx	number(9)		Female population age 18 and over
109. male18xx	number(9)		Male population age 18 and over
110. tot21xx	number(9)		Total population age 21 and over
111. fem21xx	number(9)		Female population age 21 and over
112. male21xx	number(9)		Male population age 21 and over
113. tot62xx	number(9)		Total population age 62 and over
114. fem62xx	number(9)		Female population age 62 and over
115. male62xx	number(9)		Male population age 62 and over
116. onerace	number(9)		Population: one race
117. white	number(9)		One race: White
118. black	number(9)		One race: Black or African American
119. naan	number(9)		One race: American Indian or Alaskan Native
120. asian	number(9)		One race: Asian
121. pacisland	number(9)		One race: Native Hawaiian and Other Pacific Islander
122. other	number(9)		One race: Other
123. twomoraces	number(9)		Two or more races
124. hispanic	number(9)		Hispanic or Latino
125. hispwhite	number(9)		Hispanic or Latino: White Alone

demographics**Revised in v2.8**

Table of population estimates and demographic characteristics by geographic area and time period.

Field Name	Type	Constraint	Description
126. hispblack	number(9)		Hispanic or Latino: Black or African American
127. hispnaan	number(9)		Hispanic or Latino: American Indian or Alaskan Native
128. hispasian	number(9)		Hispanic or Latino: Asian
129. hisppacisl	number(9)		Hispanic or Latino: Hawaiian and Other Pacific Islander
130. hispothor	number(9)		Hispanic or Latino: Some other race alone
131. hisp2race	number(9)		Hispanic or Latino: Two or more races

Constraint Information

1. Foreign Key (demographics.stfips, demographics.areatype, demographics.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (demographics.periodyear, demographics.periodtype, demographics.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (demographics.stfips, demographics.popsourc) references (popsourc.stfips, popsourc.popsourc)

Table Notes

- 1: For multi-year estimates, periodyear should be set to the terminal year, eg. 2008 for 2006-2008 estimates.

develop**DEPRECATED in v2.8**

Table of industrial development.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. indcodty	char(2)	Primary Key 3	Code describing the industry code type.
8. indcode	char(6)	Primary Key 3	A code used in the classification of establishments by type of activity in which they are engaged. For codes not 6 characters long, left justify and blank (ASCII 32) fill. Either SIC or NAICS code can be used.
9. newinvest	numeric(10)		New industry investment data.
10. newemploy	numeric(7)		New industry employment data.
11. newfirms	numeric(6)		Number of new firms.
12. expinvest	numeric(10)		Expanded industry investment data.
13. expemploy	numeric(7)		Expanded industry employment data.
14. expfirms	numeric(6)		Number of expanding firms.
15. invincent	numeric(10)		Infrastructure investment.

Constraint Information

1. Foreign Key (develop.stfips, develop.areatype, develop.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (develop.periodyear, develop.periodtype, develop.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (develop.stfips, develop.indcodty, develop.indcode) references (indcode.stfips, indcode.codetype, indcode.code)

eeolabfac**DEPRECATED in v2.6**

Labor Force, Employment, and Unemployment factors by race and gender, derived from Summary File 3A, tables 043 and 150 (a through i).

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. gender	char(1)	Primary Key 3	Gender Code.
8. raceethn	char(5)	Primary Key 4	The Workforce Information Race/Ethnicity code.
9. lffact	numeric(9,8)		The EEO Race/Gender combination divided by the total 2000 Census labor force.
10. empfact	numeric(9,8)		The EEO Race/Gender combination divided by the total 2000 Census employment
11. unempfact	numeric(9,8)		The EEO Race/Gender combination divided by the total 2000 Census unemployment.

Constraint Information

1. Foreign Key (eeolabfac.stfips, eeolabfac.areatype, eeolabfac.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (eeolabfac.periodyear, eeolabfac.periodtype, eeolabfac.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (eeolabfac.gender) references (gender.gender)
4. Foreign Key (eeolabfac.raceethn) references (raceethn.raceethn)

eeolabfor**DEPRECATED in v2.6**

Employment and unemployment estimates reported from the Local Area Unemployment Statistics broken down by Census EEO Categories.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. gender	char(1)	Primary Key 3	Gender Code.
8. raceethn	char(5)	Primary Key 4	The Workforce Information Race/Ethnicity code.
9. laborforce	numeric(9)		Civilian labor force.
10. emplab	numeric(9)		Number employed by place of residence.
11. unemp	numeric(9)		Number unemployed.
12. unemprate	numeric(5,1)		Unemployment rate.

Constraint Information

1. Foreign Key (eeolabfor.stfips, eeolabfor.areatype, eeolabfor.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (eeolabfor.periodyear, eeolabfor.periodtype, eeolabfor.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (eeolabfor.gender) references (gender.gender)
4. Foreign Key (eeolabfor.raceethn) references (raceethn.raceethn)

eeoocc**DEPRECATED in v2.6**

Table of 2000 EEO Census occupation data, by race/ethnicity.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 5	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. gender	char(1)	Primary Key 3	Gender Code.
8. raceethn	char(5)	Primary Key 4	The Workforce Information Race/Ethnicity code.
9. occodetype	char(2)	Primary Key 5	Code describing the type of occupational coding system. This will be '06' for census code.
10. occcode	char(10)	Primary Key 5	The occupational classification code used by the state for this data element. In most cases, this will be the CENSUS code. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
11. explabfor	numeric(10)		The experienced labor force for the occupation (those with work experience in the occupation, 1995-2000).

Constraint Information

1. Foreign Key (eeoocc.stfips, eeoocc.areatype, eeoocc.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (eeoocc.periodyear, eeoocc.periodtype, eeoocc.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (eeoocc.gender) references (gender.gender)
4. Foreign Key (eeoocc.raceethn) references (raceethn.raceethn)
5. Foreign Key (eeoocc.stfips, eeoocc.occodetype, eeoocc.occocode) references (occcodes.stfips, occcodes.codetype, occcodes.code)

eeopop**DEPRECATED in v2.6**

Table of Equal Employment Opportunity (EEO) state and local populations.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. gender	char(1)	Primary Key 3	Gender Code.
8. raceethn	char(5)	Primary Key 4	The Workforce Information Race/Ethnicity code.
9. population	numeric(10)		Number representing the population total for the specified geographic area and time period.

Constraint Information

1. Foreign Key (eeopop.stfips, eeopop.areatype, eeopop.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (eeopop.periodyear, eeopop.periodtype, eeopop.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (eeopop.gender) references (gender.gender)
4. Foreign Key (eeopop.raceethn) references (raceethn.raceethn)

**empdb**

The Employer Database, used for data on individual companies, subject to license agreements between States and the vendor.

Field Name	Type	Constraint	Description
1. stfips	char(2)	1	State FIPS code of employer's physical location.
2. areatype	char(2)	1	Always township code '14' for New England states; always county code '04' for all other states.
3. area	char(6)	1	A 3-digit code assigned to county (fips) or township where business is located, front filled with zeroes.
4. uniqueid	char(9)	Primary Key	Employer's unique id assigned by InfoGroup.
5. fein	char(9)		Federal Employer Identification Number
6. lastupdate	char(6)		Date of record's most recent update or verification from Yellow Page compilation or other sources.
7. name	varchar(35)		Name by which the business is known or under which it conducts business.
8. addressP	varchar(40)		Employer's physical location - street address
9. cityP	varchar(30)		Employer's physical location - city
10. stateP	char(2)		Employer's physical location - state
11. zipcodeP	char(5)		Employer's physical location - zip code
12. zipplusP	char(4)		Employer's physical location - zip + 4
13. latitude	numeric(11,6)		Employer's physical location - latitude
14. longitude	numeric(11,6)		Employer's physical location - longitude
15. geocode	char(1)	2	Employer's physical location - geocode precision level code. The precision of the longitude and latitude coordinates.
16. censustract	char(6)		Census tract - A statistical subdivision of a county
17. censusblockgrp	char(1)		Census block group - a combination of census blocks within a census tract.
18. addressM	varchar(40)		Employer's mailing address - street address
19. cityM	varchar(30)		Employer's mailing address - city
20. stateM	char(2)		Employer's mailing address - state
21. zipcodeM	char(5)		Employer's mailing address - zip-code
22. zipplusM	char(4)		Employer's mailing address - zip + 4
23. addressL	varchar(40)		Employer's landmark address - landmark
24. cityL	varchar(30)		Employer's landmark address - city
25. stateL	char(2)		Employer's landmark address - state
26. zipcodeL	char(5)		Employer's landmark address - zip-code
27. zipplusL	char(4)		Employer's landmark address - zip + 4
28. telenum	char(10)		Employer's telephone number with area code.
29. cntctlname	varchar(30)		Contact's last name.
30. cntctfname	varchar(30)		Contact's first name.
31. cntcttitle	varchar(35)		Contact's title(e.g., HR director, owner, president)
32. contacttitlecode	char(1)	3	Contact's title code
33. contactprotitle	char(3)	4	Contact's professional title
34. contactgender	char(1)		Contact's gender code
35. contactemail	varchar(60)		Contact's email address
36. tollfreetele	char(10)		Employer's toll-free telephone number
37. faxnumber	char(10)		Employer's fax number.
38. weblink	varchar(40)		Employer's web site address (URL).

**empdb**

The Employer Database, used for data on individual companies, subject to license agreements between States and the vendor.

Field Name	Type	Constraint	Description
39. busdesc	varchar(45)		Business description(a one-line 'line of business' identifier).
40. primarysic	char(6)		Employer's primary SIC code.
41. sic2	char(6)		Employer's SIC code #2
42. sic3	char(6)		Employer's SIC code #3
43. sic4	char(6)		Employer's SIC code #4
44. sic5	char(6)		Employer's SIC code #5
45. primnaics	char(8)		Employer's primary NAICS code.
46. naics2	char(8)		Employer's NAICS code #2
47. naics3	char(8)		Employer's NAICS code #3
48. naics4	char(8)		Employer's NAICS code #4
49. naics5	char(8)		Employer's NAICS code #5
50. privgovsta	char(1)	5	Identifies whether the business is a government or private sector entity.
51. locstat	char(1)	6	Identifies the business location status.
52. stockexchcode	char(1)	7	Stock exchange code identifies the Stock Exchange where the business conducts trading activity.
53. stockticker	char(6)		Stock "TICKER" symbol is shown for companies that are traded on any public stock exchange or listed in the NASDAQ "over the counter" quotation system or other small exchanges (i.e., Chicago Mercantile).
54. whitecollarpct	numeric(4,1)		Percentage of white collar employment
55. whitecollarind	char(1)		White collar indicator: 1 = Over 50% white collar employment
56. empsizrng	char(2)	8	Code for the number of employees that work at this business location, by range.
57. empsizval	numeric(9)		Number of employees who work at this location of the business.
58. empsizflg	char(1)	9	Code identifying how the employment (empsizval) was derived.
59. annsalrng	char(2)	10	Code for the estimated sales of the business at this location, in thousands, by range.
60. annsalval	varchar(15)		Estimated annual sales volume of the business at this location.
61. annsalflg	char(1)	11	Code identifying how the annual sales volume was derived.
62. yearest	char(4)		Year the business at this location was established or identified and added to the database.
63. creditcd	char(1)	12	Credit rating code: an indicator of a business' financial status, or probable ability to pay. These are modeled; they do not reflect actual payment history. Users must be cautioned that these credit rating indicators should not be the sole factor in making a credit decision.
64. hdqtrsid	char(9)		The uniqueid of the regional or subsidiary headquarters of the business to which this record pertains.
65. parentid	char(9)		The uniqueid of the corporate parent of the business to which this record pertains. This may be the immediate or a higher level U.S. corporate parent of the business.
66. ultimateparentid	char(9)		The uniqueid of the ultimate corporate parent to which this record pertains. This may be a higher level U.S. or foreign corporate parent of the business. Since all locations of a business have the same ultimate parent number, this field provides 'corporate ownership' linkage information.
67. foreignparentind	char(1)		Foreign parent indicator. A '1' = foreign affiliation.

**empdb**

The Employer Database, used for data on individual companies, subject to license agreements between States and the vendor.

Field Name	Type	Constraint	Description
68. exportimportind	char(1)		Export Import indicator code Indicates the type of services provided.
69. businesstype	char(1)		Code helps identify if the record represents a professional individual versus a firm.
70. workathome	char(1)		Work-at-home business. A '1' indicates a home business.
71. releaseno	char(3)	13	empdb release number

Constraint Information

1. Foreign Key (empdb.stfips, empdb.areatype, empdb.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (empdb.geocode) references (geocode.geocode)
3. Foreign Key (empdb.contacttitlecode) references (contacttitle.contacttitlecode)
4. Foreign Key (empdb.contactprotitile) references (contactpro.contactprotitile)
5. Foreign Key (empdb.prvgovsta) references (prvgovst.prvgovsta)
6. Foreign Key (empdb.locstat) references (locstat.locstat)
7. Foreign Key (empdb.stockexchcode) references (stockexch.stockexchcode)
8. Foreign Key (empdb.empsizrng) references (empszrng.empsizrng)
9. Foreign Key (empdb.empszflg) references (empszflg.empszflg)
10. Foreign Key (empdb.annsalrng) references (annslrng.annsalrng)
11. Foreign Key (empdb.annsalflg) references (annslflg.annsalflg)
12. Foreign Key (empdb.creditcd) references (creditcd.creditcd)
13. Foreign Key (empdb.releaseno) references (empdbinf.releaseno)

esapplic1**DEPRECATED in v2.8**

Employment Service applicant characteristics.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 6, 7	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. occodetype	char(2)	Primary Key 7	Code describing the occupational code.
8. occcode	char(10)	Primary Key 7	The occupational classification code used by the state for this data element. This code could be DOT, OES, SOC, Census, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
9. agegroup	char(2)	Primary Key 3	Code representing age group.
10. gender	char(1)	Primary Key 4	Gender code.
11. raceethn	char(5)	Primary Key 5	Code indicating ethnicity and race of claimants.
12. highestgrd	char(2)	Primary Key 6	Code indicating the highest school grade completed.
13. esapplicid	int		Unique ID for relating esapplic2 to esapplic1.
14. applicants	numeric(8)		Number of current applicants.

Constraint Information

1. Foreign Key (esapplic1.stfips, esapplic1.areatype, esapplic1.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (esapplic1.periodyear, esapplic1.periodtype, esapplic1.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (esapplic1.stfips, esapplic1.agegroup) references (agegroup.stfips, agegroup.agegroup)
4. Foreign Key (esapplic1.gender) references (gender.gender)
5. Foreign Key (esapplic1.raceethn) references (raceethn.raceethn)
6. Foreign Key (esapplic1.stfips, esapplic1.highestgrd) references (schgrade.stfips, schgrade.highestgrd)
7. Foreign Key (esapplic1.stfips, esapplic1.occodetype, esapplic1.occocode) references (occcodes.stfips, occcodes.codetype, occcodes.code)

Table Notes

- 1: Unique constraint: combination of stfips and esapplicid cannot be duplicated.

esapplic2**DEPRECATED in v2.8**

Employment Service applicant characteristics.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code.
2. esapplicid	int	Primary Key 1	Unique ID for relating esapplic2 to esapplic1.
3. veteran	char(1)	Primary Key 2	Code representing veteran status.
4. disabled	char(1)	Primary Key 3	Code indicating handicapped applicants.
5. seasonal	char(1)	Primary Key 4	Code indicating seasonal or migrant workers.
6. econdisadv	char(1)	Primary Key 5	Code indicating those who are economically disadvantaged.
7. dislocated	char(1)	Primary Key 6	Code indicating dislocated workers.
8. applicants	numeric(8)		Number of current applicants.

Constraint Information

1. Foreign Key (esapplic2.stfips, esapplic2.esapplicid) references (esapplic1.stfips, esapplic1.esapplicid)
2. Foreign Key (esapplic2.veteran) references (vetcode.veteran)
3. Foreign Key (esapplic2.disabled) references (disabil.disabled)
4. Foreign Key (esapplic2.seasonal) references (seasonal.seasonal)
5. Foreign Key (esapplic2.econdisadv) references (disadvan.econdisadv)
6. Foreign Key (esapplic2.dislocated) references (dislocat.dislocated)

esdata Employment Service Data.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 4, 5	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. occodetype	char(2)	Primary Key 5	Code describing the occupational code.
8. occcode	char(10)	Primary Key 5	The classification occupational code used by the state for this data element. This code could be DOT, OES, SOC, CENSUS, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
9. stattype	char(2)	Primary Key 4	Code that represents the statistical type for eswage.
10. ratetype	char(1)	Primary Key 3	Code describing units for eswage.
11. eswage	numeric(9,2)		A statistical measure of wage offered for the openings in a job classification (e.g., median wage, average wage for the job classification).
12. esorders	numeric(8)		Employment Service job orders.
13. esopen	numeric(8)		Employment Service job openings.
14. esapps	numeric(8)		Employment Service job applicants.
15. newapps	numeric(8)		Number of new Employment Service job applicants.
16. referrals	numeric(8)		Number of job seekers referred to jobs.
Constraint Information			
1. Foreign Key (esdata.stfips, esdata.areatype, esdata.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (esdata.periodyear, esdata.periodtype, esdata.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (esdata.ratetype) references (ratetype.ratetype) 4. Foreign Key (esdata.stfips, esdata.stattype) references (stattype.stfips, stattype.stattype) 5. Foreign Key (esdata.stfips, esdata.occodetype, esdata.occocode) references (occcodes.stfips, occcodes.codetype, occcodes.code)			

income		Revised in v2.8	
Income data by geography.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. inctype	char(2)	Primary Key 3	Code describing type of income measure.
8. incsource	char(1)	Primary Key 4	Source of the income measure.
9. income	numeric(14)		Value of income measure.
10. incrank	numeric(3)		Rank of income measure.
11. population	numeric(10)		Population of the geography referenced. (Related to inctype e.g., number of households, number of families, number persons.)
12. releasedate	char(8)		Release Date (yyyymmdd)
Constraint Information			
1. Foreign Key (income.stfips, income.areatype, income.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (income.periodyear, income.periodtype, income.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (income.stfips, income.inctype) references (incomtyp.stfips, incomtyp.inctype) 4. Foreign Key (income.stfips, income.incsource) references (incsource.stfips, incsource.incsource)			

indprj**DEPRECATED in v2.6**

Table of employment projections by industries and areas.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodid	char(2)	Primary Key 2	A 2-digit code identifying the base and projected periods.
5. matincode	char(15)	Primary Key 2	Matrix industry code from Micro Matrix.
6. estindprj	numeric(9)	2	A numerical value representing a base year employment estimate for an industry.
7. projindprj	numeric(9)		A value representing the projected year employment estimate for an industry.
8. grrate	numeric(7,4)		A value representing the annualized percentage growth. This value is calculated by dividing the Projected year by the Base year. Taking the results to the 1/n power, where n is the number of years in the projection period, subtracting 1 from the result and multiplying that result by 100. $100.grrate = (((projindprj/estindprj)^{1/n}) - 1) * 100$
9. nchg	numeric(9)		Numeric Change between the projected estimate and the base estimate.
10. pchg	numeric(7,4)		Percent change over period $((projindprj - estindprj) / estindprj) * 100$
11. growcode	char(2)	3	A descriptor to allow for state specific interpretation of the industry or occupation.
12. suppress	char(1)		An indicator that the record contains confidential data that must be suppressed for public use: 0 = Not Suppressed; 1 = Suppressed

Constraint Information

- Foreign Key (indprj.stfips, indprj.areatype, indprj.area) references (geog.stfips, geog.areatype, geog.area)
- Foreign Key (indprj.stfips, indprj.matincode, indprj.periodid) references (inndir.stfips, inndir.matincode, inndir.periodid)
- Foreign Key (indprj.stfips, indprj.growcode) references (growcode.stfips, growcode.growcode)

**industry**

Table of covered employment by industry collected for the ES-202/QCEW report.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. indcodty	char(2)	Primary Key 4	Code describing the industry code type.
8. indcode	char(6)	Primary Key 4	A code used in the classification of establishments by type of activity in which they are engaged. For codes not 6 characters long, left justify and blank (ASCII 32) fill. Either SIC or NAICS code can be used.
9. ownership	char(2)	Primary Key 3	Ownership is a 2-digit indicator that identifies the employer by public or private ownership.
10. prelim	char(1)		Preliminary/revise flag: 0 = Not Preliminary; 1 = Preliminary
11. firms	numeric(8)		The number of firms in the industry.
12. estab	numeric(8)		The number of employer establishments (reporting units) in the industry.
13. avgemp	numeric(9)		The number of workers employed in the industry.
14. mnth1emp	numeric(9)		Employment on the first month of the quarter.
15. mnth2emp	numeric(9)		Employment on the second month of the quarter.
16. mnth3emp	numeric(9)		Employment on the third month of the quarter.
17. topempav	numeric(9)		Average employment for the quarter or year of the top employer for the specified geography and industry code.
18. totwage	numeric(14)		The total wages paid to all workers in the industry for the period.
19. avgwk wage	numeric(8)		Average weekly wage per worker.
20. taxwage	numeric(14)		Total taxable wages.
21. contrib	numeric(12)		Employer contributions to the UI fund.
22. suppress	char(1)		An indicator that the record contains confidential data that must be suppressed for public use: 0 = Not Suppressed; 1 = Suppress employment & wage data

Constraint Information

1. Foreign Key (industry.stfips, industry.areatype, industry.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (industry.periodyear, industry.periodtype, industry.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (industry.stfips, industry.ownership) references (ownershp.stfips, ownershp.ownership)
4. Foreign Key (industry.stfips, industry.indcodty, industry.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code)

**iomatrix**

Table of the industry-occupation employment matrix.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3, 4	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodid	char(2)	Primary Key 2, 3	A 2-digit code identifying the type of period used.
5. matincode	char(15)	Primary Key 2	Matrix industry code from Micro Matrix.
6. matocode	char(10)	Primary Key 3	Matrix occupation code from Micro Matrix. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
7. estemp	numeric(9)		The base-year employment estimate.
8. projemp	numeric(9)		The projected-year employment estimate.
9. pctestind	numeric(6,2)		The percentage of the base-year employment estimate for the indicated industry represented by the base-year employment estimate for the indicated occupation within that industry.
10. pctestocc	numeric(6,2)		The percentage of the base-year employment estimate for the indicated occupation represented by the base-year employment estimate for the indicated industry within that occupation.
11. pctprojind	numeric(6,2)		The percentage of projected employment for the indicated industry represented by projected employment for the indicated occupation within that industry.
12. pctprojocc	numeric(6,2)		The percentage of the projected employment estimate for the indicated occupation represented by the projected employment estimate for the indicated industry within that occupation.
13. nchg	numeric(9)		Numeric Change between the projected estimate and the base estimate.
14. pchg	numeric(9,4)		Percent change over period. $((projemp-estemp)/estemp)*100$
15. growrate	numeric(7,4)		A value representing the annualized percentage growth. This value is calculated by dividing the Projected year by the Base year. Taking the results to the 1/n power, where n is the number of years in the projection period, subtracting 1 from the result and multiplying that result by 100. I.e. $grrate=(((projemp/estemp)^{1/n})-1)*100$
16. growcode	char(2)	4	A descriptor to allow for state specific interpretation of the industry or occupation.
17. aopeng	numeric(9)		A value representing the annual average openings due to growth. The value is calculated by subtracting the Base Year Employment estimate from the Projected Year Employment estimate, then dividing by the number of years in the projection period. $(projemp-estemp)/No. years.$
18. aopenr	numeric(9)		A value representing the annual average openings due to net replacement. The value is calculated by dividing the total openings due to net replacements (in the projection period) by the number of years in the projection period.
19. aopent	numeric(9)		A value representing the total annual average openings due to growth and net replacements.
20. exits	numeric(9)		The number of exits from the labor force.
21. annualexits	numeric(9)		The annual number of exits from the labor force.
22. transfers	numeric(9)		The number of transfers from one occupation to another.
23. annualtransfers	numeric(9)		The annual number of transfers from one occupation to another.

iomatrix

Table of the industry-occupation employment matrix.

Field Name	Type	Constraint	Description
24. change	numeric(9)		The change in employment from estimated to projected.
25. annualchange	numeric(9)		The annual change in employment from estimated to projected.
26. openings	numeric(9)		Total openings = Exits+Transfers+Change
27. annualopenings	numeric(9)		Annual openings
28. suppress	char(1)		An indicator that the record contains confidential data that must be suppressed for public use: 0 = Not Confidential; 1 = Confidential

Constraint Information

1. Foreign Key (iomatrix.stfips, iomatrix.areatype, iomatrix.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (iomatrix.stfips, iomatrix.matincode, iomatrix.periodid) references (inndir.stfips, inndir.matincode, inndir.periodid)
3. Foreign Key (iomatrix.stfips, iomatrix.matoccode, iomatrix.periodid) references (occdir.stfips, occdir.matoccode, occdir.periodid)
4. Foreign Key (iomatrix.stfips, iomatrix.growcode) references (growcode.stfips, growcode.growcode)

**iowage**

Table of wages by industry and occupation, from any source, including OES.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4, 5	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area : e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.).
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. indcodty	char(2)	Primary Key 4	Code describing the industry code type.
8. indcode	char(6)	Primary Key 4	A code used in the classification of establishments by type of activity in which they are engaged. For codes not 6 characters long, left justify and blank (ASCII 32) fill. Either SIC or NAICS code can be used.
9. occodetype	char(2)	Primary Key 3	Code describing the type of occupational coding system.
10. occcode	char(10)	Primary Key 3	The occupational classification code used by the state for this data element. This code could be a DOT, OES, SOC, CENSUS, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
11. wagesource	char(1)	Primary Key 5	A code representing the source of the wage data.
12. ratetype	char(1)	Primary Key 6	Code which identifies the type of wage rate.
13. empcount	numeric(10)		Total employment.
14. response	numeric(6)		Response rate for the occupation's actual or real survey data. Does NOT include imputed data in the rate calculation.
15. mean	numeric(9,2)		Mean wage for the occupation.
16. entrywg	numeric(9,2)		Entry level wage for the occupation, mean of the first third (ALC definition).
17. experience	numeric(9,2)		Experienced level wage for the occupation, mean of upper two thirds (ALC definition).
18. pct10	numeric(9,2)		Wage at tenth percentile.
19. pct25	numeric(9,2)		Wage at twenty-fifth percentile.
20. median	numeric(9,2)		Median wage of the occupation; also the wage at fiftieth percentile.
21. pct75	numeric(9,2)		Wage at seventy-fifth percentile.
22. pct90	numeric(9,2)		Wage at ninetieth percentile.
23. udpct	numeric(3)		User defined percentile.
24. udpctwage	numeric(9,2)		Wage at user defined percentile.
25. udrnglopct	numeric(3)		Low percentile for user defined range.
26. udrnghipct	numeric(3)		High percentile for user defined range.
27. udrngmean	numeric(9,2)		Mean wage for user defined range.
28. wpctrelerr	numeric(6,2)		Relative percent error on wage.
29. epctrelerr	numeric(6,2)		Relative percent error on employment.
30. panelcode	char(6)		Reference panel code (yyyymm)
31. suppressall	char(1)		An indicator that the record contains confidential data.

**iowage**

Table of wages by industry and occupation, from any source, including OES.

Field Name	Type	Constraint	Description
32. suppressemp	char(1)		An indicator that the employment values should be suppressed.
33. suppresswage	char(1)		An indicator that the wage values should be suppressed.

Constraint Information

1. Foreign Key (iowage.stfips, iowage.areatype, iowage.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (iowage.periodyear, iowage.periodtype, iowage.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (iowage.stfips, iowage.occodetype, iowage.occocode) references (occcodes.stfips, occcodes.codetype, occcodes.code)
4. Foreign Key (iowage.stfips, iowage.indcodty, iowage.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code)
5. Foreign Key (iowage.stfips, iowage.wagesource) references (wgsources.stfips, wgsources.wagesource)
6. Foreign Key (iowage.ratetype) references (ratetype.ratetype)

jvs			
Table of vacancy estimates from the Job Vacancy Survey with main levels of data cube identifying each cell.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4, 5, 6	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. ownership	char(2)	Primary Key 3	Ownership is a 2-digit indicator that identifies the employer by public or private ownership.
8. indcodty	char(2)	Primary Key 4	Code describing the industry code type.
9. indcode	char(6)	Primary Key 4	A code used in the classification of establishments by type of activity in which they are engaged. For codes not 6 characters long, left justify and blank (ASCII 32) fill. Either SIC or NAICS code can be used.
10. occodetype	char(2)	Primary Key 5	Code describing the type of occupational coding system
11. occcode	char(10)	Primary Key 5	The occupational classification code used by the state for this data element. This code could be a DOT, OES, SOC, CENSUS, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
12. sizeclass	char(2)	Primary Key 6	A 2-digit code identifying the size of the establishment's workforce.
13. jvscellid	Int		Unique ID for relating jvsaddit to jvs
14. vacancies	numeric(7)		Estimated number of openings.
15. vacanrate	numeric(3,1)		Estimated rate of openings
16. medianwage	numeric(9,2)		Median wage offered.
17. meanwage	numeric(9,2)		Mean wage offered.
18. minwage	numeric(9,2)		Min wage offered.
19. maxwage	numeric(9,2)		Max wage offered.
20. suppress	char(1)		An indicator that the record contains confidential data that must be suppressed for public use. 0 = Not Suppressed; 1 = Suppress data
Constraint Information			
1. Foreign Key (jvs.stfips, jvs.areatype, jvs.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (jvs.periodyear, jvs.periodtype, jvs.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (jvs.stfips, jvs.ownership) references (ownershp.stfips, ownershp.ownership) 4. Foreign Key (jvs.stfips, jvs.indcodty, jvs.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code) 5. Foreign Key (jvs.stfips, jvs.occodetype, jvs.occocode) references (occcodes.stfips, occcodes.codetype, occcodes.code) 6. Foreign Key (jvs.stfips, jvs.sizeclass) references (sizeclas.stfips, sizeclas.sizeclass)			
Table Notes			
1: Unique constraint: combination of stfips and jvscellid cannot be duplicated.			

jvsaddit

Table of vacancy estimates from the Job Vacancy Survey with additional data cell level detail.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3, 4, 5	State FIPS Code
2. jvscellid	int	Primary Key 1	Unique ID for relating jvsaddit to jvs
3. partfull	char(1)	Primary Key	Code indicating whether or not openings are part or full time: 0 = both; 1 = part-time; 2 = full-time
4. permseas	char(1)	Primary Key	Code indicating whether or not openings are permanent or seasonal: 0 = both; 1 = seasonal; 2 = permanent
5. lengthopen	char(1)	Primary Key 2	Code indicating range of how long vacancy has been open.
6. edulevel	char(1)	Primary Key 3	Code indicating education level required.
7. explevel	char(1)	Primary Key 4	Code indicating experience level required.
8. certreq	char(1)	Primary Key	Code indicating if certificate is required: 0 = both; 1 = certificate required; 2 = no certificate required
9. benefit	char(1)	Primary Key 5	Code indicating benefit offered.
10. percentopn	numeric(3)		Percent of vacancies with criteria (e.g.)
11. suppress	char(1)		An indicator that the record contains confidential data that must be suppressed for public use. 0 = Not Suppressed; 1 = Suppress data

Constraint Information

1. Foreign Key (jvsaddit.stfips, jvsaddit.jvscellid) references (jvs.stfips, jvs.jvscellid)
2. Foreign Key (jvsaddit.stfips, jvsaddit.lengthopen) references (lengthopen.stfips, lengthopen.lengthopen)
3. Foreign Key (jvsaddit.stfips, jvsaddit.edulevel) references (edulevel.stfips, edulevel.edulevel)
4. Foreign Key (jvsaddit.stfips, jvsaddit.explevel) references (explevel.stfips, explevel.explevel)
5. Foreign Key (jvsaddit.stfips, jvsaddit.benefit) references (benefit.stfips, benefit.benefit)

**labforce**

Employment and unemployment estimates reported from the Local Area Unemployment Statistics.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to 00 where periodtype is annual.
7. adjusted	char(1)	Primary Key	Indicates if record contains seasonally adjusted data. 1 = adjusted; 0 = not adjusted
8. prelim	char(1)	Primary Key	Indicates preliminary data: 0 = Not preliminary; 1 = preliminary
9. benchmark	char(4)	3	Benchmark year of the data.
10. laborforce	numeric(9)		Civilian labor force.
11. emplab	numeric(9)		Number employed by place of residence.
12. unemp	numeric(9)		Number unemployed.
13. unemprate	numeric(5,1)		Unemployment rate.
14. clfprate	numeric(5,1)		Civilian labor force participation rate
15. emppopratio	numeric(5,1)		Employment to population ratio

Constraint Information

1. Foreign Key (labforce.stfips, labforce.areatype, labforce.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (labforce.periodyear, labforce.periodtype, labforce.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (labforce.benchmark) references (benchmark.benchmark)

Table Notes

- 1: PLEASE NOTE: If aggregating smaller area records into larger areas, do not use rounded data records. This is particularly important for applications that sum records across areas.

licauth

Revised in v2.8



Table of licensing authorities for the state.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. licauthid	char(3)	Primary Key	A unique identifier for the licensing authority.
5. department	varchar(255)		The State department responsible for regulation.
6. division	varchar(255)		The division, office, or section of the department responsible for regulation (may be NULL).
7. board	varchar(255)		Complete name of regulatory board.
8. address1	varchar(75)		Address of licensing authority.
9. address2	varchar(75)		Second line for address.
10. city	varchar(30)		City.
11. st	char(2)		State.
12. zip	char(5)		Postal zip code for the business address.
13. zipext	char(4)		Four digit zip code extension.
14. latitude	numeric(11,6)		Physical location - latitude
15. longitude	numeric(11,6)		Physical location - longitude
16. geocode	char(1)	2	Physical location - geocode precision level code. The precision of the longitude and latitude coordinates.
17. telephone	varchar(10)		Phone number.
18. teleext	varchar(10)		Phone number extension.
19. fax	varchar(10)		Licensing agency fax number.
20. contact	varchar(50)		Name of person to contact at the licensing agency.
21. email	varchar(70)		Licensing agency e-mail address.
22. url	varchar(200)		Uniform Resource Locator for the licensing agency.

Constraint Information

- Foreign Key (licauth.stfips, licauth.areatype, licauth.area) references (geog.stfips, geog.areatype, geog.area)
- Foreign Key (licauth.geocode) references (geocode.geocode)

license

Revised in v2.8



Table of individual licenses authorized by a state.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code
2. areatype	char(2)	1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. licenseid	char(10)	Primary Key	A code that identifies the license for the specific occupational title.
5. licauthid	char(3)	1	A unique code that identifies the licensing authority.
6. lictitle	varchar(200)		License title.
7. licdesc	varchar(MAX)		Narrative description of the license.
8. licensetype	char(1)	2	An indicator of the type of license
9. exam	char(1)	3	An indicator of the exam requirements of the license
10. education	char(1)	4	An indicator of the education requirements of the license
11. continuingedu	char(1)	5	An indicator of the continuing education requirements of the license
12. certification	char(1)	6	An indicator of the certification requirements of the license
13. experience	char(1)	7	An indicator of the experience requirements of the license
14. criminal	char(1)	8	An indicator of restrictions on criminal records
15. physical	char(1)	9	An indicator of physical requirements
16. veteran	char(1)	10	An indicator of the type of veteran's preference
17. inactive	char(1)	11	An indicator of the active status of the license
18. licenseurl	char(200)		Uniform Resource Locator for license information
19. licenseupdated	char(8)		Last date the license information was updated. Format: yyyyymmdd

Constraint Information

1. Foreign Key (license.stfips, license.areatype, license.area, license.licauthid) references (licauth.stfips, licauth.areatype, licauth.area, licauth.licauthid)
2. Foreign Key (license.licensetype) references (licensetypes.licensetype)
3. Foreign Key (license.exam) references (licenseexams.licenseexam)
4. Foreign Key (license.education) references (licenseeducation.licenseeducation)
5. Foreign Key (license.continuingedu) references (liccontinuingedu.licensecontinuingedu)
6. Foreign Key (license.certification) references (licensecertification.licensecertification)
7. Foreign Key (license.experience) references (licenseexperience.licenseexperience)
8. Foreign Key (license.criminal) references (licensecriminal.licensecriminal)
9. Foreign Key (license.physical) references (licensephysicalreqs.licensephysical)
10. Foreign Key (license.veteran) references (licenseveteran.licveteran)
11. Foreign Key (license.inactive) references (licenseactivestatus.licensestatus)

lichist			
Table of the number of licenses awarded for a selected occupation.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. areatype	char(2)	1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. licenseid	char(10)	Primary Key 3	A code that identifies the license for the specific occupational title.
8. licnumtype	char(2)	Primary Key 4	A code that identifies the type of license information.
9. licnum	numeric(6)		A numerical value that represents the number of licenses awarded.
Constraint Information			
1. Foreign Key (lichist.stfips, lichist.areatype, lichist.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (lichist.periodyear, lichist.periodtype, lichist.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (lichist.stfips, lichist.licenseid) references (license.stfips, license.licenseid) 4. Foreign Key (lichist.licnumtype) references (licnumty.licnumtype)			

mls**DEPRECATED in v2.8**

Mass layoff statistics summary table.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4, 7	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006)
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. indcodty	char(2)	Primary Key 3	Code describing the industry code type.
8. indcode	char(6)	Primary Key 3	A code used in the classification of establishments by type of activity in which they are engaged. For codes not 6 characters long, left justify and blank (ASCII 32) fill. Either SIC or NAICS code can be used.
9. ownership	char(2)	Primary Key 4	Ownership is a 2-digit indicator that identifies the employer by public or private ownership.
10. gender	char(1)	Primary Key 5	Claimant gender.
11. raceethn	char(5)	Primary Key 6	Code indicating ethnicity and race of claimants.
12. agegroup	char(2)	Primary Key 7	Age Group of claimants.
13. veteran	char(1)	Primary Key 8	Code for veteran status of claimants.
14. worksite	char(1)	Primary Key 9	Code for status of worksite: open or closed.
15. prisepcodetype	char(2)	Primary Key 10	Code indicating which series of separating reason codes the primary separation code belongs to.
16. prisepcd	char(2)	Primary Key 10	Primary reason code for layoff.
17. separat	numeric(6)		Number of people separated.
18. claimants	numeric(6)		Number of UI claimants.
19. events	numeric(4)		Number of MLS events.
20. suppress	char(1)		An indicator that the record contains confidential data that must be suppressed for public use. 0 = Not Suppressed 1 = Suppress MLS record

mls

DEPRECATED in v2.8

Mass layoff statistics summary table.

Field Name	Type	Constraint	Description
Constraint Information			
1. Foreign Key (mls.stfips, mls.areatype, mls.area) references (geog.stfips, geog.areatype, geog.area)			
2. Foreign Key (mls.periodyear, mls.periodtype, mls.period) references (period.periodyear, period.periodtype, period.period)			
3. Foreign Key (mls.stfips, mls.indcodty, mls.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code)			
4. Foreign Key (mls.stfips, mls.ownership) references (ownershp.stfips, ownershp.ownership)			
5. Foreign Key (mls.gender) references (gender.gender)			
6. Foreign Key (mls.raceethn) references (raceethn.raceethn)			
7. Foreign Key (mls.stfips, mls.agegroup) references (agegroup.stfips, agegroup.agegroup)			
8. Foreign Key (mls.veteran) references (vetcode.veteran)			
9. Foreign Key (mls.worksite) references (worksite.worksite)			
10. Foreign Key (mls.prisepcodetype, mls.prisepcd) references (mlssepcd.mlssepcodetype, mlssepcd.mlssepcd)			

mlsclaim**DEPRECATED in v2.8**

Mass Layoff Statistics claims.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 6	State FIPS code.
2. areatype	char(2)	1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	2	Period Code. Will be set to '00' where periodtype is annual.
7. uiaccount	char(10)	Primary Key 6	A unique 10-digit number assigned to individual employers.
8. eventid	char(3)	Primary Key 6	Code identifying a specific MLS event.
9. ssn	char(9)	Primary Key	Claimant social security number.
10. gender	char(1)	3	Claimant gender.
11. raceethn	char(5)	4	Code indicating ethnicity and race of claimants.
12. birthday	date		Birthday of claimant in the form yyyyymmdd.
13. veteran	char(1)	5	Code for veteran status of claimant.
14. finalpay	char(1)		Final pay total. Yes/no - this may be a bit field in some rdbms. 0 = No; 1 = Yes
15. claimtype	char(1)		Indicates type of initial unemployment claim: 1 = New Claim; 2 = Additional Claim; 9 = Unknown
16. finalweek	date		Date of the week of final payment in the form yyyyymmdd.

Constraint Information

- Foreign Key (mlsclaim.stfips, mlsclaim.areatype, mlsclaim.area) references (geog.stfips, geog.areatype, geog.area)
- Foreign Key (mlsclaim.periodyear, mlsclaim.periodtype, mlsclaim.period) references (period.periodyear, period.periodtype, period.period)
- Foreign Key (mlsclaim.gender) references (gender.gender)
- Foreign Key (mlsclaim.raceethn) references (raceethn.raceethn)
- Foreign Key (mlsclaim.veteran) references (vetcode.veteran)
- Foreign Key (mlsclaim.stfips, mlsclaim.uiaccount, mlsclaim.eventid) references (mlsevent.stfips, mlsevent.uiaccount, mlsevent.eventid)

mlsevent**DEPRECATED in v2.8**

Mass Layoff Statistics events.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 4	State FIPS code.
2. areatype	char(2)	1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	2	Period Code. Will be set to '00' where periodtype is annual.
7. uiaccount	char(10)	Primary Key	A unique 10-digit number assigned to individual employers.
8. eventid	char(3)	Primary Key	Event ID.
9. siccode	char(4)	3	A code used in the classification of establishments by type of activity in which they are engaged. This field is left justified and padded with zeroes. A siccode of 9999 means non-classifiable; industry not specified.
10. naicscode	char(6)	10	A code used in the North American Industry Classification System (NAICS).
11. ownership	char(2)	4	Ownership is a 2-digit indicator that identifies the employer by public or private ownership.
12. name1	varchar(35)		Name of firm.
13. name2	varchar(35)		Additional space for firm name.
14. address1	varchar(35)		Address of firm.
15. city	varchar(30)		City.
16. st	char(2)		State.
17. zip	char(9)		Postal zip code for the business address.
18. meeicode	char(1)	5	The meeicode.
19. telephone	char(10)		Telephone number.
20. teleext	varchar(6)		Telephone number extension.
21. worksite	char(1)	6	Code for status of worksite: open or closed.
22. preemp	numeric(6)		Pre-layoff employment.
23. separat	numeric(6)		Number of people separated.
24. prisepcodetype	char(2)	7	Code indicating which series of separation reason codes the primary separation code belongs to.
25. prisepcd	char(2)	7	Primary reason code for layoff.
26. secsepcodetype	char(2)	8	Code indicating which series of separation reason codes the secondary separation code belongs to.
27. secsepcd	char(2)	8	Secondary reason code for layoff.
28. layweek	date		Week in which layoff occurred in form of yyyyymmdd.
29. eventtype	char(1)	9	Code for the type of event.
30. dwvertype	char(1)	11	Code to indicate type of Dislocated worker event.

mlsevent**DEPRECATED in v2.8**

Mass Layoff Statistics events.

Field Name	Type	Constraint	Description
Constraint Information			
1. Foreign Key (mlsevent.stfips, mlsevent.areatype, mlsevent.area) references (geog.stfips, geog.areatype, geog.area)			
2. Foreign Key (mlsevent.periodyear, mlsevent.periodtype, mlsevent.period) references (period.periodyear, period.periodtype, period.period)			
3. Foreign Key (mlsevent.siccode) references (siccode.siccode)			
4. Foreign Key (mlsevent.stfips, mlsevent.ownership) references (ownership.stfips, ownership.ownership)			
5. Foreign Key (mlsevent.meeicode) references (meeicode.meeicode)			
6. Foreign Key (mlsevent.worksite) references (worksite.worksite)			
7. Foreign Key (mlsevent.prisepcodetype, mlsevent.prisepcd) references (mlssepcd.mlssepcodetype, mlssepcd.mlssepcd)			
8. Foreign Key (mlsevent.secsepcodetype, mlsevent.secsepcd) references (mlssepcd.mlssepcodetype, mlssepcd.mlssepcd)			
9. Foreign Key (mlsevent.eventtype) references (eventtyp.eventtype)			
10. Foreign Key (mlsevent.naicscodetype) references (naiccode.naicscodetype)			
11. Foreign Key (mlsevent.dwvertype) references (dwvertyp.dwvertype)			

occprj**DEPRECATED in v2.6**

Table of occupational employment projections by geographies.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodid	char(2)	Primary Key 2	A 2-digit code identifying the base and projected periods.
5. matocode	char(10)	Primary Key 2	Matrix occupation code from Micro Matrix. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
6. estoccprj	numeric(9)		A value representing a base year employment estimate for an occupation.
7. projoccprj	numeric(9)		A numerical value representing the projected year employment estimate for an occupation.
8. grrate	numeric(7,4)		A value representing the annualized percentage growth. This value is calculated by dividing the Projected year by the Base year. Taking the results to the 1/n power, where n is the number of years in the projection period, subtracting 1 from the result and multiplying that result by 100. $100.grrate = (((projoccprj/estoccprj)^{1/n}) - 1) * 100$
9. nchg	numeric(9)		Numeric Change between the projected estimate and the base estimate.
10. pchg	numeric(7,4)		Percent change over period. $((projoccprj - estoccprj) / estoccprj) * 100$
11. aopeng	numeric(9)		A value representing the annual average openings due to growth. The value is calculated by subtracting the Base Year Employment estimate from the Projected Year Employment estimate, then dividing by the number of years in the projection period. $(projoccprj - estoccprj) / \text{No. years}$.
12. aopenr	numeric(9)		A value representing the annual average openings due to net replacement. The value is calculated by dividing the total openings due to net replacements (in the projection period) by the number of years in the projection period.
13. aopent	numeric(9)		A value representing the total annual average openings due to growth and net replacements.
14. growcode	char(2)	3	A descriptor to allow for state specific interpretation of the industry or occupation.
15. suppress	char(1)		An indicator that the record contains confidential data that must be suppressed for public use. 0 = Not Suppressed 1 = Suppressed

Constraint Information

1. Foreign Key (occprj.stfips, occprj.areatype, occprj.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (occprj.stfips, occprj.matocode, occprj.periodid) references (occdir.stfips, occdir.matocode, occdir.periodid)
3. Foreign Key (occprj.stfips, occprj.growcode) references (growcode.stfips, growcode.growcode)

oeswage**DEPRECATED in v2.6**

Table of wage data by Occupational Employment Statistics occupation.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4, 5	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area : e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.).
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. indcodty	char(2)	Primary Key 4	Code describing the industry code type.
8. indcode	char(6)	Primary Key 4	A code used in the classification of establishments by type of activity in which they are engaged. For codes not 6 characters long, left justify and blank (ASCII 32) fill. Either SIC or NAICS code can be used. A siccode of 9999 means non-classifiable; industry not specified.
9. occodetype	char(2)	Primary Key 3	Code describing the type of occupational coding system.
10. occcode	char(10)	Primary Key 3	The occupational classification code used by the state for this data element. This code could be a DOT, OES, SOC, CENSUS, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
11. wagesource	char(1)	Primary Key 5	A code representing the source of the wage data.
12. ratetype	char(1)	Primary Key 6	Code which identifies the type of wage rate.
13. empcount	numeric(10)		Total employment.
14. response	numeric(6)		Response rate for the occupation's actual or real survey data. Does NOT include imputed data in the rate calculation.
15. mean	numeric(9,2)		Mean wage for the occupation.
16. entrywg	numeric(9,2)		Entry level wage for the occupation, mean of the first third (ALC definition).
17. experience	numeric(9,2)		Experienced level wage for the occupation, mean of upper two thirds (ALC definition).
18. pct10	numeric(9,2)		Wage at tenth percentile.
19. pct25	numeric(9,2)		Wage at twenty-fifth percentile.
20. median	numeric(9,2)		Median wage of the occupation; also the wage at fiftieth percentile.
21. pct75	numeric(9,2)		Wage at seventy-fifth percentile.
22. pct90	numeric(9,2)		Wage at ninetieth percentile.
23. udpct	numeric(3)		User defined percentile.
24. udpctwage	numeric(9,2)		Wage at user defined percentile.
25. udrnglopct	numeric(3)		Low percentile for user defined range.
26. udrnghipct	numeric(3)		High percentile for user defined range.
27. udrngmean	numeric(9,2)		Mean wage for user defined range.
28. wpctrelerr	numeric(6,2)		Relative percent error on wage.
29. epctrelerr	numeric(6,2)		Relative percent error on employment.
30. panelcode	char(6)		Reference panel code (yyyymm)

oeswage**DEPRECATED in v2.6**

Table of wage data by Occupational Employment Statistics occupation.

Field Name	Type	Constraint	Description
31. suppressoes	char(1)		An indicator that the record contains confidential data that must be suppressed for public use: 0 = Not Suppressed; 1 = Suppress employment data; 2 = Suppress wage data; 3 = Suppress employment & wage data
32. meansup	char(1)		Suppress mean wage for the occupation: 0 = Not Suppressed; 2 = Suppress wage data
33. entrywgsup	char(1)		Suppress entry level wage for the occupation: 0 = Not Suppressed; 2 = Suppress wage data
34. experiencesup	char(1)		Suppress experienced level wage for the occupation: 0 = Not Suppressed; 2 = Suppress wage data
35. pct10sup	char(1)		Suppress wage at tenth percentile: 0 = Not Suppressed; 2 = Suppress wage data
36. pct25sup	char(1)		Suppress wage at twenty-fifth percentile: 0 = Not Suppressed; 2 = Suppress wage data
37. mediansup	char(1)		Suppress median wage of the occupation: 0 = Not Suppressed; 2 = Suppress wage data
38. pct75sup	char(1)		Suppress wage at seventy-fifth percentile: 0 = Not Suppressed; 2 = Suppress wage data
39. pct90sup	char(1)		Suppress wage at ninetieth percentile: 0 = Not Suppressed; 2 = Suppress wage data
40. udpctwagesup	char(1)		Suppress wage at user defined percentile: 0 = Not Suppressed; 2 = Suppress wage data
41. udrngmeansup	char(1)		Suppress mean wage for user defined range: 0 = Not Suppressed; 2 = Suppress wage data

Constraint Information

1. Foreign Key (oeswage.stfips, oeswage.areatype, oeswage.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (oeswage.periodyear, oeswage.periodtype, oeswage.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (oeswage.stfips, oeswage.occodetype, oeswage.occocode) references (occcodes.stfips, occcodes.codetype, occcodes.code)
4. Foreign Key (oeswage.stfips, oeswage.indcodty, oeswage.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code)
5. Foreign Key (oeswage.stfips, oeswage.wagesource) references (wgsources.stfips, wgsources.wagesource)
6. Foreign Key (oeswage.ratetype) references (ratetype.ratetype)

payment			
Table of Government Transfer Payments.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. paytype	char(2)	Primary Key 3	A 2-digit code indicating type of payment.
8. amountpaid	numeric(10)		Amount paid in thousands.
Constraint Information			
1. Foreign Key (payment.stfips, payment.areatype, payment.area) references (geog.stfips, geog.areatype, geog.area)			
2. Foreign Key (payment.periodyear, payment.periodtype, payment.period) references (period.periodyear, period.periodtype, period.period)			
3. Foreign Key (payment.stfips, payment.paytype) references (paytype.stfips, paytype.paytype)			

populatn			
This table contains population estimates for a geographic area and time period.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. popsource	char(1)	Primary Key 3	Source Code for population data.
8. population	numeric(10)		Number representing the population total for the specified geographic area and time period.
9. releasedate	char(8)		Release Date (yyyymmdd)
Constraint Information			
1. Foreign Key (populatn.stfips, populatn.areatype, populatn.area) references (geog.stfips, geog.areatype, geog.area)			
2. Foreign Key (populatn.periodyear, populatn.periodtype, populatn.period) references (period.periodyear, period.periodtype, period.period)			
3. Foreign Key (populatn.stfips, populatn.popsorce) references (popsorce.stfips, popsorce.popsorce)			

progcomp			
This table contains information about program completers.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4, 5	State FIPS code.
2. areatype	char(2)	1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. instcode	char(10)	Primary Key 4	Unique code representing the institution.
5. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
6. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.).
7. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
8. codetype	char(2)	Primary Key 5	Code describing the type of occupation or training code.
9. code	char(10)	Primary Key 5	The classification code used by the state for this data element. This code could be DOT, OES, CIP, Cluster, SOC, Census, etc. For codes not 10 character long, left justify and blank (ASCII 32) fill.
10. compltype	char(2)	Primary Key 3	A 2-digit code representing type of program completer.
11. completers	numeric(8)		Number of program completers.
12. placecomp	varchar(MAX)		Information about post completion labor force status of completers.
Constraint Information			
<ol style="list-style-type: none"> Foreign Key (progcomp.stfips, progcomp.areatype, progcomp.area) references (geog.stfips, geog.areatype, geog.area) Foreign Key (progcomp.periodyear, progcomp.periodtype, progcomp.period) references (period.periodyear, period.periodtype, period.period) Foreign Key (progcomp.stfips, progcomp.compltype) references (complyp.stfips, complyp.compltype) Foreign Key (progcomp.stfips, progcomp.instcode) references (schools.stfips, schools.instcode) Foreign Key (progcomp.stfips, progcomp.codetype, progcomp.code) references (occcodes.stfips, occcodes.codetype, occcodes.code) 			

programs

Revised in v2.8

This table contains information about occupational training

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3, 4, 5, 6	State FIPS code.
2. areatype	char(2)	1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. instcode	char(10)	Primary Key 2	Unique code representing the institution / training provider.
5. codetype	char(2)	Primary Key 3	Code describing the type of occupation or training code.
6. code	char(10)	Primary Key 3	The classification code used by the state for this data element. This code could be DOT, OES, CIP, Cluster, SOC, Census, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
7. compltype	char(2)	Primary Key 4	A 2-digit code representing type of program completed.
8. length	numeric(4)		The length of the training program at the institution (years, months, weeks, etc.)
9. lengthtype	char(2)	5	The identifying code assigned to the program length.
10. progcost	numeric(6)		The cost of the program.
11. progtitle	varchar(200)		Title used by the training provider for the program.
12. progdesc	varchar(MAX)		A narrative summary of the program objective.
13. cipcodetype	char(2)	6	Code describing the CIP version used.
14. cipcode	char(10)	6	A 10-digit code assigned to a Classification of Institutional Programs (CIP) program title.
15. url	varchar(200)		Uniform Resource Locator for the program.
16. classroom	char(1)		Classroom instruction: 1 = yes; 0 = no
17. online	char(1)		Online instruction: 1 = yes; 0 = no
18. classtime	char(1)	7	Times class is held; see field values
19. etplapproval	char(1)		ETPL approved program: 1 = approved; 0 = not approved

Constraint Information

- Foreign Key (programs.stfips, programs.areatype, programs.area) references (geog.stfips, geog.areatype, geog.area)
- Foreign Key (programs.stfips, programs.instcode) references (schools.stfips, schools.instcode)
- Foreign Key (programs.stfips, programs.codetype, programs.code) references (occcodes.stfips, occcodes.codetype, occcodes.code)
- Foreign Key (programs.stfips, programs.compltype) references (compltyp.stfips, compltyp.compltype)
- Foreign Key (programs.stfips, programs.lengthtype) references (lentype.stfips, lentype.lengthtype)
- Foreign Key (programs.stfips, programs.cipcodetype, programs.cipcode) references (occcodes.stfips, occcodes.codetype, occcodes.code)
- Foreign Key (programs.classtime) references (classtime.classtime)

propval**DEPRECATED in v2.8**

Table of property value data by geography and tax type.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.).
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. taxtype	char(2)	Primary Key 3	A 2-digit code identifying the type of tax.
8. propvalue	numeric(15)		Total property value.
9. taxvalue	numeric(15)		Taxable property value.
10. millrate	numeric(6,4)		Tax rate charged per thousand dollars of taxable value.

Constraint Information

1. Foreign Key (propval.stfips, propval.areatype, propval.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (propval.periodyear, propval.periodtype, propval.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (propval.stfips, propval.taxtype) references (taxtype.stfips, taxtype.taxtype)

qwichar

Table of the Quarterly Workforce Indicators (QWI) data.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4, 6	State FIPS code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area
3. area	char(6)	Primary Key 1	6-digit code assigned to represent a geographic area
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period
6. period	char(2)	Primary Key 2	Period code; will be set to 00 when periodtype is annual
7. indcodty	char(2)	Primary Key 3	Code describing the industry code type
8. indcode	char(6)	Primary Key 3	A code representing the industry
9. ownership	char(2)	Primary Key 4	2-digit indicator that describes the company by type of ownership - public/private/total
10. gender	char(1)	Primary Key 5	Code describing the gender
11. agegroup	char(2)	Primary Key 6	Code describing either a single or range of ages
12. qwiid	integer(0)		Unique identifier for each record within each state

Constraint Information

1. Foreign Key (qwichar.stfips, qwichar.areatype, qwichar.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (qwichar.periodyear, qwichar.periodtype, qwichar.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (qwichar.stfips, qwichar.indcodty, qwichar.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code)
4. Foreign Key (qwichar.stfips, qwichar.ownership) references (ownershp.stfips, ownershp.ownership)
5. Foreign Key (qwichar.gender) references (gender.gender)
6. Foreign Key (qwichar.stfips, qwichar.agegroup) references (agegroup.stfips, agegroup.agegroup)

Table Notes

- 1: Unique Constraint: combination of stfips and qwiid cannot be duplicated.

qwidata			
This table contains summary Quarterly Workforce Indicator (QWI) data.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code
2. qwiid	integer(0)	Primary Key 1	Unique identifier for each record within each state
3. qwitype	char(2)	Primary Key 2	Code describing the type of QWI variable
4. qwivalue	numeric(16,2)		The value for the QWI variable
5. qwisup	char(1)	3	Code describing the suppression for the QWI value
Constraint Information			
1. Foreign Key (qwidata.stfips, qwidata.qwiid) references (qwichar.stfips, qwichar.qwiid) 2. Foreign Key (qwidata.qwitype) references (qwitype.qwitype) 3. Foreign Key (qwidata.qwisup) references (qwisup.qwisup)			

sales			
Revenue from retail sales.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.).
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. salestype	char(2)	Primary Key 3	Code describing the type of sales statistic. (e.g. Retail sales are coded 01)
8. sales	numeric(15)		Sales Dollar amount.
Constraint Information			
1. Foreign Key (sales.stfips, sales.areatype, sales.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (sales.periodyear, sales.periodtype, sales.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (sales.stfips, sales.salestype) references (salestyp.stfips, salestyp.salestype)			

schools			
Table of training providers in the state.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2	State FIPS code.
2. areatype	char(2)	1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. instcode	char(10)	Primary Key	Unique code representing the institution.
5. insttype	char(2)	2	Identifies the type of training institution (WIA Provider, vocational center, community college, university).
6. instown	char(1)	3	Institution ownership code.
7. instname1	varchar(80)		Primary name of the training institution.
8. instname2	varchar(80)		Secondary name of the training institution.
9. address1	varchar(35)		Address of the training institution.
10. address2	varchar(35)		Address of the training institution.
11. city	varchar(30)		City.
12. st	char(2)		State.
13. zip	char(5)		Postal zip code for the business address.
14. zipext	char(4)		Zip code extension.
15. latitude	numeric(11,6)		Physical location - latitude
16. longitude	numeric(11,6)		Physical location - longitude
17. geocode	char(1)	4	Physical location - geocode precision level code. The precision of the longitude and latitude coordinates.
18. telephone	char(10)		Training institution telephone number.
19. teleext	varchar(10)		Training institution telephone extension.
20. fax	char(10)		Training institution fax number.
21. url	varchar(200)		Uniform Resource Locator.
22. contact	varchar(50)		Name of person to contact at the training institution.
23. distancelearn	char(1)		Distance Learn: 1=distance learn or online or correspondence ONLY; 0=otherwise
24. satellitecampus	char(1)		Satellite Campus: 1=yes; 0=no (main campus)
Constraint Information			
1. Foreign Key (schools.stfips, schools.areatype, schools.area) references (geog.stfips, geog.areatype, geog.area)			
2. Foreign Key (schools.stfips, schools.insttype) references (insttype.stfips, insttype.insttype)			
3. Foreign Key (schools.instown) references (instown.instown)			
4. Foreign Key (schools.geocode) references (geocode.geocode)			

stfirms		Revised in v2.8	
Table of employers, obtained from a state source, such as the ES-202/QCEW.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 4, 5, 6	State FIPS code.
2. areatype	char(2)	1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. uiaccount	char(10)	Primary Key	A unique 10-digit number assigned to individual employers.
5. reptunit	char(5)	Primary Key	Assigned to site locations for multi-unit employer.
6. yrqtr	char(6)		Year and quarter time stamp for the file
7. name1	varchar(35)		Legal name of the establishment.
8. name2	varchar(35)		Trade name of the establishment.
9. address1	varchar(35)		Business address of the establishment, line 1.
10. address2	varchar(35)		Business address of the establishment, line 2.
11. city	varchar(30)		City where the establishment is doing business.
12. st	char(2)		State where the establishment is doing business.
13. zip	char(5)		Postal zip code for the business address.
14. zipext	char(4)		Zip code extension.
15. addressty	char(1)	2	Address type indicator (i.e. physical, mailing,...)
16. latitude	numeric(11,6)		Latitude of location.
17. longitude	numeric(11,6)		Longitude of location.
18. geocode	char(1)	3	Physical location - geocode precision level code. The precision of the longitude and latitude coordinates.
19. telephone	varchar(10)		Telephone number of the business.
20. teleext	varchar(10)		Telephone extension.
21. employment	numeric(8)		The number of people by establishment.
22. indcodetype	char(2)	4	A code used in the classification of establishments by type of activity in which they are engaged. This field is left justified and padded with zeroes. A siccode of 9999 means non-classifiable; industry not specified.
23. indcode	char(6)	4	The industry code, based on the indcodetype. Currently the North American Industry Classification System (NAICS) system is being used.
24. ownership	char(2)	5	Ownership is a 2-digit indicator that identifies the employer by public or private ownership. The second digit is for state use.
25. sizeclass	char(2)	6	A 2-digit code identifying the size of the establishment's workforce.
26. busdesc	varchar(MAX)		A narrative description of the business activities of the establishment.
Constraint Information			
<ol style="list-style-type: none"> 1. Foreign Key (stfirms.stfips, stfirms.areatype, stfirms.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (stfirms.addressty) references (addressy.addressty) 3. Foreign Key (stfirms.geocode) references (geocode.geocode) 4. Foreign Key (stfirms.stfips, stfirms.indcodetype, stfirms.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code) 5. Foreign Key (stfirms.stfips, stfirms.ownership) references (ownershp.stfips, ownershp.ownership) 6. Foreign Key (stfirms.stfips, stfirms.sizeclass) references (sizeclas.stfips, sizeclas.sizeclass) 			

stindprj**DEPRECATED in v2.6**

Table of short-term employment projections by industry.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodid	char(2)	Primary Key 2	A 2-digit code identifying the type of period used.
5. matincode	char(15)	Primary Key 2	Industry matrix code from Micro Matrix.
6. estindst	numeric(9)		A numerical value representing a base year employment estimate for an industry.
7. projindst	numeric(9)		A value representing the projected year employment estimate for an industry.
8. nchg	numeric(9)		Numeric Change between the projected estimate and the base estimate.
9. grrate	numeric(7,4)		A value representing the annual average percentage growth rate. This value is calculated by dividing the Projected year by the Base year. Taking the results to the 1/n power, where n is the number of years in the projection period, subtracting 1 from the result and multiplying that result by 100. $100 \cdot (((\text{PROJINDST}/\text{ESTINDST})^{(1/n)} - 1) \cdot 100)$
10. growcode	char(2)	3	A descriptor to allow for state specific interpretation of the industry or occupation.
11. suppress	char(1)		An indicator that the record contains confidential data that must be suppressed for public use: 0 = Not Suppressed; 1 = Suppressed

Constraint Information

- Foreign Key (stindprj.stfips, stindprj.areatype, stindprj.area) references (geog.stfips, geog.areatype, geog.area)
- Foreign Key (stindprj.stfips, stindprj.matincode, stindprj.periodid) references (inddir.stfips, inddir.matincode, inddir.periodid)
- Foreign Key (stindprj.stfips, stindprj.growcode) references (growcode.stfips, growcode.growcode)

stoccpjr**DEPRECATED in v2.6**

Table of short-term occupational employment projections.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodid	char(2)	Primary Key 2	A 2-digit code identifying the type of period used.
5. matoccode	char(10)	Primary Key 2	Occupation matrix code from Micro Matrix. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
6. estocbst	numeric(9)		A numerical value representing a base year employment estimate for an occupation.
7. projocbst	numeric(9)		A value representing the projected year employment estimate for an occupation.
8. nchg	numeric(9)		Numeric Change between the projected estimate and the base estimate.
9. grrate	numeric(7,4)		A value representing the annual average percentage growth rate. This value is calculated by dividing the Projected year by the Base year. Taking the results to the 1/n power, where n is the number of years in the projection period, subtracting 1 from the result and multiplying that result by 100.(((PROJOCBST/ESTOCBST)^(1/n)) - 1) *100)
10. aopeng	numeric(9)		A value representing the annual average openings due to growth. The value is calculated by subtracting the Base Year Employment estimate from the Projected Year Employment estimate, then dividing by the number of years in the projection period. (PROJOCBST-ESTOCBST/No. years.) Warning: this formula may need to be modified depending on the projection time span.
11. aopenr	numeric(9)		A value representing the annual average openings due to replacement. The value is calculated by dividing the total openings due to replacements (in the projection period) by the number of years in the Projection Period.
12. aopent	numeric(9)		A value representing the total annual average openings.
13. growcode	char(2)	3	A descriptor to allow for state specific interpretation of the industry or occupation.
14. suppress	char(1)		An indicator that the record contains confidential data that must be suppressed for public use: 0 = Not Suppressed; 1 = Suppressed

Constraint Information

- Foreign Key (stoccpjr.stfips, stoccpjr.areatype, stoccpjr.area) references (geog.stfips, geog.areatype, geog.area)
- Foreign Key (stoccpjr.stfips, stoccpjr.matoccode, stoccpjr.periodid) references (occdir.stfips, occdir.matoccode, occdir.periodid)
- Foreign Key (stoccpjr.stfips, stoccpjr.growcode) references (growcode.stfips, growcode.growcode)

supply			
Completer data for all occupational training providers in the state.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 5, 6	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. insttype	char(2)	Primary Key 3	Identifies the type of training institution (WIA Provider, vocational center, community college, university).
8. instown	char(1)	Primary Key 4	Institution ownership code.
9. codetype	char(2)	Primary Key 6	Code describing the type of occupation or training code.
10. code	char(10)	Primary Key 6	The classification code used by the state for this data element. This code could be DOT, OES, CIP, Cluster, SOC, Census, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
11. compltype	char(2)	Primary Key 5	A 2-digit code representing type of program completer. (e.g. Completers with Associates Degree are coded as 03)
12. completers	numeric(8)		Number of program completers.
Constraint Information			
1. Foreign Key (supply.stfips, supply.areatype, supply.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (supply.periodyear, supply.periodtype, supply.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (supply.stfips, supply.insttype) references (insttype.stfips, insttype.insttype) 4. Foreign Key (supply.instown) references (instown.instown) 5. Foreign Key (supply.stfips, supply.compltype) references (compltyp.stfips, compltyp.compltype) 6. Foreign Key (supply.stfips, supply.codetype, supply.code) references (occcodes.stfips, occcodes.codetype, occcodes.code)			

tax			
Revenues from taxes.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.).
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. taxtype	char(2)	Primary Key 3	A 2-digit code identifying type of tax.
8. taxrevenue	numeric(15)		Tax revenues.
Constraint Information			
1. Foreign Key (tax.stfips, tax.areatype, tax.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (tax.periodyear, tax.periodtype, tax.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (tax.stfips, tax.taxtype) references (taxtype.stfips, taxtype.taxtype)			

uiclaims			
Table of the numbers of Unemployment Insurance Claims by geographic area.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4, 5	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.).
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. claimtype	char(1)	Primary Key	Code describing the type of claim: 1 = Initial; 2 = Continued; 9 = Unknown
8. occodetype	char(2)	Primary Key 3	Code describing the type of occupational code.
9. occcode	char(10)	Primary Key 3	The occupational classification code used by the state for this data element. This code could be DOT, OES, SOC, Census, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
10. indcodty	char(2)	Primary Key 4	Code describing the type of industry classification code.
11. indcode	char(6)	Primary Key 4	The industry classification code used by the state for this data element. This code could be SIC or NAICS. For codes not 6 characters long, left justify and blank (ASCII 32) fill.
12. agegroup	char(2)	Primary Key 5	Code identifying the age group.
13. raceethn	char(5)	Primary Key 6	Code indicating ethnicity and race of claimants.
14. gender	char(1)	Primary Key 7	Gender code.
15. claimants	numeric(8)		Number of UI claimants.
16. duration	numeric(4,1)		Average number of weeks of current unemployment.
Constraint Information			
<p>1. Foreign Key (uiclaims.stfips, uiclaims.areatype, uiclaims.area) references (geog.stfips, geog.areatype, geog.area)</p> <p>2. Foreign Key (uiclaims.periodyear, uiclaims.periodtype, uiclaims.period) references (period.periodyear, period.periodtype, period.period)</p> <p>3. Foreign Key (uiclaims.stfips, uiclaims.occodetype, uiclaims.occcode) references (occcodes.stfips, occcodes.codetype, occcodes.code)</p> <p>4. Foreign Key (uiclaims.stfips, uiclaims.indcodty, uiclaims.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code)</p> <p>5. Foreign Key (uiclaims.stfips, uiclaims.agegroup) references (agegroup.stfips, agegroup.agegroup)</p> <p>6. Foreign Key (uiclaims.raceethn) references (raceethn.raceethn)</p> <p>7. Foreign Key (uiclaims.gender) references (gender.gender)</p>			

url		DEPRECATED in v2.6	
Listing of uniform resource locators (URL's).			
Field Name	Type	Constraint	Description
1. urlid	char(5)	Primary Key	Unique identifier of the uniform resource locator.
2. url	varchar(200)		Uniform resource locator for the site.
3. urlname	varchar(100)		Name of uniform resource locator site.
4. urldesc	varchar(MAX)		Description of uniform resource locator site.

urllinks		DEPRECATED in v2.6	
Listing of areas the URL is associated with.			
Field Name	Type	Constraint	Description
1. urlid	char(5)	Primary Key 2	Unique identifier of the uniform resource locator.
2. stfips	char(2)	Primary Key 1, 3	State FIPS code.
3. areatype	char(2)	1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
4. area	char(6)	1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
5. urltopic	char(3)	3	Uniform resource locator topic for the site.
Constraint Information			
1. Foreign Key (urllinks.stfips, urllinks.areatype, urllinks.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (urllinks.urlid) references (url.urlid) 3. Foreign Key (urllinks.stfips, urllinks.urltopic) references (urltopic.stfips, urltopic.urltopic)			

wage		DEPRECATED in v2.6	
Wage data by occupation, from any source, including OES.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4, 5, 7, 8	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area : e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.).
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. indcodty	char(2)	Primary Key 3	Code describing the industry code type.
8. indcode	char(6)	Primary Key 3	A code used in the classification of establishments by type of activity in which they are engaged. For codes not 6 characters long, left justify and blank (ASCII 32) fill. Either SIC or NAICS code can be used. A siccode of 9999 means non-classifiable; industry not specified.
9. occodetype	char(2)	Primary Key 4	Code describing the type of occupational code.
10. occcode	char(10)	Primary Key 4	The occupational classification code used by the state for this data element. This code could be DOT, OES, SOC, CENSUS, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
11. wagesource	char(1)	Primary Key 5	A code representing the source of wage data.
12. ratetype	char(1)	Primary Key 6	Code which identifies the type of wage rate.
13. leveltype	char(1)	Primary Key 7	The code identifying the type of wage level.
14. statype	char(2)	Primary Key 8	Statistical Type identifies the statistical measurement of the occupational wage.
15. wage	numeric(9,2)		A numerical value representing the wage paid for an occupation.
16. respondent	numeric(6)		Number of respondents that data were collected from.
17. empcount	numeric(7)		Total employment.
Constraint Information			
1. Foreign Key (wage.stfips, wage.areatype, wage.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (wage.periodyear, wage.periodtype, wage.period) references (period.periodyear, period.periodtype, period.period) 3. Foreign Key (wage.stfips, wage.indcodty, wage.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code) 4. Foreign Key (wage.stfips, wage.occodetype, wage.occcode) references (occcodes.stfips, occcodes.codetype, occcodes.code) 5. Foreign Key (wage.stfips, wage.wagesource) references (wgsources.stfips, wgsources.wagesource) 6. Foreign Key (wage.ratetype) references (ratetype.ratetype) 7. Foreign Key (wage.stfips, wage.leveltype) references (leveltyp.stfips, leveltyp.leveltype) 8. Foreign Key (wage.stfips, wage.statype) references (statype.stfips, statype.statype)			

workstop**DEPRECATED in v2.8**

Table of data on work stoppages (strikes or lock-outs).

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3, 4	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code. Will be set to '00' where periodtype is annual.
7. indcodty	char(2)	Primary Key 3	Code describing the type of industry code.
8. indcode	char(6)	Primary Key 3	The industry classification code used by the state for this data element. This code could be SIC or NAICS. For codes not 6 characters long, left justify and blank (ASCII 32) fill.
9. ownership	char(2)	Primary Key 4	Ownership is a 2-digit indicator that identifies the employer by public or private ownership. The second digit is for state use.
10. stopstatus	char(1)	Primary Key	Describes whether the work stoppage is new or continuing: '1' = new; '2' = ongoing
11. firms	numeric(4)		The number of companies in which work stoppage occurs.
12. workers	numeric(10)		The number of workers involved in the stoppage.
13. daysidle	numeric(6)		Estimated days that workers involved in stoppage have been idle (working time lost).

Constraint Information

1. Foreign Key (workstop.stfips, workstop.areatype, workstop.area) references (geog.stfips, geog.areatype, geog.area)
2. Foreign Key (workstop.periodyear, workstop.periodtype, workstop.period) references (period.periodyear, period.periodtype, period.period)
3. Foreign Key (workstop.stfips, workstop.indcodty, workstop.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code)
4. Foreign Key (workstop.stfips, workstop.ownership) references (ownership.stfips, ownership.ownership)

Crosswalk Tables

cidsxcip		DEPRECATED in v2.6	
Mapping between Career Information Delivery System codes and Classification of Instructional Program codes.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code
2. codetype	char(2)	Primary Key 1	Code describing the Classification of Instructional Program code type.
3. code	char(10)	Primary Key 1	A 10-digit code assigned to the Classification of Instructional Programs (CIP) program title.
4. cidscod	char(9)	Primary Key 2	A 9-digit code assigned to the Career Information Delivery System occupational title.
Constraint Information			
1. Foreign Key (cidsxcip.stfips, cidsxcip.codetype, cidsxcip.code) references (occcodes.stfips, occcodes.codetype, occcodes.code)			
2. Foreign Key (cidsxcip.cidscod) references (cidscod.cidscod)			

clsxproj			
Occupation codes by Cluster, and the percentage of that occupation code's employment within each Cluster.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. cluscode	char(10)	Primary Key 2	Code assigned to the cluster from the State Units of Analysis.
5. occodetype	char(2)	Primary Key 3	Code describing the occupational code.
6. occcode	char(10)	Primary Key 3	The occupational classification code used by the state for this data element. This code could be DOT, OES, SOC, Census, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
7. alloc	numeric(5,2)		Percentage of the occupation code's employment that can be attributed to this Cluster.
Constraint Information			
1. Foreign Key (clsxproj.stfips, clsxproj.areatype, clsxproj.area) references (geog.stfips, geog.areatype, geog.area)			
2. Foreign Key (clsxproj.stfips, clsxproj.cluscode) references (cluscode.stfips, cluscode.cluscode)			
3. Foreign Key (clsxproj.stfips, clsxproj.occodetype, clsxproj.occcode) references (occcodes.stfips, occcodes.codetype, occcodes.code)			

clsxsupl			
Training program codes and completer types from that training program that have been assigned to a Cluster.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3, 5	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 4	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 4	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 4	Period Code. Will be set to '00' where periodtype is annual.
7. cluscode	char(10)	Primary Key 2	Code assigned to the cluster from the State Units of Analysis.
8. codetype	char(2)	Primary Key 5	Code describing the type of occupation or training code.
9. code	char(10)	Primary Key 5	The classification code used by the state for this data element. This code could be DOT, OES, CIP, Cluster, SOC, Census, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
10. compltype	char(2)	Primary Key 3	A 2-digit code representing the type of program completer.
Constraint Information			
1. Foreign Key (clsxsupl.stfips, clsxsupl.areatype, clsxsupl.area) references (geog.stfips, geog.areatype, geog.area) 2. Foreign Key (clsxsupl.stfips, clsxsupl.cluscode) references (cluscode.stfips, cluscode.cluscode) 3. Foreign Key (clsxsupl.stfips, clsxsupl.compltype) references (compltyp.stfips, compltyp.compltype) 4. Foreign Key (clsxsupl.periodyear, clsxsupl.periodtype, clsxsupl.period) references (period.periodyear, period.periodtype, period.period) 5. Foreign Key (clsxsupl.stfips, clsxsupl.codetype, clsxsupl.code) references (occcodes.stfips, occcodes.codetype, occcodes.code)			

clusxcip			
			DEPRECATED in v2.7
Mapping between Department of Education Career Clusters and the Classification of Instructional Programs (CIP).			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code
2. codetype	char(2)	Primary Key 1	Code describing the Classification of Instructional Program codetype.
3. code	char(10)	Primary Key 1	CIP code
4. clustercode	char(2)	Primary Key 2	Career Cluster code
Constraint Information			
1. Foreign Key (clusxcip.stfips, clusxcip.codetype, clusxcip.code) references (occcodes.stfips, occcodes.codetype, occcodes.code) 2. Foreign Key (clusxcip.clustercode) references (careerclust.clustercode)			

clusxpath		DEPRECATED in v2.7	
Mapping between Department of Education Career Clusters and Career Pathways.			
Field Name	Type	Constraint	Description
1. clustercode	char(2)	Primary Key 1	Career Cluster code
2. pathcode	char(4)	Primary Key 2	Career Pathway code
Constraint Information			
1. Foreign Key (clusxpath.clustercode) references (careerclust.clustercode)			
2. Foreign Key (clusxpath.pathcode) references (careerpaths.pathcode)			

clusxsoc		DEPRECATED in v2.7	
Mapping of Department of Education Career Clusters and the Standard Occupational Classification (SOC).			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code.
2. codetype	char(2)	Primary Key 1	Code describing the Standard Occupational Classification codetype.
3. code	char(10)	Primary Key 1	SOC code
4. clustercode	char(2)	Primary Key 2	Career Cluster code
Constraint Information			
1. Foreign Key (clusxsoc.stfips, clusxsoc.codetype, clusxsoc.code) references (occcodes.stfips, occcodes.codetype, occcodes.code)			
2. Foreign Key (clusxsoc.clustercode) references (careerclust.clustercode)			

dotxcip		DEPRECATED in v2.6	
Mapping of DOT (occupation) to CIP (training program).			
Field Name	Type	Constraint	Description
1. dotcode	char(9)	Primary Key 1	A 9-digit code assigned to the Dictionary of Occupational Titles (DOT) occupational title.
2. cipcode	char(10)	Primary Key 2	A 10-digit code assigned to the Classification of Instructional Programs (CIP) program title.
3. cipcodetype	char(2)	Primary Key 2	Code describing the CIP version
Constraint Information			
1. Foreign Key (dotxcip.dotcode) references (dotcode.dotcode)			
2. Foreign Key (dotxcip.cipcode, dotxcip.cipcodetype) references (cipcode.cipcode, cipcode.codetype)			


dotxonet		DEPRECATED in v2.6	
Relationship between DOT and O*NET occupations.			
Field Name	Type	Constraint	Description
1. dotcode	char(9)	Primary Key 1	A 9-digit code assigned to the Dictionary of Occupational Titles (DOT) occupational title.
2. onetcode	char(8)	Primary Key 2	A 6 or 8-digit code* assigned to the Occupational Information Network (O*NET) occupational title. For codes not 8 characters long, left justify and blank (ASCII 32) fill.
Constraint Information			
1. Foreign Key (dotxonet.dotcode) references (dotcode.dotcode)			
2. Foreign Key (dotxonet.onetcode) references (onetcode.onetcode)			

eeo1xcens		DEPRECATED in v2.6	
Mapping of Equal Employment Opportunity (EEO) 1 categories to 2000 census codes.			
Field Name	Type	Constraint	Description
1. eeo1cat	char(2)	Primary Key 1	A 2-digit code assigned to EEO-1 Job Categories
2. censcode	char(4)	Primary Key 2	A 4-digit code assigned to the Census occupational title
3. censcodetype	char(2)	Primary Key 2	Code describing the Census occupations version
Constraint Information			
1. Foreign Key (eeo1xcens.eeo1cat) references (eeo1cat.eeo1cat)			
2. Foreign Key (eeo1xcens.censcode, eeo1xcens.censcodetype) references (censcode.censcode, censcode.codetype)			

eeosxcens		DEPRECATED in v2.6	
Mapping between Equal Employment Opportunity (EEO) state and local categories to 2000 census code relationship.			
Field Name	Type	Constraint	Description
1. eeostloc	char(2)	Primary Key 1	A 2-digit code assigned to EEO State and Local Job Categories
2. censcode	char(4)	Primary Key 2	A 4-digit code assigned to the Census occupational title
3. censcodetype	char(2)	Primary Key 2	Code describing the version of the Cnesus occupational code
Constraint Information			
1. Foreign Key (eeosxcens.eeostloc) references (eeostloc.eeostoc)			
2. Foreign Key (eeosxcens.censcode, eeosxcens.censcodetype) references (censcode.censcode, censcode.codetype)			

indxind			
Table mapping indcodes and codetypes to related indcodes and codetypes			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2	State FIPS code
2. codetype	char(2)	Primary Key 1	Code describing the type of industry classification code.
3. code	char(6)	Primary Key 1	The classification codes used by the state for this data element. This could be SIC, NAICS, or other industry code.
4. codetype2	char(2)	Primary Key 2	Code describing the type of industry classification code.
5. code2	char(6)	Primary Key 2	The classification codes used by the state for this data element. This could be SIC, NAICS, or other industry code.
Constraint Information			
1. Foreign Key (indxind.stfips, indxind.odetype, indxind.code) references (indcodes.stfips, indcodes.codetype, indcodes.code) 2. Foreign Key (indxind.stfips, indxind.codetype2, indxind.code2) references (indcodes.stfips, indcodes.codetype, indcodes.code)			

layxocc			
Table of lay titles and the associated occupation codes.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code.
2. occodetype	char(2)	Primary Key 1	Code describing the occupational code.
3. occcode	char(10)	Primary Key 1	The occupational classification code used by the state for this data element. This code could be DOT, OES, SOC, Census, etc. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
4. laytlcode	char(5)	Primary Key 2	Code associated with a particular lay title.
Constraint Information			
1. Foreign Key (layxocc.stfips, layxocc.occodetype, layxocc.occcode) references (occcodes.stfips, occcodes.codetype, occcodes.code) 2. Foreign Key (layxocc.laytlcode) references (laytitle.laytlcode)			

licxocc			
Table mapping state licenses to associated occupations. 			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3	State FIPS code.
2. licenseid	char(10)	Primary Key 2	A code that identifies the license for the specific occupational title.
3. occodetype	char(2)	Primary Key 3	Code for Occupation code type.
4. occcode	char(10)	Primary Key 3	Occupation code.
Constraint Information			
1. Foreign Key (licxocc.stfips) references (stfipstb.stfips) 2. Foreign Key (licxocc.stfips, licxocc.licenseid) references (license.stfips, license.licenseid) 3. Foreign Key (licxocc.stfips, licxocc.occodetype, licxocc.occcode) references (occcodes.stfips, occcodes.codetype, occcodes.code)			

**matxind**

This table crosswalks the MicroMatrix industry codes to other industry codes, such as NAICS or SIC.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3	State FIPS code.
2. matincode	char(15)	Primary Key 1	Industry matrix code from Micro Matrix.
3. periodid	char(2)	Primary Key 1	A 2-digit code identifying the type of period used.
4. indcodetype	char(2)	Primary Key 2	Code describing the type of industry classification code.
5. indcode	char(6)	Primary Key 2	The classification code used by the state for this data element. This could be a SIC or NAICS code.
6. subtot	char(1)	3	Sum level of the information.

Constraint Information

1. Foreign Key (matxind.stfips, matxind.matincode, matxind.periodid) references (inddir.stfips, inddir.matincode, inddir.periodid)
2. Foreign Key (matxind.stfips, matxind.indcodetype, matxind.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code)
3. Foreign Key (matxind.stfips, matxind.subtot) references (indsub.stfips, indsub.subtot)

matxnaic**DEPRECATED in v2.6**

This table crosswalks MicroMatrix industry codes to NAICS codes.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. matincode	char(15)	Primary Key 1	Industry matrix code from Micro Matrix.
3. periodid	char(2)	Primary Key 1	A 2-digit code identifying the type of period used.
4. naicscode	char(6)	Primary Key 2	A 6-digit code used in the North American Industry Classification System (NAICS).
5. subtot	char(1)	3	Sum level of the information.

Constraint Information

1. Foreign Key (matxnaic.stfips, matxnaic.matincode, matxnaic.periodid) references (inddir.stfips, inddir.matincode, inddir.periodid)
2. Foreign Key (matxnaic.naicscode) references (naiccode.naicscode)
3. Foreign Key (matxnaic.stfips, matxnaic.subtot) references (indsub.stfips, indsub.subtot)

**matxocc**

This table crosswalks MicroMatrix occupation codes to other occupation codes, such as SOC or OES.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2, 3	State FIPS code.
2. matocode	char(10)	Primary Key 1	Occupation matrix code from Micro Matrix. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
3. periodid	char(2)	Primary Key 1	A 2-digit code identifying the type of period used.
4. occodetype	char(2)	Primary Key 2	Code describing the type of occupation or training classification code.
5. occcode	char(10)	Primary Key 2	The classification code used by the state for this data element.
6. subtot	char(1)	3	Sum level of the information.

Constraint Information

1. Foreign Key (matxocc.stfips, matxocc.matocode, matxocc.periodid) references (occdir.stfips, occdir.matocode, occdir.periodid)
2. Foreign Key (matxocc.stfips, matxocc.occodetype, matxocc.occocode) references (occcodes.stfips, occcodes.codetype, occcodes.code)
3. Foreign Key (matxocc.stfips, matxocc.subtot) references (occsup.stfips, occsup.subtot)

matxoes**DEPRECATED in v2.6**

This table crosswalks MicroMatrix occupation codes to OES codes.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. matocode	char(10)	Primary Key 1	Occupation matrix code from Micro Matrix. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
3. periodid	char(2)	Primary Key 1	A 2-digit code identifying the type of period used.
4. oescode	char(5)	Primary Key 2	A 5-digit code assigned to the Occupation Employment Statistics (OES) occupational title.
5. subtot	char(1)	3	Sum level of the information.

Constraint Information

1. Foreign Key (matxoes.stfips, matxoes.matocode, matxoes.periodid) references (occdir.stfips, occdir.matocode, occdir.periodid)
2. Foreign Key (matxoes.oescode) references (oescode.oescode)
3. Foreign Key (matxoes.stfips, matxoes.subtot) references (occsup.stfips, occsup.subtot)

matxsic		DEPRECATED in v2.6	
This table crosswalks MicroMatrix industry codes to SIC codes.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. matincode	char(15)	Primary Key 1	Industry matrix code from Micro Matrix.
3. periodid	char(2)	Primary Key 1	A 2-digit code identifying the type of period used.
4. siccode	char(4)	Primary Key 2	A code used in the classification of establishments by type of activity in which they are engaged. This field is left justified and padded with zeroes. A siccode of 9999 means non-classifiable; industry not specified.
5. subtot	char(1)	3	Sum level of the information.
Constraint Information			
1. Foreign Key (matxsic.stfips, matxsic.matincode, matxsic.periodid) references (inndir.stfips, inndir.matincode, inndir.periodid) 2. Foreign Key (matxsic.siccode) references (siccode.siccode) 3. Foreign Key (matxsic.stfips, matxsic.subtot) references (indsub.stfips, indsub.subtot)			

matxsoc		DEPRECATED in v2.6	
This table crosswalks MicroMatrix occupation codes to SOC codes.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 3	State FIPS code.
2. matoccode	char(10)	Primary Key 1	Occupation matrix code from Micro Matrix. For codes not 10 characters long, left justify and blank (ASCII 32) fill.
3. periodid	char(2)	Primary Key 1	A 2-digit code identifying the type of period used.
4. soccode	char(6)	Primary Key 2	A six-digit code assigned to a current series Standard Occupational Classification (SOC) occupational title.
5. soccodetype	char(2)	Primary Key 2	Code describing the version of SOC used.
6. subtot	char(1)	3	Sum level of the information.
Constraint Information			
1. Foreign Key (matxsoc.stfips, matxsoc.matoccode, matxsoc.periodid) references (occdir.stfips, occdir.matoccode, occdir.periodid) 2. Foreign Key (matxsoc.soccode, matxsoc.soccodetype) references (soccode.soccode, soccode.soccodetype) 3. Foreign Key (matxsoc.stfips, matxsoc.subtot) references (occssub.stfips, occsub.subtot)			

mocxocc		New Table in v2.8	
Table mapping Military Occupational Classification (MOC) to Standard Occupational Classification (SOC).			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code
2. codetype	char(2)	Primary Key 1	Code describing the Standard Occupational Classification codetype.
3. code	char(10)	Primary Key 1	A 6-digit code assigned to the Standard Occupational Classification (SOC) occupational title.
4. svc	char(1)	Primary Key 2	Service Branch.
5. mpc	char(1)	Primary Key 2	Military Personnel Category.
6. status	char(1)	Primary Key 2	Military Occupation Status: A = Active occupation; O = Obsolete occupation
7. moccode	char(10)	Primary Key 2	A 10-digit Military Occupational Classification.
Constraint Information			
1. Foreign Key (mocxocc.stfips, mocxocc.codetype, mocxocc.code) references (occcodes.stfips, occcodes.codetype, occcodes.code) 2. Foreign Key (mocxocc.svc, mocxocc.mpc, mocxocc.status, mocxocc.moccode) references (moccode.svc, moccode.mpc, moccode.status, moccode.moccode)			

occxocc			
Table mapping occupation codes and codetypes to related occupation codes and codetypes			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2	State FIPS code
2. codetype	char(2)	Primary Key 1	Code describing the type of occupation or training classification code.
3. code	char(10)	Primary Key 1	The classification code used by the state for this data element. This code could be a CIP, DOT, SOC, or other occupational code.
4. codetype2	char(2)	Primary Key 2	Code describing the type of occupation or training classification code.
5. code2	char(10)	Primary Key 2	The classification code used by the state for this data element. This code could be a CIP, DOT, SOC, or other occupational code.
Constraint Information			
1. Foreign Key (occxocc.stfips, ocxocc.codetype, ocxocc.code) references (occcodes.stfips, occcodes.codetype, occcodes.code) 2. Foreign Key (occxocc.stfips, ocxocc.codetype2, ocxocc.code2) references (occcodes.stfips, occcodes.codetype, occcodes.code)			

oesxcens		DEPRECATED in v2.6	
Table mapping OES codes to Census codes.			
Field Name	Type	Constraint	Description
1. oescode	char(5)	Primary Key 1	A 5-digit code assigned to the Occupational Employment Statistics (OES) occupational title.
2. censcode	char(4)	Primary Key 2	A 4-digit code assigned to the Census occupational title.
3. codetype	char(2)	Primary Key 2	Code describing the version of Census occupations
Constraint Information			
1. Foreign Key (oesxcens.oescode) references (oescode.oescode)			
2. Foreign Key (oesxcens.censcode, oesxcens.codetype) references (censcode.censcode, censcode.codetype)			

oesxcids		DEPRECATED in v2.6	
Table mapping the OES-to-CIDS relationship.			
Field Name	Type	Constraint	Description
1. oescode	char(5)	Primary Key 1	A 5-digit code assigned to the Occupational Employment Statistics (OES) occupational title.
2. cidscodes	char(9)	Primary Key 2	A 9-digit code assigned to the Career Information Delivery System occupational title.
Constraint Information			
1. Foreign Key (oesxcids.oescode) references (oescode.oescode)			
2. Foreign Key (oesxcids.cidscodes) references (cidscodes.cidscodes)			

oesxcip		DEPRECATED in v2.6	
Table mapping OES codes to CIP codes.			
Field Name	Type	Constraint	Description
1. oescode	char(5)	Primary Key 1	A 5-digit code assigned to the Occupational Employment Statistics (OES) occupational title.
2. cipcode	char(10)	Primary Key 2	A 10-digit code assigned to a Classification of Instructional Programs (CIP) program title.
3. cipcodetype	char(2)	Primary Key 2	Code describing the CIP version
Constraint Information			
1. Foreign Key (oesxcip.oescode) references (oescode.oescode)			
2. Foreign Key (oesxcip.cipcode, oesxcip.cipcodetype) references (cipcode.cipcode, cipcode.cipcodetype)			

oesxdot		DEPRECATED in v2.6	
Table mapping OES codes to DOT codes.			
Field Name	Type	Constraint	Description
1. oescode	char(5)	Primary Key 1	A 5-digit code assigned to the Occupational Employment Statistics (OES) occupational title.
2. dotcode	char(9)	Primary Key 2	A 9-digit code assigned to a Dictionary of Occupational Titles (DOT) occupational title.
Constraint Information			
1. Foreign Key (oesxdot.oescode) references (oescode.oescode)			
2. Foreign Key (oesxdot.dotcode) references (dotcode.dotcode)			

oesxjob		DEPRECATED in v2.6	
Mapping of OES codes to Job Family codes.			
Field Name	Type	Constraint	Description
1. oescode	char(5)	Primary Key 1	A 5-digit code assigned to the Occupational Employment Statistics (OES) occupational title.
2. jobfamily	char(2)	Primary Key 2	Job Family code.
Constraint Information			
1. Foreign Key (oesxjob.oescode) references (oescode.oescode)			
2. Foreign Key (oesxjob.jobfamily) references (jobfamily.jobfamily)			

oesxonet		DEPRECATED in v2.6	
Table mapping OES codes to O*NET codes.			
Field Name	Type	Constraint	Description
1. oescode	char(5)	Primary Key 1	A 5-digit code assigned to the Occupational Employment Statistics (OES) occupational title.
2. onetcode	char(8)	Primary Key 2	A 6 or 8-digit code* assigned to the Occupational Information Network (O*NET) occupational title. For codes not 8 characters long, left justify and blank (ASCII 32) fill.
Constraint Information			
1. Foreign Key (oesxonet.oescode) references (oescode.oescode)			
2. Foreign Key (oesxonet.onetcode) references (onetcode.onetcode)			
Table Notes			
1: Length of onetcode depends on which version of O*NET codes you are using.			

oesxsoc		DEPRECATED in v2.6	
Table mapping OES codes to SOC codes.			
Field Name	Type	Constraint	Description
1. oescode	char(5)	Primary Key 1	A 5-digit code assigned to the Occupational Employment Statistics (OES) occupational title.
2. soccode	char(6)	Primary Key 2	A 6-digit code assigned to a Standard Occupational Classification (SOC) occupational title.
3. soccodetype	char(2)	Primary Key 2	Code describing the SOC version
Constraint Information			
1. Foreign Key (oesxsoc.oescode) references (oescode.oescode)			
2. Foreign Key (oesxsoc.soccode, oesxsoc.soccodetype) references (soccode.soccode, soccode.soccodetype)			

sicxnaic DEPRECATED in v2.6			
Table of SIC-to-NAICS code relationships.			
Field Name	Type	Constraint	Description
1. siccode	char(4)	Primary Key 1	A code used in the classification of establishments by type of activity in which they are engaged. This field is left justified and padded with zeroes. A siccode of 9999 means non-classifiable; industry not specified.
2. naicscode	char(6)	Primary Key 2	A code used in the North American Industry Classification System (NAICS).
Constraint Information			
1. Foreign Key (sicxnaic.siccode) references (siccode.siccode)			
2. Foreign Key (sicxnaic.naicscode) references (naicscode.naicscode)			

socxcens DEPRECATED in v2.6			
Table mapping SOC codes to Census codes.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code
2. codetype	char(2)	Primary Key 1	Code describing the Standard Occupational Classification system used.
3. code	char(10)	Primary Key 1	A 6-digit code assigned to the Standard Occupational Classification (SOC) occupational title.
4. censcode	char(4)	Primary Key 2	A 4-digit code assigned to the Census occupational title.
5. censcodetype	char(2)	Primary Key 2	Code describing the version of Sensus occupational codes
Constraint Information			
1. Foreign Key (socxcens.stfips, socxcens.codetype, socxcens.code) references (occcodes.stfips, occcodes.codetype, occcodes.code)			
2. Foreign Key (socxcens.censcode, socxcens.censcodetype) references (censcode.censcode, censcode.codetype)			

socxcids DEPRECATED in v2.6			
Table mapping SOC codes to CIDS codes.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code
2. codetype	char(2)	Primary Key 1	Code describing the occupational code.
3. code	char(10)	Primary Key 1	A 6-digit code assigned to the Standard Occupational Classification (SOC) occupational title.
4. cidscodes	char(9)	Primary Key 2	A 9-digit code assigned to the Career Information Delivery System occupational title.
Constraint Information			
1. Foreign Key (socxcids.stfips, socxcids.codetype, socxcids.code) references (occcodes.stfips, occcodes.codetype, occcodes.code)			
2. Foreign Key (socxcids.cidscodes) references (cidscodes.cidscodes)			

socxcip		DEPRECATED in v2.6	
Table mapping SOC codes to CIP codes.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code
2. codetype	char(2)	Primary Key 1	Code describing the occupational code.
3. code	char(10)	Primary Key 1	A 6-digit code assigned to the Standard Occupational Classification (SOC) occupational title.
4. cipcode	char(10)	Primary Key 2	A 10-digit code assigned to a Classification of Instructional Programs (CIP) program title.
5. cipcodetype	char(2)	Primary Key 2	Code describing the version of CIP
Constraint Information			
1. Foreign Key (socxcip.stfips, socxcip.codetype, socxcip.code) references (occcodes.stfips, occcodes.codetype, occcodes.code) 2. Foreign Key (socxcip.cipcode, socxcip.cipcodetype) references (cipcode.cipcode, cipcode.cipcodetype)			

socxdot		DEPRECATED in v2.6	
Table mapping SOC codes to DOT codes.			
Field Name	Type	Constraint	Description
1. soccode	char(6)	Primary Key 1	A 6-digit code assigned to the Standard Occupational Classification (SOC) occupational title.
2. soccodetype	char(2)	Primary Key 1	Code describing the SOC version
3. dotcode	char(9)	Primary Key 2	A 9-digit code assigned to a Dictionary of Occupational Titles (DOT) occupational title.
Constraint Information			
1. Foreign Key (socxdot.soccode, socxdot.soccodetype) references (soccode.soccode, soccode.soccodetype) 2. Foreign Key (socxdot.dotcode) references (dotcode.dotcode)			

socxjob		DEPRECATED in v2.6	
Table mapping SOC codes to Job Families.			
Field Name	Type	Constraint	Description
1. soccode	char(6)	Primary Key 1	A 6-digit code assigned to the Standard Occupational Classification (SOC) occupational title.
2. soccodetype	char(2)	Primary Key 1	Code describing the SOC version
3. jobfamily	char(2)	Primary Key 2	Job Family code.
Constraint Information			
1. Foreign Key (socxjob.soccode, socxjob.soccodetype) references (soccode.soccode, soccode.soccodetype) 2. Foreign Key (socxjob.jobfamily) references (jobfamily.jobfamily)			

socxonet**DEPRECATED in v2.6**

Table mapping SOC codes to O*NET codes.

Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code
2. codetype	char(2)	Primary Key 1	Code describing the occupational code.
3. code	char(10)	Primary Key 1	A 6-digit code assigned to the Standard Occupational Classification (SOC) occupational title.
4. onetcode	char(8)	Primary Key 2	A 6 or 8-digit code (length of code depends on which version of O*NET codes you are using) assigned to the Occupational Information Network (O*NET) occupational title. For codes not 8 characters long, left justify and blank (ASCII 32) fill.

Constraint Information


1. Foreign Key (socxonet.stfips, socxonet.codetype, socxonet.code) references (occcodes.stfips, occcodes.codetype, occcodes.code)
2. Foreign Key (socxonet.onetcode) references (onetcode.onetcode)


Table Notes

- 1: Length of onetcode depends on which version of O*NET codes you are using.

Administrative Tables


datasess			DEPRECATED in v2.8
This table contains a list of "data sessions" or "reports" corresponding to a particular application.			
Field Name	Type	Constraint	Description
1. appl	char(8)	Primary Key	Application name or identifier.
2. session	varchar(32)	Primary Key	Data session name or report name.
3. sessdesc	varchar(60)		Description of data session or report.
4. suppavail	char(1)		Does suppress field exist? yes/no - this may be a bit field in some rdbms. 0 = No; 1 = Yes

empdbinf			
This table contains information about the current installed version of the empdb file.			
Field Name	Type	Constraint	Description
1. releaseno	char(3)	Primary Key	Empdb release number.
2. releasemo	char(2)		Release month.
3. releaseyr	char(4)		Release year.
4. copyrtyear	char(4)		Copyright year.
5. contractyr	char(4)		Contract year.
6. editionyr	char(4)		Edition year.

indcodes			Revised in v2.8	
Master table of industry code type/code combinations, allowing multiple classification systems to be used.				
Field Name	Type	Constraint	Description	
1. stfips	char(2)	Primary Key 1	State FIPS Code.	
2. codetype	char(2)	Primary Key 2	Code describing the type of industry classification code.	
3. code	char(6)	Primary Key	The classification code used by the state for this data element. This could be a SIC or NAICS code. For codes not 6 characters long, left justify and blank (ASCII 32) fill.	
4. codetitle	varchar(200)		The descriptive title for this industry code.	
Constraint Information				
1. Foreign Key (indcodes.stfips) references (stfipstb.stfips)				
2. Foreign Key (indcodes.codetype) references (indtypes.codetype)				

indsum			
Count of employers for each industry, with detailed source.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1, 2	State FIPS Code
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. incodetyp	char(2)	Primary Key 2	Code describing the type of industry classification code.
5. indcode	char(6)	Primary Key 2	The classification code used by the state for this data element. This could be a SIC or NAICS code. For codes not 6 characters long, left justify and blank (ASCII 32) fill.
6. indsource	char(1)	Primary Key	Detail source of industry aggregates: E = empdb; S = stfirms
7. employers	numeric(6)		Count of employers
Constraint Information			
1. Foreign Key (indsum.stfips, indsum.areatype, indsum.area) references (geog.stfips, geog.areatype, geog.area)			
2. Foreign Key (indsum.stfips, indsum.incodetyp, indsum.indcode) references (indcodes.stfips, indcodes.codetype, indcodes.code)			

maplist			DEPRECATED in v2.8
Catalogue of maps and map images.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code.
2. areatype	char(2)	Primary Key 1	Code describing type of geographic area: e.g. county, service delivery area, MSA.
3. area	char(6)	Primary Key 1	A 6-digit code assigned to represent a geographic area. Front fill with zeroes.
4. periodyear	char(4)	Primary Key 2	Character representation of the calendar year (e.g. 2006).
5. periodtype	char(2)	Primary Key 2	Code describing type of period (e.g. annual, quarterly, monthly, etc.)
6. period	char(2)	Primary Key 2	Period Code.
7. mapname	varchar(32)	Primary Key	Name of map.
8. mapdesc	varchar(60)		Description or title of map.
9. mapimage	long raw		Actual map image data.
Constraint Information			
1. Foreign Key (maplist.stfips, maplist.areatype, maplist.area) references (geog.stfips, geog.areatype, geog.area)			
2. Foreign Key (maplist.periodyear, maplist.periodtype, maplist.period) references (period.periodyear, period.periodtype, period.period)			

occcodes		Revised in v2.8		
Master table of occupation or training code type/code combination, allowing multiple codes systems to be used.				
Field Name	Type	Constraint	Description	
1. stfips	char(2)	Primary Key 1	State FIPS Code.	
2. codetype	char(2)	Primary Key 2	Code describing the type of occupation or training classification code.	
3. code	char(10)	Primary Key	The classification code used by the state for this data element. This could be a CIP, DOT, OES, SOC or other occupational code. For codes not 10 characters long, left justify and blank (ASCII 32) fill.	
4. codetitle	varchar(200)		The descriptive title for this occupation or training code.	
Constraint Information				
1. Foreign Key (occcodes.stfips) references (stfipstb.stfips)				
2. Foreign Key (occcodes.codetype) references (occtypes.codetype)				

sesstabl		DEPRECATED in v2.8		
A mapping between an application's reports or data sessions and the WID tables that are used for those reports.				
Field Name	Type	Constraint	Description	
1. appl	char(8)	Primary Key 1	Application name or identifier.	
2. session	varchar(32)	Primary Key 1	Data session name or report name.	
3. tablename	varchar(32)	Primary Key 2	Name of Workforce Information table.	
Constraint Information				
1. Foreign Key (sesstabl.appl, sesstabl.session) references (datasess.appl, datasess.session)				
2. Foreign Key (sesstabl.tablename) references (tabllist.tablename)				

source		DEPRECATED in v2.8		
A list of data sessions or reports for a given application and narrative data used to describe the original source of data.				
Field Name	Type	Constraint	Description	
1. stfips	char(2)	Primary Key 1	State FIPS Code.	
2. appl	char(8)	Primary Key 2	Application name or identifier.	
3. session	varchar(32)	Primary Key 2	Data session name or report name.	
4. source	varchar(MAX)		Narrative text describing the original source(s) of data for this data session or report.	
Constraint Information				
1. Foreign Key (source.stfips) references (stfipstb.stfips)				
2. Foreign Key (source.appl, source.session) references (datasess.appl, datasess.session)				

statelst			
List of states for which there is data stored in your WID, used by triggers of lookup tables.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS code.
2. statename	varchar(20)		State name.
3. stateabbrv	char(2)		The two letter state abbreviation.
Constraint Information			
1. Foreign Key (statelst.stfips) references (stfipstb.stfips)			

tabllist			
This table contains one record for each table in the Workforce Information Database.			
Field Name	Type	Constraint	Description
1. tablename	varchar(32)	Primary Key	Name of Workforce Information table.
2. tabledesc	varchar(60)		Description of table.
3. tabletype	char(1)		A code indicating the type of Workforce Information table.

tablsrce			
Table describing how and from whom to obtain source data for the WID tables.			
Field Name	Type	Constraint	Description
1. stfips	char(2)	Primary Key 1	State FIPS Code.
2. tablename	varchar(32)	Primary Key 2	Name of Workforce Information table.
3. supplier	varchar(60)		Name of department or office.
4. contact	varchar(30)		Individual to contact.
5. telephone	char(10)		Telephone number.
6. telex	varchar(10)		Telephone extension.
7. lastupdate	date		Date this source data was last updated.
8. nextupdate	date		Date this source data will be updated next.
9. filetype	varchar(10)		File format of source data.
10. info	varchar(MAX)		Narrative text describing any other relevant information regarding this source data.
Constraint Information			
1. Foreign Key (tablsrce.stfips) references (stfipstb.stfips)			
2. Foreign Key (tablsrce.tablename) references (tabllist.tablename)			

Workforce Information Database version 2.8

Standard Field Values (alphabetic by field name)

addressty	
Tables Referenced:	
addressty, stfirms	
Values:	
1	Physical address from QCEW
2	Mailing address/other from QCEW
3	UI Address from QCEW
4	OES address

agegroup	
Tables Referenced:	
agegroup, esapplic1, mls, qwichar, uiclaims	
Values:	
00	Total, all ages
01	Under 1 year
02	1 to 2 years
03	3 to 4 years
04	5 years
05	6 years
06	7 to 9 years
07	10 to 11 years
08	12 to 13 years
09	14 years
10	15 years
11	16 years
12	17 years
13	18 years
14	19 years
15	20 years
16	21 years
17	22 to 24 years
18	25 to 29 years
19	30 to 34 years
20	35 to 39 years
21	40 to 44 years
22	45 to 49 years
23	50 to 54 years
24	55 to 59 years
25	60 to 61 years
26	62 to 64 years
27	65 to 69 years
28	70 to 74 years

agegroup	
Tables Referenced:	
agegroup, esapplic1, mls, qwichar, uiclaims	
Values:	
29	75 to 79 years
30	80 to 84 years
31	85 years and over
32	16 years and over
33	16 to 24 years
34	16 to 17 years
35	18 to 19 years
36	20 to 24 years
37	25 years and over
38	25 to 54 years
39	55 years and over
40	Under 22
41	25 to 34
42	35 to 44
43	45 to 54
44	60 to 64
45	65 years and over
46	14 to 18
47	19 to 21
48	55 to 64
49	14 years and over
50-70	State-specified
99	Unknown

anssalflg	
Tables Referenced:	
anssalflg, empdb	
Values:	
1	Collected
2	Estimated

anssalrng	
Tables Referenced:	
empdb	
Values:	
A	1 – 499 (1,000's, all ranges)
B	500 – 999
C	1000 – 2499

annsalrng**Tables Referenced:**

empdb

Values:

D	2500 – 4999
E	5000 – 9999
F	10,000 - 19,999
G	20,000 - 49,999
H	50,000 - 99,999
I	100,000 - 499,999
J	500,000 - 999,999
K	1,000,000+

areatype**Tables Referenced:**

analysis, areatype, bed, blding, cenlabor, ces, clsxproj, clsxsupl, commute, cpi, cpiplus, demographics, develop, eeolabfac, eeolabfor, eeoocc, eeopop, empdb, esapplic1, esdata, geog, income, indprj, indsum, industry, iomatrix, iowage, jvs, labforce, licauth, license, lichist, maplist, mls, mlsclaim, mlsevent, occprj, oeswage, payment, populatn, progcomp, programs, propval, qwichar, sales, schools, stfirms , stindprj, stoccpj, subgeog, supply, tax, uiclaims, urllinks, wage, workstop

Values:

00	US
01	State
02	MSA
03	SDA
04	County
05	Minor Civil Division
06	BLS Region
07	Broad Geographic Area (BGA)
08	Economic Development Region
09	Planning Region
10	Labor Market Area
11	City
12	Town
13	Township
14	Municipality/Suburb
15	Workforce Investment Region
16	One Stop Area
17	Workforce Development Area
18	Job Center Area
19	Congressional District
20	Census Places

areatype**Tables Referenced:**

analysis, areatype, bed, blding, cenlabor, ces, clsxproj, clsxsupl, commute, cpi, cpiplus, demographics, develop, eeolabfac, eeolabfor, eeoocc, eeopop, empdb, esapplic1, esdata, geog, income, indprj, indsum, industry, iomatrix, iowage, jvs, labforce, licauth, license, lichist, maplist, mls, mlsclaim, mlsevent, occprj, oeswage, payment, populatn, progcomp, programs, propval, qwichar, sales, schools, stfirms , stindprj, stoccpj, subgeog, supply, tax, uiclaims, urllinks, wage, workstop

Values:

21	Metropolitan Statistical Area *
22	Micropolitan Statistical Area *
23	Metropolitan Division *
24	Combined Statistical Area*
25	Metropolitan New England City and Town Area (NECTA) 2010
26	Micropolitan New England City and Town Area (NECTA) 2010
27	New England City and Town Area (NECTA) Divisions 2010
28	Combined New England City and Town Area (NECTA) 2010
30	Balance of State
31	Metropolitan Statistical Area 2010
32	Micropolitan Statistical Area 2010
33	Metropolitan Division 2010
34	Combined Statistical Area 2010
35	EEO County Group
40	BLS CPI areas
41	BLS CPI areas 2018
50-70	State-Defined Area

bedtypcode**Tables Referenced:**

bed, bedtypes

Values:

0	Total net change
1	Job gains due to expanding establishments
2	Job gains due to opening establishments
3	Total job gains
4	Job losses due to contracting establishments
5	Job losses due to closing establishments
6	Total job losses

benefit	
Tables Referenced: benefit, jvsaddit	
Values:	
0	All Benefit Categories
1	Benefit Category 1
2	Benefit Category 2
3	Benefit Category 3
4	Benefit Category 4
5	No Benefits
9	Unknown

businessstype	
Tables Referenced: empdb	
Values:	
1	Individual
2	Firm

certreq	
Tables Referenced: jvsaddit	
Values:	
0	Both
1	Certificate Required
2	No Certificate Required

ciplevel	
Tables Referenced: cipcode	
Values:	
2	2-digit CIP
4	4-digit CIP
6	6-digit CIP

classtime	
Tables Referenced: classtime, programs	
Values:	
1	Day
2	Night
3	Weekend
4	Day/Night
5	Day/Weekend

classtime	
Tables Referenced: classtime, programs	
Values:	
6	Night/Weekend
7	Day/Night/Weekend

clusgrade	
Tables Referenced: analysis, clusgrad	
Values:	
1	Excellent
2	Very Good
3	Good/Favorable
4	Competitive
5	Very Competitive
6	Ungraded/unassigned

codetype	
Tables Referenced: clsxsupl, clusxcip, clusxsoc, indcodes, indtypes, indxind, mocxocc, occcodes, occtypes, occxocc, progcomp, programs, stprogcd, supply	
Values:	
01	Cluster (other)
02	OES (occupations)
03	CIP (education programs)
04	DOT (occupations)
05	SIC (industries)
06	Census (occupations)
07	CIDS (occupations)
08	SOC 2000 (occupations)
10	NAICS (industries)
11	MOC (occupations)
12	O*NET (occupations)
14	SOC 2010 code (occupations)
15	CIP 2010 code (education programs)
16	2010 Census Occupation code (occupations)
17	2000 Census Industry code (industries)
18	2010 Census Industry code (industries)
19	SOC 2018 (occupations)
70-80	State specific
99	Not Available/Unknown

comptype**Tables Referenced:**

clsxsupl, compltyp, progcomp, programs, supply

Values:

00	Sum of all types (Aggregate of all Completer Types)
01	Postsec. Awards/Cert./Diplomas; < 1 yr.
02	Postsec. Awards/Cert./Diplomas; 1-2 yrs.
03	Associate's Degree
04	Postsec. Awards/Cert./Diplomas; 2-4 yrs.
05	Bachelor's Degree
06	Postbaccalaureate Certificates
07	Master's Degree
08	Post-Master's Certificates
09	Doctor's Degrees
10	First-professional Degrees
11	First-professional Cert. (Post-Degree)
17	All Postsecondary Certificates
21	Secondary
22	Postsec. Awards/Cert./Diplomas; <4 yrs.
23	Graduate degrees combined
30	OJT = on-the-job training
31	Employment & training program completers
32	Military separatees
33	Apprenticeship completers
34	Job Corps completers
40	Certificates < 2 yrs.
50-70	State-Defined Completion Types
99	Unidentified

contactgender**Tables Referenced:**

empdb

Values:

Blank	Unknown
F	Female
M	Male

contactprotile**Tables Referenced:**

contactpro, empdb

Values:

AGT	Insurance and real estate agents
CPA	Certified Public Accountant
DC	Doctor of Chiropractic Medicine

contactprotile**Tables Referenced:**

contactpro, empdb

Values:

DDS	Doctor of Dental Surgery
DO	Doctor of Osteopathic Medicine
DPM	Doctor of Podiatry
DVM	Doctor of Veterinary Medicine
MD	Doctor of Medicine
OD	Doctor of Optometry
PE	Professional Engineer
PHD	Doctor of Philosophy

contacttitlecode**Tables Referenced:**

contacttitle, empdb

Values:

-	Sales
!	IT
#	Finance
\$	Chief Administrative Officer (CAO)
%	Chief Marketing Officer
&	Business Developer
(Director
)	Executive
.	International
/	Manufacturing
:	Educator
?	Office Manager
@	CIO/CTO
[Operations
\	Marketing
]	Other
^	Human Resources
_	Site Manager
{	Regional Manager
+	Facilities
=	Engineering/Technical
>	General Manager
1	Owner
2	President
3	Manager
4	Executive Director
5	Principal
6	Publisher

contacttitlecode**Tables Referenced:**

contacttitle, empdb

Values:

7	Administrator
8	Religious Leader
9	Partner
A	Chairman
B	Vice Chairman
blank	Unknown
C	Chief Executive Officer
D	Director (Public Co)
E	Chief Operating Officer (COO)
F	Chief Financial Officer (CFO)
G	Treasurer
H	Controller
I	Executive Vice President
J	Senior Vice President
K	Vice President
L	Administration Executive
M	Corporate Communications Executive
N	Data Processing Executive
O	Finance Executive
P	Human Resources Executive
Q	Telecommunications Executive
R	Marketing Executive
S	Operations Executive
T	Sales Executive
U	Corporate Secretary
V	General Counsel
W	Executive Officer
X	Plant Manager
Y	Purchasing Agent
Z	Minister

cpisource**Tables Referenced:**

cpi, cpiplus, cpisource

Values:

1	Bureau of Labor Statistic
6-8	State Defined

cpitype**Tables Referenced:**

cpi, cpitype

Values:

01	CPI-U all items 1982-84=100, not seasonally adjusted
02	CPI-U all items 1982-84=100, seasonally adjusted
03	CPI-W, all items 1982-84=100, not seasonally adjusted
04	CPI-W, all items 1982-84=100, seasonally adjusted
05	CPI-U all items 1967=100, not seasonally adjusted
06	CPI-U all items 1967=100, seasonally adjusted
07	CPI-W, all items 1967=100, not seasonally adjusted
08	CPI-W, all items 1967=100, seasonally adjusted
50-70	State-Defined CPI Types

creditcd**Tables Referenced:**

creditcd, empdb

Values:

A	Excellent
B	Very Good
C	Good
I	Institution or government
U	Unknown

disabled**Tables Referenced:**

disabil, esapplic2

Values:

0	Total applicants
1	Disabled
2	Not Disabled
9	Unknown

dislocated**Tables Referenced:**

dislocat, esapplic2

Values:

0	Total applicants
1	Dislocated

dislocated	
Tables Referenced: dislocat, esapplic2	
Values:	
2	Not dislocated
9	Unknown

dwvertype	
Tables Referenced: dwvertyp, mlsevent	
Values:	
0	Not potential DW event
1	Potential Substantial Layoff
2	Potential Closure
3	Potential DW event (employment=0)
4	Potential DW event (merged DW events)

econdisadv	
Tables Referenced: disadvan, esapplic2	
Values:	
0	Total applicants
1	Economically disadvantaged
2	Not economically disadvantaged
9	Unknown

educat	
Tables Referenced: education	
Values:	
1	Less than high school
2	High school diploma or equivalent
3	Some college, no degree
4	Post-secondary non-degree award
5	Associate's degree
6	Bachelor's degree
7	Master's degree
8	Doctoral or professional degree
N	Information not available

edulevel	
Tables Referenced: edulevel, jvsaddit	
Values:	

edulevel	
Tables Referenced: edulevel, jvsaddit	
Values:	
0	All Education Levels
2	Associate's Degree
9	Unknown
A	Advanced Degree
B	Bachelor's Degree
H	High School / GED
N	No Education Requirement
V	Vocational Training

eeo1cat	
Tables Referenced: eeo1xcens	
Values:	
01	Officials and Managers
02	Professionals
03	Technicians
04	Sales Workers
05	Administrative Support Workers
06	Craft workers
07	Operatives
08	Laborers and Helpers
09	Service workers
10	Unemployed, no Civilian Work Experience Since 1995

eeostloc	
Tables Referenced: eeosxcens	
Values:	
01	Officials and Managers
02	Professionals
03	Technicians
04	Protective Service: Sworn
05	Protective Service: Non-Sworn
06	Administrative Support
07	Skilled Craft
08	Service Maintenance
09	Unemployed, no Civilian Work Experience Since 1995

empsizflg
Tables Referenced: empdb, empszflg
Values:
1 Collected from source
2 Estimated by the Employer Database supplier

empsizrng
Tables Referenced: empdb, empszrng
Values:
A 1-4
B 5-9
C 10-19
D 20-49
E 50-99
F 100-249
G 250-499
H 500-999
I 1,000-4,999
J 5,000-9,999
K 10,000+

eventtype
Tables Referenced: eventtyp, mlsevent
Values:
1 State event
2 BLS event
9 Undefined

expercat
Tables Referenced: experience
Values:
0 None
1 Less than 1 year
2 1 to 5 years
3 More than 5 years
N Information not available

explevel
Tables Referenced: explevel, jvsaddit
Values:
0 All Experience Levels
9 Unknown
N No Work Experience Required
R Related Experience
W Some Work Experience Required

exportimportind
Tables Referenced: empdb
Values:
B Both
E Export Services
I Import Services

gender
Tables Referenced: eeolabfac , eeolabfor , eeoocc, eeopop, esapplic1, gender, mls, mlscclaim, qwichar, uiclaims
Values:
0 Total (This value is included for data reported by male and total categories, for example Census data)
1 Male
2 Female
3 Unspecified

geocode
Tables Referenced: empdb, geocode, geog, licauth, schools, stfirms
Values:
0 Address
2 Zip+2 centroid
4 Zip+4 centroid
X ZIP code centroid

growcode
Tables Referenced: growcode, indprj, iomatrix, occprj, stindprj, stoccpj
Values:
50-70 State-Defined Growth Types
DD Declining

growcode**Tables Referenced:**

growcode, indprj, iomatrix, occprj, stindprj, stoccpj

Values:

GG	Growing
SS	Stable

highestgrd**Tables Referenced:**

esapplic1, schgrade

Values:

00	Total, all grads
01	Elementary
02	Some High School
03	High School Grad/GED
04	Some College
05	College Grad 2 yr
06	College Grad 4 yr
07	Post Graduate Studies
50-70	State-Defined Graduate Types
99	Unknown

incsource**Tables Referenced:**

income, incsourc

Values:

1	Census
2	HUD
3	BEA
6 - 8	State Defined Income Sources

inctype**Tables Referenced:**

income, incomtyp

Values:

01	Total income
02	Per capita income
03	Median household income
04	Median family income
05	Real personal income
06	Real per capita personal income
50-70	State-Defined Income Types

inddiv**Tables Referenced:**

inddiv, siccode

Values:

A	Agriculture, forestry and fishing (2 digit SICs 01-09)
B	Mining (10-14)
C	Construction (15-17)
D1	Durable goods manufacturing, Total (24, 25, 32-39)
D2	Nondurable goods manufacturing, Total (20-23, 26-31)
E1	Transportation, total (40-47)
E2	Communications and utilities, total (48, 49)
F	Wholesale trade (50, 51)
G	Retail trade (52-59)
H	Finance, insurance, and real estate (60-67)
I	Services (70-89)
J	Public administration (91-97)
K	Nonclassifiable establishments
XXX	Unknown
ZZZ	Total (00)

instown**Tables Referenced:**

instown, schools, supply

Values:

1	Public institution
2	Private for profit institution
3	Private non-profit institution
9	Not Available

insttype**Tables Referenced:**

insttype, schools, supply

Values:

00	All Institutions
01	Secondary Schools
02	Public Adult Schools with occupational programs
03	Two-year, Technical, and Community Colleges
04	Four-year Colleges and Universities
05	Private Business and Technical Schools
06	JTPA Programs
07	Apprenticeship Programs

insttype	
Tables Referenced:	
insttype, schools, supply	
Values:	
08	Hospital or Health Programs
09	Other education and training institutions
20	Law Enforcement Academies
21	Aviation and Flight Schools
22	WIA Providers
23	Department of Defense
50-70	State-Defined Institution Types
99	Not Available

lengthopen	
Tables Referenced:	
jvsaddit, lengthopen	
Values:	
0	All Length Categories
1	Less than 30 days
2	30 – 59 days
3	60 or more days
4	Always Hiring
9	Unknown

lengthtype	
Tables Referenced:	
lentype, programs	
Values:	
01	Years
02	Semesters
03	Trimesters
04	Quarters
05	Months
06	Weeks
07	Days
08	Hours
09	Semester hours
10	Credit hours
99	Unknown

leveltype	
Tables Referenced:	
leveltyp, wage	
Values:	
0	All level

leveltype	
Tables Referenced:	
leveltyp, wage	
Values:	
1	Entry level
2	Apprenticeship
3	Experienced
4	Journeyman
6 – 8	State Defined Level Types
9	Not Available

licensecertification	
Tables Referenced:	
licensecertification	
Values:	
0	no mention of certification
1	certification may substitute for license requirements
2	certification required
9	undetermined

licensecontinuingedu	
Tables Referenced:	
liccontinuingedu	
Values:	
0	no continuing education requirement
1	continuing ed required
9	undetermined

licensecriminal	
Tables Referenced:	
licensecriminal	
Values:	
0	no criminal record requirements
1	specific type of conviction prohibited
2	felony convictions prohibited
3	any conviction prohibited
4	background check required
9	undetermined

licenseeducation	
Tables Referenced:	
licenseeducation	
Values:	
0	no education required

licenseeducation Tables Referenced: licenseeducation Values: 1 specific course required 2 degree required 9 undetermined

licenseexam Tables Referenced: licenseexams Values: 0 no exam 1 state exam required 2 third-party exam required 3 both state and third-party exams required 4 applicants have a choice of state or third-party exam 9 undetermined
--

licenseexperience Tables Referenced: licenseexperience Values: 0 no experience 1 affidavit or referral 2 experience 3 current employment 9 undetermined
--

licensephysical Tables Referenced: licensephysicalreqs Values: 0 no physical requirements 1 vision test required 2 physical exam 3 more significant physical requirements 9 undetermined

licensestatus Tables Referenced: licenseactivestatus Values: 0 active
--

licensestatus Tables Referenced: licenseactivestatus Values: 1 no new licenses issued 2 replaced 3 no longer licensed
--

licensetype Tables Referenced: licensetypes Values: 0 Stand-alone license 1 registry 2 tied to business 3 secondary license (other license is prerequisite) 4 preliminary/temporary license
--

licnumtype Tables Referenced: lichist, licnumty Values: 01 Total number of licenses, as of a point in time 02 Number of active licenses as of a point in time 03 Number of licenses issued during a specific period 50-70 State-Defined Licences Types
--

licveteran Tables Referenced: licenseveteran Values: 0 No veteran preference 1 Alternate requirements for veterans 2 Alternate requirements for active duty military spouses 3 alternate requirements for veterans and active duty military spouses

locstat Tables Referenced: empdb, locstat Values: 0 Single location firm

locstat	
Tables Referenced: empdb, locstat	
Values:	
1	Headquarters/home office
2	Branch office
3	Subsidiary headquarters

meeicode	
Tables Referenced: meeicode, mlsevent	
Values:	
1	Single establishment unit
2	Multi-unit master record
3	Sub-unit record of a multi-unit employer
4	Multi-unit rpt. as single (lack of data)
5	Sub-unit representing several estab.
6	Multi-unit rpt. as single (due to size)
9	Undefined

mpc	
Tables Referenced: mocode, mocxocc, mpc	
Values:	
E	Enlisted
N	Not Applicable (civilian occupations)
O	Commissioned Officer (includes Navy and Marine Warrant Officers)
W	Warrant Officers (Army & Coast Guard)

naicdomain	
Tables Referenced: naicdom, naicsupr	
Values:	
10	Total, All Industries
101	Goods-Producing
102	Service-Providing

naicsect	
Tables Referenced: naiccode, naicsect	
Values:	
10	Supersector / Domain totals
11	Agriculture, Forestry, Fishing and Hunting
21	Mining

naicsect	
Tables Referenced: naiccode, naicsect	
Values:	
22	Utilities
23	Construction
31	Manufacturing (31 through 33)
42	Wholesale Trade
44	Retail Trade (44 & 45)
48	Transportation and Warehousing (48 & 49)
51	Information
52	Finance and Insurance
53	Real Estate and Rental and Leasing
54	Professional, Scientific and Technical Services
55	Management of Companies and Enterprises
56	Administrative and Support and Waste Management and Remediation Services
61	Education Services
62	Health Care and Social Assistance
71	Arts, Entertainment and Recreation
72	Accommodation and Food Services
81	Other Services (except Public Administration)
92	Public Administration

naicslvl	
Tables Referenced: naiccode, naicslvl	
Values:	
0	Total (000000)
1	Supersector
2	Sector (2 digit)
3	Subsector (3 digit)
4	Industry Group (4 digit)
5	Industry (5 digit)
6	US Industry (6 digit)
9	Not Specified
D	Domain

naicsuper	
Tables Referenced: naicsect, naicsupr	
Values:	
10	Total All Industries
101	Goods-Producing

naicsuper**Tables Referenced:**

naicsect, naicsupr

Values:

1011	Natural Resources and Mining Sectors 11, 21
1012	Construction Sector 23
1013	Manufacturing Sectors 31-33
102	Service-Providing
1021	Trade, Transportation, and Utilities Sectors 42, 44-45, 48-49, 22
1022	Information Sector 51
1023	Financial Activities Sectors 52, 53
1024	Professional and Business Services Sectors 54, 55, 56
1025	Education and Health Services Sectors 61, 62
1026	Leisure and Hospitality Sectors 71, 72
1027	Other Services Sector 81
1028	Public Administration Sector 92
1029	Unclassified Sector 99
1030	Tribal employment

oestrntm**Tables Referenced:**

oescode, oestrntm

Values:

0	Management training or experience
1	Baccalaureate or graduate degree
2	2 to 3 years of postsecondary training
3	High school degree plus work experience
4	On-the-job training or work experience
5	Not coded to experience
9	Not available

oohtrntm**Tables Referenced:**

oescode, oohtrntm, soccode

Values:

A	First professional degree
B	Doctor's degree
C	Master's degree
D	Work experience, plus a bachelor's or higher degree
E	Bachelor's degree
F	Associate degree

oohtrntm**Tables Referenced:**

oescode, oohtrntm, soccode

Values:

G	Post secondary vocational training
H	Work experience (in a related occupation)
I	Long-term on-the-job training (> 12 mos.)
J	Moderate-term on-the-job training (1 to 12 months)
K	Short-term on-the-job training
Z	Not Available

ownership**Tables Referenced:**

inddir, industry, jvs, mls, mlsevent, ownershp, qwichar, stfirms, workstop

Values:

00	Total
10	Federal Government
20	State Government
30	Local Government
40	International Government
50	Private
80	Total Government
90	Total UI Covered (excludes Federal Government)

partfull**Tables Referenced:**

jvsaddit

Values:

0	Both
1	Part-time
2	Full-time

paytype**Tables Referenced:**

payment, paytype

Values:

01	Total
02	Retirement/Disability
03	Medical
04	Income Maintenance
05	Unemployment insurance
06	Veterans

paytype	
Tables Referenced:	
payment, paytype	
Values:	
07	Education and training
08	Other

periodtype	
Tables Referenced:	
analysis, bed, blding, cenlabor, ces, clsxsupl, commute, cpi, cpiplus, demographics, develop, eeolabfac, eeolabfor, eeoocc, eeopop, esapplic1, esdata, income, industry, iowage, jvs, labforce, lichist, maplist, mls, mlsclaim, mlsevent, oeswage, payment, period, periodid, periodty, populatn, progcomp, propval, qwichar, sales, supply, tax, uiclaims, wage, workstop	
Values:	
01	Annual
02	Quarter
03	Monthly
04	Weekly
05	Decennial
06	Bimonthly
07	Semiannually (twice a year)
08	Biennially (every two years)
10	ACS
36	3-year estimates
50-70	State-Defined Period Types (EXCEPT 60)
60	5-year estimates
99	Not Applicable

permseas	
Tables Referenced:	
jvsaddit	
Values:	
0	Both
1	Seasonal
2	Permanent

popsorce	
Tables Referenced:	
demographics, popsorce, populatn	
Values:	
1	Census
2	BEA

popsorce	
Tables Referenced:	
demographics, popsorce, populatn	
Values:	
3	American Community Survey
6-9	State-Defined Population Sources

prisepcd	
Tables Referenced:	
mls, mlsevent	
Values:	
00	No Secondary Reason
01	Automation
04	Bankruptcy
07	Business Ownership Change
10	Contract Cancellation
13	Contract Completed
16	Domestic Relocation
19	Energy-related
22	Environment-related
25	Financial Difficulty
28	Import Competition
31	Labor Dispute
34	Material Shortage
37	Model Changeover
40	Natural Disaster
43	Overseas Relocation
46	Plant or Machine Repair
49	Product Line Discontinue
52	Reorganization Within the Company
55	Seasonal
58	Slack Work
61	Vacation Period
64	Weather-related
90	Other
96	Fed Government Cutbacks, Unspecified
97	Fed Government Cutbacks, Defense-Related
98	Data Not Provided (Refusal)
99	Data Not Provided (Does Not Know)
AA	All separation reasons

privgovsta	
Tables Referenced:	
empdb, prvgovst	
Values:	

privgovsta**Tables Referenced:**

empdb, prvgovst

Values:

- 1 Federal
- 2 State
- 3 County
- 4 Municipal
- 5 Private

qwisup**Tables Referenced:**

qwidata, qwisup

Values:

- 0 The value is not significantly affected by the disclosure protections
- 1 No employment in this age, gender category
- 2 There are less than 3 employees in this category
- 3 There are more than 3 employees in the category, but 80% or more are employed by one company.
- 4 Value could not be computed because a denominator is zero
- 5 Required historical or future wage record data are not available
- 6 No employers operate in this category during this quarter
- 9 The value has been significantly distorted to protect confidentiality

qwitype**Tables Referenced:**

qwidata, qwitype

Values:

- 01 Accessions (Acc)
- 02 Beginning-of-Quarter Employment (BeginEmp)
- 03 End-of-Quarter Employment (EndEmp)
- 04 Full Quarter Employment (FulEmp)
- 05 Full-Quarter Turnover (FulQrtTurn)
- 06 Accessions to Full Quarter Employment (FulEmpFlw)
- 07 Full Job Creation (FulJobCre)
- 08 Full Quarter Job Destruction (FulJobDes)
- 09 Full Job Flow (FulJobFlw)
- 10 Separations from Full Quarter Employment (FulSep)

qwitype**Tables Referenced:**

qwidata, qwitype

Values:

- 11 New Hires (Hire)
- 12 Full-Quarter New Hires (FulHire)
- 13 Job Creations (JobCreate)
- 14 Job Destruction (JobDes)
- 15 New Job Flows (JobFlowNet)
- 16 Recalls (Recl)
- 17 Separations (Sep)
- 18 Total Employment (TotalEmp)
- 19 Total Quarterly Payroll (Payroll)
- 20 Average Periods of Non-employment for Accessions (NonEmpAcc)
- 21 Average Periods of Non-employment for New Hires (NonEmpHire)
- 22 Average Period of Non-employment for Recalls (NonEmpRecl)
- 23 Average Periods of Non-employment for Separations (NonEmpSep)
- 24 Average Earnings for End-of-Period Employees (EarnEnd)
- 25 Average Earnings for Full-Quarter Employess (EarnFul)
- 26 Average Earnings for Full-Quarter Accessions (EarnFulAcc)
- 27 Average Earnings for Full-Quarter Separations (EarnFulSep)
- 28 Average Earnings for Full Quarter New Hires (EarnFulHire)
- 29 Average Change in Earnings for Accessions (ChgEarnAcc)
- 30 Average Change in Earnings for Separations (ChgEarnSep)

ratetype**Tables Referenced:**

esdata, iowage, oeswage, ratetype, wage

Values:

- 0 Not available
- 1 Hourly wage
- 2 Weekly wage or salary
- 3 Monthly wage or salary
- 4 Annual wage or salary
- 5 Daily wage

salestype	
Tables Referenced:	
sales, salestyp	
Values:	
00	Total, all sales types
01	Retail
50-70	State-Defined Sales Types

seasonal	
Tables Referenced:	
esapplic2, seasonal	
Values:	
0	Total, All applicants
1	Seasonal/migrant
2	Not seasonal/migrants
9	Unknown

secsepcd	
Tables Referenced:	
mlsevent	
Values:	
00	No Secondary Reason
01	Automation
04	Bankruptcy
07	Business Ownership Change
10	Contract Cancellation
13	Contract Completed
16	Domestic Relocation
19	Energy-related
22	Environment-related
25	Financial Difficulty
28	Import Competition
31	Labor Dispute
34	Material Shortage
37	Model Changeover
40	Natural Disaster
43	Overseas Relocation
46	Plant or Machine Repair
49	Product Line Discontinue
52	Reorganization Within the Company
55	Seasonal
58	Slack Work
61	Vacation Period
64	Weather-related
90	Other

secsepcd	
Tables Referenced:	
mlsevent	
Values:	
96	Fed Government Cutbacks, Unspecified
97	Fed Government Cutbacks, Defense-Related
98	Data Not Provided (Refusal)
99	Data Not Provided (Does Not Know)
AA	All separation reasons

siccode	
Tables Referenced:	
matxsic, mlsevent, siccode, sicnaic	
Values:	
0000	Total, all industries
9010	Federal Gov't, Excluding Postal
9020	State Gov't, Excluding Education & Hospitals
9030	Local Gov't, Excluding Education & Hospitals
9999	Non-classifiable; industry not specified

sicdiv	
Tables Referenced:	
siccode, sicdiv	
Values:	
A	Agriculture, forestry and fishing (2 digit SICs 01-09)
B	Mining (10-14)
C	Construction (15-17)
D	Manufacturing, total (20-39)
E	Transportation and public utilities (40-49)
F	Wholesale trade (50, 51)
G	Retail trade (52-59)
H	Finance, insurance, and real estate (60-67)
I	Services (70-89)
J	Public administration (91-97)
X	Unknown
Z	Total (00)

siclevel	
Tables Referenced:	
siccode, siclevel	
Values:	
0	Total (0000)
1	Major Division (one digit SIC)
2	Major Group (two digit SIC)

siclevel**Tables Referenced:**

sicode, siclevel

Values:

- 3 Industry Group (three digit SIC)
- 4 Industry (four digit SIC)
- 9 Not Specified

sizeclass**Tables Referenced:**

jvs, sizeclas, stfirms

Values:

- 00 0, No employment
- 01 1 - 4 employees
- 02 5 - 9 employees
- 03 10 - 19 employees
- 04 20 - 49 employees
- 05 50 - 99 employees
- 06 100 - 249 employees
- 07 250 - 499 employees
- 08 500 - 999 employees
- 09 1000 and over employees
- 20 less than 10 employees
- 22 10 to 49 employees
- 24 250 or more employees
- 50-70 State-Defined Size Class Types
- 99 Unknown

stattype**Tables Referenced:**

esdata, stattype, wage

Values:

- 00 Range Bottom
- 01 Range Top
- 02 Mode
- 03 Mean (average)
- 04 Median
- 05 Bottom of First Quartile
- 06 Top of First Quartile
- 07 Bottom of Second Quartile
- 08 Top of Second Quartile
- 09 Bottom of Third Quartile
- 10 Top of Third Quartile
- 11 Bottom of Fourth Quartile
- 12 Top of Fourth Quartile

stattype**Tables Referenced:**

esdata, stattype, wage

Values:

- 13 Minimum
- 14 Maximum
- 15 10th Percentile
- 16 25 th Percentile
- 17 75 th Percentile
- 18 90 th Percentile
- 19 Mean of 1st third (Default Entry Wages)
- 20 Mean of upper two thirds (Default Expr Wage)
- 50 - 70 State-specified

stockexchcode**Tables Referenced:**

empdb, stockexch

Values:

- 1 NYSE
- 2 ASE
- 3 NASDAQ
- 9 OTHER

subtot (indsub)**Tables Referenced:**

inndir, indsub, matxind, matxnaic, matxsic

Values:

- 1 Total all industries (SIC-based)
- 2 Industry division (SIC-based)
- 3 Major industry group (SIC-based)
- 4 Industry (SIC-based)
- 5 Roll up (SIC-based)
- 6 Outside the SIC structure (invented code) (SIC-based)
- A Total all industries (NAICS-based)
- B Domain (NAICS-based)
- C Super-Sector (NAICS-based)
- D Industry sector (2 digit) (NAICS-based)
- E Industry subsector (3 digit) (NAICS-based)
- F Industry group (4 digit) (NAICS-based)
- G Industry (5 digit) (NAICS-based)
- H U.S. Industry (6 digit) (NAICS-based)
- I Roll up (NAICS-based)
- J Outside the NAICS structure (invented code) (NAICS-based)

subtot (occsb)	
Tables Referenced: matxocc, matxoes, matxsoc, occdir, occsub	
Values:	
1	Total all occupations
2	Summary, major group
3	Summary, minor / intermediate group
4	Broad occupation
5	detailed occupation
6	Roll up
7	Collapsed
8	Outside the SOC/OES structure (invented code)

suppress	
Tables Referenced: bed, indprj, industry, iomatrix, jvs, jvsaddit, mls, occprj, stindprj, stoccprj	
Values:	
0	if data is not confidential
1	if data is confidential

suppressoes	
Tables Referenced: oeswage	
Values:	
0	Not Suppressed
1	Suppress employment data
2	Suppress wage data
3	Suppress employment & wage data

SVC	
Tables Referenced: mocode, mocxocc, svc	
Values:	
A	Army branch and Functional Area (FA), Area of Concentration (AOC) , Military Occupational Specialty (MOS), and Reporting Code (RC)
C	Coast Guard codes
D	DoD Occupational Conversion Code
F	Air Force Specialty Code (AFSC)
G	Office of Personnel Management (OPM) Series codes GS and WG
K	National Security Personnel System (NSPS) code

SVC	
Tables Referenced: mocode, mocxocc, svc	
Values:	
M	Marine Corps Military Occupational Specialty (MOS)
N	Navy Rating, Navy Enlisted Code (NEC), and Navy Officer Billet Classification (NOBC) codes

svp	
Tables Referenced: dotcode	
Values:	
1	Short demonstration only
2	Anything beyond short demonstration up to and including 30 days
3	Over 30 days up to and including 3 months
4	Over 3 months up to and including 6 months
5	Over 6 months up to and including 1 year
6	Over 1 year up to and including 2 years
7	Over 2 years up to and including 4 years
8	Over 4 years up to and including 10 years
9	Over 10 years

tabletype	
Tables Referenced: tabllist	
Values:	
A	Administrative table
D	Data table
L	Lookup table
X	Crosswalk table

taxtype	
Tables Referenced: propval, tax, taxtype	
Values:	
01	Sales tax
02	Real property tax
03	Personal property tax
04	Mineral tax
05	Use tax
06	Excise tax
07	Income tax
08	Ad Valorem

taxtype**Tables Referenced:**

propval, tax, taxtype

Values:

09	Local option sales taxes
10	State property taxes
11	State general sales and gross receipts sales
12	State alcoholic beverages sales tax
13	State amusements sales tax
14	State insurance premiums sales tax
15	State motor fuels sales tax
16	State pari-mutuels sales tax
17	State public utilities sales tax
18	State tobacco products sales tax
19	State other selective sales and gross receipts taxes
20	State individual income taxes
21	State corporation net income taxes
22	State death and gift taxes
23	State documentary and stock transfer taxes
24	State severance taxes
25	State Taxes not elsewhere classified
99	Other; not elsewhere classified

trainingcat**Tables Referenced:**

training

Values:

0	None
1	Short-term on-the-job training
2	Moderate-term on-the-job training
3	Long-term on-the-job training
4	Apprenticeship
5	Internship/residency
N	Information not available

unittype**Tables Referenced:**

blding, unittype

Values:

00	Total all types construction permits
01	Total new constructions
02	Total remodels/alterations
03	Single family residential new constructions
04	Single family residential remodels/alterations

unittype**Tables Referenced:**

blding, unittype

Values:

05	Multi family residential new constructions
06	Multi family residential remodel/alterations
07	Residential, not specified new construction
08	Residential, not specified remodels/alterations
09	Commercial new construction
10	Commercial remodels/alterations
50-70	State-Defined Unit Type Codes
99	Unspecified

urltopic**Tables Referenced:**

urllinks, urltopic

Values:

000	SESA LMI homepages
001	Analyst Resource Center Homepage
002	BLS Sites
003	ETA Sites
004	BEA Sites
005	Census Bureau
006	HUD
007	National Association of State Workforce Agencies
008	America's Career InfoNet
009	America's Job Bank
010	America's Learning Exchange
011	America's Service Locator
500-79	State specific

veteran**Tables Referenced:**

esapplic2, mls, mlsclaim, vetcode

Values:

0	Total
1	Veteran
2	Non-veteran
3	Vietnam Era (This is a subset of Veteran Code Type 1)
6	Info. not available

wagesource

Tables Referenced:

iowage, oeswage, wage, wgsource

Values:

- | | |
|-----|---|
| 1 | BLS Area Wage Survey |
| 2 | State Wage Survey |
| 3 | BLS Occupational Employment Statistics Survey |
| 4 | BLS/Census Current Population Survey |
| 5 | Davis Bacon Wage Survey |
| 6-9 | State-Defined Wage Types |

worksite

Tables Referenced:

mls, mlsevent, worksite

Values:

- | | |
|---|--|
| 0 | Estab & worksites remaining open-no chg. |
| 1 | Estab open; but worksites affected close |
| 2 | Estab & worksites open; wksite div. stop |
| 3 | Partial closure of single-unit estab |
| 4 | Full closure of multi or single-unit est |
| 9 | Information not available |
| A | All Worksite Classifications |

Appendix A

Workforce Information Database, Version 2.8 - Recommended Load Order

Order	Table Name	Type	Order	Table Name	Type	Order	Table Name	Type
1	stfipstb	L	46	popsourc	L	91	disadvan	L
2	areatype	L	47	unittype	L	92	dislocat	L
3	geocode	L	48	cescode	L	93	dwvertyp	L
4	geog	L	49	cidscod	L	94	empszflg	L
5	subgeog	L	50	cipcod	L	95	empszrng	L
6	statelst	A	51	cluscod	L	96	growcod	L
7	periodty	L	52	compltyp	L	97	incsourc	L
8	period	L	53	dotcod	L	98	incomtyp	L
9	periodid	L	54	eventtyp	L	99	laytitle	L
10	jobfamly	L	55	gender	L	100	licnumty	L
11	benefit	L	56	instown	L	101	locstat	L
12	careerclust	L	57	insttype	L	102	mpc	L
13	careerpaths	L	58	lentype	L	103	svc	L
14	occtypes	L	59	meeicod	L	104	moccod	L
15	censcod	L	60	mlssepct	L	105	urltopc	L
16	edulevel	L	61	mlssepctdty	L	106	prvgovst	L
17	education	L	62	mlssepctd	L	107	schgrade	L
18	experience	L	63	naicdom	L	108	seasonal	L
19	training	L	64	naicsupr	L	109	bedtypes	L
20	eeo1cat	L	65	naicsect	L	110	classtime	L
21	eeostloc	L	66	naicslvl	L	111	contactpro	L
22	explevel	L	67	naiccod	L	112	contacttitle	L
23	itemcpi	L	68	oeslaytl	L	113	stockexch	L
24	lengthopen	L	69	onetcod	L	114	iospecialid	L
25	oohtrntm	L	70	ownersh	L	115	analysis	D
26	oesgroup	L	71	paytype	L	116	bed	D
27	oestrntm	L	72	raceethn	L	117	blding	D
28	oescod	L	73	sizeclas	L	118	cenlabor	D
29	occsb	L	74	soccod	L	119	ces	D
30	occdir	L	75	stprogcd	L	120	commute	D
31	stattype	L	76	occcodes	A	121	cpi	D
32	indtypes	L	77	indcodes	A	122	cpiplus	D
33	qwisup	L	78	taxtype	L	123	demographics	D
34	qwitype	L	79	vetcod	L	124	develop	D
35	sicdiv	L	80	worksite	L	125	empdbinf	A
36	siclevel	L	81	addresty	L	126	empdb	D
37	inndiv	L	82	agegroup	L	127	eeolabfac	D
38	siccod	L	83	annslflg	L	128	eeolabfor	D
39	ratetype	L	84	annslrng	L	129	eeoocc	D
40	salestyp	L	85	benmark	L	130	eeopop	D
41	leveltyp	L	86	clusgrad	L	131	esapplic1	D
42	wgsourc	L	87	cpitype	L	132	esapplic2	D
43	cenind	L	88	cpisourc	L	133	esdata	D
44	indsub	L	89	creditcd	L	134	income	D
45	inndir	L	90	disabil	L	135	indprj	D

Notes for Suggested Load Order

Table Types: A=Admin; D=Data; L=Look-up; X=Cross-walk

OCCCODES is normally loaded by triggers. If triggers are not used, content for this table should be appended from the related lookup tables: CENSCODE, CIDSCODE, CIPCODE, CLUSCODE, DOTCODE, OCCDIR, OESCODE, ONETCODE, SOCCODE and STPROGCD.

INDCODES is normally loaded by triggers. If triggers are not used, content for this table should be appended from the related lookup tables: CENIND, SICCODE and NAICCODE.

Appendix A

Workforce Information Database, Version 2.8 - Recommended Load Order

Order	Table Name	Type	Order	Table Name	Type	Order	Table Name	Type
136	indsum	A	181	indxind	X			
137	industry	D	182	matxoes	X			
138	iomatrix	D	183	matxsic	X			
139	labforce	D	184	clsxproj	X			
140	jvs	D	185	clsxsupl	X			
141	jvsaddit	D	186	clusxpath	X			
142	licensetypes	L	187	clusxcip	X			
143	licenseexams	L	188	clusxsoc	X			
144	licenseeducati	L	189	cidsxcip	X			
145	liccontinuinge	L	190	dotxcip	X			
146	licensecertific	L	191	dotxonet	X			
147	licenseexperie	L	192	oesxcens	X			
148	licensecrimina	L	193	oesxcids	X			
149	licensephysic	L	194	oesxcip	X			
150	licenseactives	L	195	oesxdot	X			
151	licensevetera	L	196	sicxnaic	X			
152	licauth	D	197	oesxonet	X			
153	license	D	198	oesxjob	X			
154	lichist	D	199	laytxocc	X			
155	mls	D	200	licxocc	X			
156	mlsevent	D	201	matxnaic	X			
157	mlsclaim	D	202	matxind	X			
158	occprj	D	203	matxocc	X			
159	iowage	D	204	matxsoc	X			
160	oeswage	D	205	mocxocc	X			
161	payment	D	206	oesxsoc	X			
162	populatn	D	207	socxcens	X			
163	schools	D	208	socxcids	X			
164	progcomp	D	209	socxcip	X			
165	programs	D	210	socxdot	X			
166	propval	D	211	socxjob	X			
167	qwichar	D	212	socxonet	X			
168	qwidata	D	213	eeo1xcens	X			
169	sales	D	214	eeosxcens	X			
170	stfirms	D	215	datasess	A			
171	stindprj	D	216	source	A			
172	stoccpj	D	217	maplist	A			
173	supply	D	218	tabllist	A			
174	tax	D	219	sesstabl	A			
175	uiclaims	D	220	tablsrce	A			
176	url	D						
177	urllinks	D						
178	wage	D						
179	workstop	D						
180	occxocc	X						

Notes for Suggested Load Order

Table Types: A=Admin; D=Data; L=Look-up; X=Cross-walk

OCCCODES is normally loaded by triggers. If triggers are not used, content for this table should be appended from the related lookup tables: CENSCODE, CIDSCODE, CIPCODE, CLUSCODE, DOTCODE, OCCDIR, OESCODE, ONETCODE, SOCCODE and STPROGCD.

INDCODES is normally loaded by triggers. If triggers are not used, content for this table should be appended from the related lookup tables: CENIND, SICCODE and NAICCODE.

Appendix B

Workforce Information Database, Version 2.8 - Notes on the Race/Ethnicity codes

The field **raceethn** is a five-character code that identifies the ethnicity and race of an individual or group.

Characters 1-2 = Ethnicity.

Characters 3-4 = Race.

Character 5 = Type.

Type 0 = A total.

Type 1 = A type 1 record represents an unduplicated count of persons, in which individuals are counted as one race alone. Where persons are identified as more than one race, they are included in **one** multiple race group (e.g. 34, 48, 55, 70); thus, are counted in a single race group. Type 1 race subcategories sum to their type 1 totals (e.g. 411 through 481 = 401, 101 + 201 + 301 + 401 + 501 + 601 + 701 + 991 = 001).

Type 2 = A type 2 record exists for each race a person may have identified as part of their racial makeup. A single race person will be represented in one type 2 record. A person whose racial makeup is a combination of two races will be represented in two type 2 records. Because a multi-racial person is counted in more than one type 2 record, the sum of type 2 counts in virtually all instances will exceed the total population.

- Examples: 10001 = Not Hispanic, all races
 20201 = Hispanic and black (one race reported)
 22102 = Mexican and white (race reported alone or in combination with other races)
 99701 = Ethnicity unknown, persons of two or more races
 00511 = All Native Hawaiians (no reported race combinations), regardless of ethnicity

Ethnicity		Race		Type
00	Total Population	00	Total Population	0,1,2
10	Not Hispanic or Latino	10	White	1,2
20	Hispanic or Latino (All 20-29)	20	Black or African American	1,2
21	Spaniard			
22	Mexican	30	American Indian or Alaska Native	1,2
23	Central American	31	American Indian	1,2
24	South American	32	Native Alaskan	1,2
25	Latin American	33	Am. Indian / AK Native – Not Specified	1,2
26	Puerto Rican	34	Both American Indian & Alaska Native	1
27	Cuban or Dominican			
28	Other Hispanic or Latino	40	Asian (All 41-48)	1,2
29	Multiple Hispanic Ethnicities	41	Asian Indian	1,2
		42	Chinese	1,2
71-89	State use	43	Filipino	1,2
		44	Japanese	1,2
99	Ethnicity Unknown	45	Korean	1,2
		46	Vietnamese	1,2
		47	Other Asian	1,2
		48	Multiple Asian Races	1
		50	Native Hawaiian / Pacific Islander (All 51-55)	1,2
		51	Native Hawaiian	1,2
		52	Samoan	1,2
		53	Guamanian or Chamorro	1,2
		54	Other Pacific Islander	1,2
		55	Multiple Pacific Island Races	1
		60	Other Race	1,2
		70	Multiple Race Categories reported	1

Appendix B

Workforce Information Database, Version 2.8 - Notes on the Race/Ethnicity codes

Ethnicity		Race		Type
		71-89	State use	
		99	Race Unknown	1

Appendix C

Workforce Information Database, Version 2.8 - Deprecated Tables

Deprecated tables are tables that are no longer necessary, either because they refer to outdated data or classification systems, or are redundant, or for other reasons no longer fit into the WID. These tables will continue to be supported for the time being, allowing backward compatibility, but should not be used in any new software or system development.

Look-up Tables

Table Name	Deprecated in	Reason for deprecating	Replacement table(s)
cenind	2.8		
censcode	2.8		
clusgrad	2.8	lookup table for deprecated table	
disabil	2.8		
disadvan	2.8	lookup table for deprecated table	
dislocat	2.8	lookup table for deprecated table	
dotcode	2.6	Obsolete occupational coding system	socode and related crosswalks
dwvertyp	2.8	lookup for deprecated table	
eeo1cat	2.6	Developed for Census 2000 EEO data; no longer available.	
eeostloc	2.6	Developed for Census 2000 EEO data; no longer available.	
jobfamly	2.6	Obsolete classification.	
mlssepct	2.8	discontinued program; no data	
mlssepctd	2.8	discontinued program; no data	
mlssepctdtyp	2.8	discontinued program; no data	
oescode	2.6	Obsolete occupational coding system	socode and related crosswalks
oesgroup	2.6	Obsolete occupational coding system	socode and related crosswalks
oeslaytl	2.6	Obsolete occupational coding system	
oestrntm	2.6	Obsolete coding system	education, training
seasonal	2.8	lookup table for deprecated table	
siccode	2.6	Obsolete industry coding system	naicscode and related crosswalks
sicdiv	2.6	Obsolete industry coding system	naicscode and related crosswalks

Appendix C

Workforce Information Database, Version 2.8 - Deprecated Tables

Deprecated tables are tables that are no longer necessary, either because they refer to outdated data or classification systems, or are redundant, or for other reasons no longer fit into the WID. These tables will continue to be supported for the time being, allowing backward compatibility, but should not be used in any new software or system development.

Look-up Tables

Table Name	Deprecated in	Reason for deprecating	Replacement table(s)
siclevel	2.6	Obsolete industry coding system	naicscode and related crosswalks
urltopic	2.6	Lack of use.	
vetcode	2.8	lookup table for deprecated table	

Data Tables

Table Name	Deprecated in	Reason for deprecating	Replacement table(s)
analysis	2.8	unused, with unclear data source or purpose	
cenlabor	2.8	outdated data source; no longer produced	
develop	2.8	unused, with unclear data source or purpose	
eeolabfac	2.6	Developed for Census 2000 EEO data; no longer available.	
eeolabfor	2.6	Developed for Census 2000 EEO data; no longer available.	
eeoocc	2.6	Developed for Census 2000 EEO data; no longer available.	
eeopop	2.6	Developed for Census 2000 EEO data; no longer available.	
esapplic1	2.8	unused, with unclear data source or purpose	TBD
esapplic2	2.8	unused, with unclear data source or purpose	TBD
indprj	2.6	Redundant table	iomatrix
mls	2.8	discontinued program; no data	
mlsclaim	2.8	discontinued program; no data	
mlsevent	2.8	discontinued program; no data	
occprj	2.6	Redundant table	iomatrix
oeswage	2.6	Redundant table	iowage
propval	2.8	unused, with unclear data source or purpose	

Appendix C

Workforce Information Database, Version 2.8 - Deprecated Tables

Deprecated tables are tables that are no longer necessary, either because they refer to outdated data or classification systems, or are redundant, or for other reasons no longer fit into the WID. These tables will continue to be supported for the time being, allowing backward compatibility, but should not be used in any new software or system development.

Data Tables

Table Name	Deprecated in	Reason for deprecating	Replacement table(s)
stindprj	2.6	Redundant table	iomatrix
stoccpj	2.6	Redundant table	iomatrix
url	2.6	Lack of use.	
urllinks	2.6	Lack of use.	
wage	2.6	Redundant table	iowage
workstop	2.8	unused, with unclear data source or purpose	

Crosswalk Tables

Table Name	Deprecated in	Reason for deprecating	Replacement table(s)
cidsxcip	2.6	Redundant; replace with generic occ to occ table	occxocc
clusxcip	2.7	Redundant; replace with generic occ to occ table	occxocc (non-standard)
clusxpath	2.7	Redundant; replace with generic occ to occ table	occxocc (non-standard)
clusxsoc	2.7	Redundant; replace with generic occ to occ table	occxocc (non-standard)
dotxcip	2.6	Obsolete occupational coding system	soccode and related crosswalks
dotxonet	2.6	Obsolete occupational coding system	soccode and related crosswalks
eeo1xcens	2.6	Developed for Census 2000 EEO data; no longer available.	
eeosxcens	2.6	Developed for Census 2000 EEO data; no longer available.	
matxnaic	2.6	Too specific; see generic table	matxind
matxoes	2.6	Obsolete occupational coding system	matxocc
matxsic	2.6	Obsolete industry coding system	matxind
matxsoc	2.6	Too specific; see generic table	matxocc

Appendix C

Workforce Information Database, Version 2.8 - Deprecated Tables

Deprecated tables are tables that are no longer necessary, either because they refer to outdated data or classification systems, or are redundant, or for other reasons no longer fit into the WID. These tables will continue to be supported for the time being, allowing backward compatibility, but should not be used in any new software or system development.

Crosswalk Tables

Table Name	Deprecated in	Reason for deprecating	Replacement table(s)
oesxcens	2.6	Obsolete occupational coding system	socode and related crosswalks
oesxcids	2.6	Obsolete occupational coding system	socode and related crosswalks
oesxcip	2.6	Obsolete occupational coding system	socode and related crosswalks
oesxdot	2.6	Obsolete occupational coding system	socode and related crosswalks
oesxjob	2.6	Obsolete occupational coding system	socode and related crosswalks
oesxonet	2.6	Obsolete occupational coding system	socode and related crosswalks
oesxsoc	2.6	Obsolete occupational coding system	socode and related crosswalks
sicxnaic	2.6	Obsolete industry coding system	naicscode and related crosswalks
socxcens	2.6	Redundant; replace with generic occ to occ table	occxocc
socxcids	2.6	Redundant; replace with generic occ to occ table	occxocc
socxcip	2.6	Redundant; replace with generic occ to occ table	occxocc
socxdot	2.6	Obsolete occupational coding system	socode and related crosswalks
socxjob	2.6	Redundant; replace with generic occ to occ table	occxocc
socxonet	2.6	Redundant; replace with generic occ to occ table	occxocc

Administrative Tables

Table Name	Deprecated in	Reason for deprecating	Replacement table(s)
datasess	2.8	admin table no longer used	

Appendix C

Workforce Information Database, Version 2.8 - Deprecated Tables

Deprecated tables are tables that are no longer necessary, either because they refer to outdated data or classification systems, or are redundant, or for other reasons no longer fit into the WID. These tables will continue to be supported for the time being, allowing backward compatibility, but should not be used in any new software or system development.

Administrative Tables

Table Name	Deprecated in	Reason for deprecating	Replacement table(s)
maplist	2.8	unused admin table	
sesstabl	2.8	unused admin table	
source	2.8	unused admin table	

Appendix D

Workforce Information Database, Version 2.8 - Changes from Version 2.7

Changes to existing tables in v2.8:

Table Name	Changes
cescode cipcode indcodes inddir laytitle license mocode naiccode occcodes occdir onetcode programs soccode stprogcd	<p>The “title” field for each of these tables was expanded to varchar(200). In cases where there is a “short title” field, this was expanded to varchar(75).</p> <p>Note that some tables have a “title1” field (long title). In these cases the long title was set to varchar(200), and the “regular” title set to varchar(75).</p>
programs	The field <i>etplapproval</i> was added to indicate ETPL approval of WIOA programs.
stfirms	The fields <i>siccode</i> , <i>naicscode</i> and <i>axnaicscode</i> were dropped, as QCEW hasn’t used these fields for years. The <i>indcode</i> field indicates the industry.
income incomtyp	The table income has two look-up tables, incomtyp and incsource. These lookup tables were linked by the key field <i>incsource</i> in the incomtyp table. This relationship was severed by removing the field <i>incsource</i> from table incomtyp, as income type and income source are unrelated attributes of income. The foreign key references of income were modified to reflect this!
inddir	The field <i>ownership</i> was added, taking its values from the ownership table.
demographics	All of the mean error fields (those ending with “me”) were removed from the table.
licauth	Three fields were added to allow better description of the licensing authority: <i>department</i> , <i>division</i> , and <i>board</i> .
license	Nine new attribute fields were added: <i>licenstype</i> , <i>exam</i> , <i>education</i> , <i>continuingedu</i> , <i>certification</i> , <i>experience</i> , <i>criminal</i> , <i>physical</i> , <i>veteran</i> , <i>inactive</i> . Also the field <i>licenseupdated</i> , to indicate the last time the license information was updated.

Appendix D

Workforce Information Database, Version 2.8 - Changes from Version 2.7

Tables added in v2.8:

Table Name	Description
licenseactivestatus licensecertification licensecontinuinged licensecriminal licenseeducation licenseexams licenseexperience licensephysicalreqs licensetypes licenseveteran	These are new lookup tables needed to support the revisions to the licensing tables.
mocxocc	New cross-walk table between military occupations and standard occupations, allowing for multiple standard occupation code systems to be stored in one table.

Other changes from v2.7 to v2.8

- The Introduction to the Data Dictionary has been revised for clarity. Changes include an explanation of the Field Values section of the Dictionary, and moving all contact information to a Contacts section. The ARC encourages DBAs to read the Introduction, especially new DBAs.
- Many tables have been deprecated, mostly because they are no longer needed. Remember that these tables are still part of the WID and are still supported for three versions after deprecation, at which point they will be dropped from the WID. See Appendix C for a complete list of tables deprecated in v2.8.

Appendix E

Workforce Information Database, Version 2.8 - Core Tables List

Data Tables

ces
empdb
industry
iomatrix
iowage
labforce
licauth
license

Look-up Tables

annslflg
annslrng
areatype
benchmark
cescode
contactpro
contacttitle
creditcd
empzflg
empzrng
geocode
geog
growcode
inndir
indsub
indtypes
leveltyp
liccontinuingedu
licenseactivestatus
licensecertification
licensecriminal
licenseeducation
licenseexams
licenseexperience
licensephysicalreqs
licensetypes
licenseveteran
locstat

Look-up Tables

occdir
occsb
occtypes
ownership
period
periodid
periodty
prvgovst
ratetype
stfipstb
wgsources

Crosswalk Tables

licxocc
matxind
matxocc

Administrative Tables

empdbinf
indcodes
occcodes

Deprecated tables are no longer included as Core Tables. Therefore the tables indproj, occproj, and oeswage are no longer listed.